

**AN ANNOTATED CHECKLIST
OF THE IRISH BUTTERFLIES
AND MOTHS (LEPIDOPTERA)**

compiled by

K. G. M. Bond, R. Nash and J. P. O'Connor



**The Irish Biogeographical Society
in association with
The National Museum of Ireland**

museum

National Museum of Ireland
Ard-Mhúsaem na hÉireann

OTHER PUBLICATIONS AVAILABLE FROM THE IRISH BIOGEOGRAPHICAL SOCIETY
OCCASIONAL PUBLICATIONS OF THE IRISH BIOGEOGRAPHICAL SOCIETY (A5 FORMAT)

Number 1. *Proceedings of The Postglacial Colonization Conference*

D. P. Sleeman, R. J. Devoy and P. C. Woodman (editors)

Published 1986. 88pp. Price €4 (Please add €4 for postage outside Ireland for each publication).

Number 2. *Biogeography of Ireland: past, present and future*

M. J. Costello and K. S. Kelly (editors)

Published 1993. 149pp. Price €15.

Number 3. *A checklist of Irish aquatic insects*

P. Ashe, J. P. O'Connor and D. A. Murray

Published 1998. 80pp. Price €7.

Number 4. *A catalogue of the Irish Braconidae (Hymenoptera: Ichneumonoidea)*

J. P. O'Connor, R. Nash and C. van Achterberg

Published 1999. 123pp. Price €6.

Number 5. *The distribution of the Ephemeroptera in Ireland*

M. Kelly-Quinn and J. J. Bracken

Published 2000. 223pp. Price €12.

Number 6. *A catalogue of the Irish Chalcidoidea (Hymenoptera)*

J. P. O'Connor, R. Nash and Z. Bouček

Published 2000. 135pp. Price €10.

Number 7. *A catalogue of the Irish Platygastroidea and Proctotrupoidea (Hymenoptera)*

J. P. O'Connor, R. Nash, D. G. Notton and N. D. M. Fergusson

Published 2004. 110pp. Price €10.

Number 8 *A catalogue and index of the publications of the Irish Biogeographical Society (1977-2004)*

J. P. O'Connor

Published 2005. 74pp. Price €10.

BULLETIN OF THE IRISH BIOGEOGRAPHICAL SOCIETY (A5 FORMAT)

The Bulletin is sent free to all members. The annual membership fee is €15 or £10. To-date, 29 volumes have been published. Back issues may be purchased for €15 or £10. Discounts are given for large orders.

MACRO SERIES OF THE IRISH BIOGEOGRAPHICAL SOCIETY (A4 FORMAT)

First Supplement to A Bibliography of Irish Entomology

James P. O'Connor, Patrick Ashe and John Walsh

Published in association with The National Museum of Ireland, 2005, Price €30 or £25.

PAYMENT

Orders should be sent to The Irish Biogeographical Society c/o Dr J. P. O'Connor, National Museum of Ireland, Kildare Street, Dublin 2, Ireland. Cheques should be made payable to "The Irish Biogeographical Society". Website: www.irishbiogeographicalsociety.com

AN ANNOTATED CHECKLIST OF THE IRISH BUTTERFLIES AND MOTHS (LEPIDOPTERA)

compiled by

Kenneth G. M. Bond,

*Department of Zoology and Animal Ecology, University College Cork,
Distillery Fields, North Mall, Cork, Republic of Ireland.*

Robert Nash

Ulster Museum, Botanic Gardens, Belfast, BT9 5AB, Northern Ireland.

James P. O'Connor

National Museum of Ireland, Kildare Street, Dublin 2, Republic of Ireland.

museum
National Museum of Ireland
Ard-Mhúsaem na hÉireann

Published 2006 by
The Irish Biogeographical Society, Dublin
in association with
The National Museum of Ireland

Published in 2006 by
The Irish Biogeographical Society, Dublin
in association with
The National Museum of Ireland

ISBN 0-9511514-9-5

© K. G. M. Bond, R. Nash and J. P. O'Connor

Cover illustration of the Death's-Head Hawk-Moth (*Acherontia atropos* Linnaeus)

by Sean Milne from *Irish Indoor Insects*

published by Town House

©J. P. O'Connor and P. Ashe

This book may be obtained from The Irish Biogeographical Society c/o
Dr J. P. O'Connor, National Museum of Ireland, Kildare Street, Dublin 2, Ireland

Price €25 or £25 including packing and postage

Preface

In 2005, The Irish Biogeographical Society launched a third series of publications on Irish biodiversity. Known as the *Macro Series*, these volumes will be produced in A4 format in limited editions. Printed in 13 or 14 point and stitch-bound, the new series is perfect for checklists and bibliographies because of its large format, legibility, durability and ease of notation. The series is complimentary to the *Occasional Publications* and the *Bulletin* which are in A5 format.

The new series was initiated with *First Supplement to A Bibliography of Irish Entomology*. It was published by the Society in association with The National Museum of Ireland. I am delighted therefore that the present volume is another example of this close co-operation. On behalf of The Irish Biogeographical Society, I wish to thank Dr Pat Wallace (Director), Mr Ragnall Ó Floinn (Head of Collections) and Mr Nigel Monaghan (Keeper of Natural History) for their interest in and encouragement of this work. The Society is indebted to the National Museum of Ireland and the National Parks and Wildlife Services of the Department for the Environment for providing sponsorship towards the cost of publication.

James P. O'Connor MRIA
Editor
The Irish Biogeographical Society

Editor's note 16 May 2024

This annotated checklist was updated in Bond, K. G. M. and O'Connor, J. P. (2012) Additions, deletions and corrections to *An annotated checklist of the Irish butterflies and moths (Lepidoptera)* with a concise checklist of Irish species and *Elachista biatomella* (Stainton, 1848) new to Ireland. *Bulletin of the Irish Biogeographical Society* **36**: 60-179. A PDF of this paper is attached at the end of this volume.

Contents

Introduction.....	1
Terms.....	3
Acknowledgements.....	4
Sections	
1. Micropterigidae.....	5
2. Eriocraniidae.....	5
3. Hepialidae.....	6
4. Nepticulidae.....	6
5. Opostegidae.....	10
6. Tischeriidae.....	10
7. Incurvariidae.....	11
8. Prodoxidae.....	11
9. Adelidae.....	11
10. Heliozelidae.....	12
11. Cossidae.....	13
12. Zygaenidae.....	13
13. Psychidae.....	14
14. Tineidae.....	15
15. Buccalatricidae.....	17
16. Gracillariidae.....	17
17. Sesiidae.....	21
18. Choreutidae.....	22
19. Glyphipterigidae.....	22
20. Yponomeutidae.....	23
21. Lyonetiidae.....	26
22. Coleophoridae.....	27
23. Elachistidae.....	32
24. Oecophoridae.....	35
25. Gelechiidae.....	38
26. Autostichidae.....	43
27. Blastobasidae.....	44
28. Batrachedridae.....	44
29. Momphidae.....	44
30. Cosmopterigidae.....	44
31. Scythrididae.....	45
32. Tortricidae.....	45
33. Epermeniidae.....	63
34. Schreckensteiniidae.....	63
35. Alucitidae.....	63
36. Pyralidae.....	63

37. Pterophoridae.....	70
38. Hesperidae.....	72
39. Papilionidae.....	73
40. Pieridae.....	73
41. Lycaenidae.....	75
42. Nymphalidae.....	76
43. Lasiocampidae.....	81
44. Saturniidae.....	82
45. Drepanidae.....	82
46. Geometridae.....	83
47. Sphingidae.....	105
48. Notodontidae.....	106
49. Lymantriidae.....	108
50. Arctiidae.....	108
51. Ctenuchidae.....	110
52. Nolidae.....	111
53. Noctuidae.....	111
References.....	136
Index of genera and species.....	150
Index of common names in English and Irish.....	170

INTRODUCTION

This is the second in a series of checklists of the Irish insect fauna, a project inspired by the manuscript list of Alexander Henry Haliday (1806-1870). The first checklist catalogued the beetles (Coleoptera) (Anderson, Nash and O'Connor, 1997). The present volume deals with the moths and butterflies (Lepidoptera). Its format differs in that popular names are included and footnotes are incorporated within the text. Of all the omissions in the Irish entomological literature, the absence of a formal list of all the Irish Lepidoptera is perhaps the most surprising. Lepidopterists have always outnumbered other entomologists on the island. Despite this advantage, most have published little if at all on their discoveries. As a result, little is known about their captures which are often housed in inaccessible private collections. In addition, there has been a tendency for Irish workers to pass their information on to British colleagues who were compiling lists or illustrated works. Some species new to Ireland have therefore been reported with little or no data and in journals easily overlooked by Irish entomologists. It is hoped that the appearance of this Checklist will encourage lepidopterists with unpublished information to make it available for other workers.

The systematic order and nomenclature of the present checklist mainly follows Bradley (2000). The latter incorporates changes in Continental European nomenclature introduced by Huemer and Tarmann (1993), Leraut (1997), Karsholt and Razowski (1996) and Prins (1998). Remarks have been made elsewhere regarding the taxonomic instability in the entomological literature (Nash and O'Connor, 2000). These changes have been especially common at generic level in the Palaearctic Macrolepidoptera, resulting in a major obstacle to researchers primarily concerned with faunistics and conservation. For this reason, common names (both in English and Irish) are given where possible. Some of the English ones depart from the usage in Bradley (2000) by retaining "THE" as employed by Baynes (1964). In addition, synonymies are included from Donovan (1936), Beirne (1941, 1942) and Baynes (1964) and from some other works when considered useful. In this context, many are partial synonymies which merely repeat the names and authorities used by those authors. It is planned to make available a more detailed list of synonymies on CD. Much of the Microlepidoptera section is based on Bond (1995).

The valid species names are given in bold and indented. Those species not included in Beirne (1941) and Baynes (1964) are indicated in the checklist by a + sign in the left-hand margin. The checklist covers species known to have been native or naturalised in Ireland and therefore includes several now thought to be extinct. Migrant species are also noted. Subspecies are given when known. These taxa have a greater importance in the Lepidoptera than in other orders. Most are based on colour and pattern differences which may have evolutionary significance. These can result in differential predation rates. The insects themselves also often react to these stimuli. However, there are strong indications that sometimes the

colour differences used in differentiating Irish subspecies are actually related to climate, especially humidity and the relatively mild frost-free conditions on the island, or to high levels of food-plant flavotoxins. The status of many subspecies is unknown in Ireland. In addition, due to the present lack of knowledge, it is impossible to ascertain whether some subspecies described/recorded from one part of the island might occur in other areas or whether the known populations uniquely represent the species here. Establishing the status of the various Irish subspecies will be a productive field for future research.

The checklist contains information on 1412 species. The layout specifies Suborder, Superfamily, Family, Subfamily, Genus, Species. A glossary of the technical terms used in the text is given on page 3.

Terms

Adventive - accidental introduction, often by commerce (see intercept).

Auctorum.; auctt.; sensu auctorum - in the sense of previous authors e.g. misidentification.

Breeding migrant - a migrant which reproduces a generation of offspring after arrival.

Colonist - an invasive alien species.

Endemic - occurring only in Britain or Ireland or both.

Form - a neutral term for a single individual, phenon (morph) or taxon (i.e. a group of variants or morphs conceptually associated by the variation alone and not forming a population); forms may prove to be ecotypes, foodplant forms, semispecies or climatic variants.

Holarctic - zoogeographic region comprising the Palaearctic region, North America and Greenland.

Intercept - intercepted e.g. by quarantine inspection.

Migrant - an individual or species on migration, i.e. on periodic or seasonal movement over relatively long distance and in Britain and Ireland from overseas.

Nearctic - zoogeographic region comprising North America and Greenland (and now North Mexico).

Nomen dubium - a name of unknown or doubtful application.

Nominate - ssp. nominotypical or nominate subspecies containing the type of the species and having the same name.

Non-British [Isles] - not occurring in Britain or Ireland.

Palaearctic - zoogeographic region comprising Europe, North Africa, Siberia, North China and Japan.

Protected species - protected by law from collecting and sale: separate legislation applies in Northern Ireland and the Irish Republic.

Sp.; spp.; species (singular); species (plural) - groups of actually (or potentially) interbreeding natural populations which are reproductively isolated from other such groups (amongst other definitions).

Ssp.; sub-species - a geographically defined aggregate of local populations which differs taxonomically from other such aggregates (sub-division of the species).

Synanthropic - living in association with man; frequently pests, feeding on or spoiling food products, woollen clothing or textiles.

Transitory resident - species which establishes as a resident, apparently dies out and then reestablishes; such species possibly expanding range (due to global warming for instance) will eventually become residents.

Vagrant - stray or wandering individual, casual migrant.

Acknowledgements

The present work was made possible by contributions from many authorities and others who helped in various ways. They are given here in alphabetic order:- David Agassiz, Dave Allen, Hans Blackstein, Keith Bland, the late Dr J. D. Bradley, Dr Peter Crowther, the late Maitland Emmet, Dr Bert Gustaffson, the late Ted Hancock, the late Dr Henry Heal, Maurice Hughes, Ole Karsholt, Dr Robin Knill-Jones, the late Jorma Kyrki, Dr John R. Langmaid, Knud Larsen, Dr Wolfram Mey, Dr Eric van Nieuwerkerken, Sue Parker, Adrian Riley, Dr Klaus Sattler, Ingvar Svensson, Dr E. Traugott-Olsen and Dr Stephen Whitebread.

ORDER LEPIDOPTERA

MICROPTERIGOIDEA

1. MICROPTERIGIDAE

MANDIBULATE ARCHAIC MOTHS

MICROPTERIX HÜBNER, 1825

+ *mansuetella* Zeller, 1844

Footnote: Bradley (1952). Irish occurrence omitted by Heath and Pelham-Clinton (1976).

aureatella (Scopoli, 1763)

aruncella (Scopoli, 1763)

calthella (Linnaeus, 1761)

ERIOCRANIOIDEA

2. ERIOCRANIIDAE

SPARKLING ARCHAIC SUN MOTHS

ERIOCRANIA ZELLER, 1851

subpurpurella (Haworth, 1828)

Synonymy: in *Dyseriocrania* Spuler, 1910 in Bond (1995).

Synonymy: in *Mnemonic* in Beirne (1941).

+ *chrysolepidella* Zeller, 1851

Synonymy: *Heringocrania* Kuznetsov, 1941.

Footnote: Mere and Pelham-Clinton (1966).

+ *unimaculella* (Zetterstedt, 1839)

Synonymy: *Heringocrania*

Kuznetsov, 1941.

Synonymy: in *Mnemonic* in Beirne (1941).

Footnote: Bond (1984b). Beirne (1941) quotes records of *E. unimaculella* by Birchall (1866-67), but adds "confirmation is desirable".

sparrmannella (Bosc, 1791)

Synonymy: *sparmannella* in Beirne (1941) (misspelling).

+ *salopiella* (Stainton, 1854)

Footnote: Bond (1984b).

+ *cicatricella* (Zetterstedt, 1839)

Synonymy: *haworthii* [haworthi] Bradley, 1966; *purpurella* (Haworth, 1828).

Homonym.

Footnote: Bond (1984b).

+ *sangii* (Wood, 1891)

Footnote: Bond (1984b).

+ *semipurpurella* (Stephens, 1835)

Footnote: Bond (1984b). Beirne (1941) quotes records of *E.*

semipurpurella by Birchall (1866-67), but adds "confirmation is desirable".

HEPIALOIDEA

3. HEPIALIDAE

GHOST MOTHS

HEPIALUS FABRICIUS, 1775

humuli humuli (Linnaeus, 1758)

GHOST MOTH

Synonymy: *humuli* L. in Baynes (1964).

Footnote: *humuli* is the subspecies found throughout all of the British Isles except Shetland (sub-species *thulensis* Newman, 1865).

hecta (Linnaeus, 1758)

GOLD SWIFT

Synonymy: *Phymatopus* Wallengren, 1869.

lupulinus (Linnaeus, 1758)

COMMON SWIFT

Synonymy: *Korscheltellus* Börner, 1920.

fusconebulosa (DeGeer, 1778)

MAP-WINGED SWIFT

Synonymy: *Pharmacis* Hübner, 1820.

Synonymy: *Korscheltellus* Börner, 1920.

NEPTICULOIDEA

4. NEPTICULIDAE

PIGMY MOTHS

BOHEMANNIA STAINTON, 1859

quadrimaculella (Boheman, 1851)

Synonymy: in *Scoliaula* in Beirne (1941).

+ *pulverosella* (Stainton, 1849)

Footnote: Emmet (1971); also recorded by Bradley: mines on *Malus*, Ballynalackan Castle garden, Co. Clare, June 1970 (Bond, 1995).

ECTOEDEMA BUSCK, 1907

+ *argyropeza* (Zeller, 1839)

Footnote: Bond and van Nieukerken (1987).

+ *intimella* (Zeller, 1848)

Footnote: Shackleton (1977) (det. Emmet).

+ *angulifasciella* (Stainton, 1849)

Footnote: Bond (1996).

+ *atricollis* (Stainton, 1857)

Footnote: Bond (1996).

+ *arcuatella* (Herrich-Schäffer, 1855)

Footnote: Heal (1985).

+ *rubivora* (Wocke, 1860)

Footnote: Mere and Pelham-Clinton (1966); Bradley and Pelham-Clinton (1967).

***occultella* (Linnaeus, 1767)**

Synonymy: *Nepticula argentipedella* Zeller in Beirne (1941).

+ ***minimella* (Zetterstedt, 1839)**

Synonymy: *woolhopiella* (Stainton, 1887).

Synonymy: *mediofasciella* sensu auctorum.

Footnote: Emmet (1973).

+ ***albifasciella* (Heinemann, 1871)**

Footnote: Emmet (1981).

+ ***subbimaculella* (Haworth, 1828)**

Footnote: Shackleton (1977) (det. Emmet). This species was recorded as Irish by Beirne (1941), but in view of uncertainties about earlier determinations, Shackleton's record should be treated as the first confirmed Irish record (Bond, 1995).

***septembrella* (Stainton, 1849)**

Synonymy: *Fomoria* Beirne, 1845 (Sub-genus).

Footnote: Beirne (1945b).

TRIFURCULA ZELLER, 1848

+ ***subnitidella* (Duponchel, 1843)**

Synonymy: *griseella* Wollf, 1957.

Synonymy: *Trifurcula* Zeller (Sub-genus).

Footnote: Mere *et al.* (1962).

***immundella* (Zeller, 1839)**

+ ***cryptella* (Stainton, 1856)**

Synonymy: *Levarchama* Beirne, 1945 (Sub-genus).

Footnote: Emmet (1975a).

Footnote: Beirne (1945b).

+ ***eurema* (Tutt, 1899)**

Synonymy: *Levarchama* Beirne, 1945 (Sub-genus).

Footnote: Bradley and Pelham-Clinton (1967).

STIGMELLA SCHRANK, 1802

Synonymy: *Nepticula* Heyden, 1843.

***aurella* (Fabricius, 1775)**

Synonymy: *Nepticula aurella* Stainton in Beirne (1941).

Synonymy: *fragariella* (Heinemann, 1862).

Footnote: (Emmet, 1975b). Now considered to be a form of *S. aurella* (see Emmet, 1991a).

***splendidissimella* (Herrich-Schäffer, 1855)**

Synonymy: *dulcella* (Heinemann, 1862).

Synonymy: in *Nepticula in* Beirne (1941).

Footnote: [*dulcella*] now considered to be a form of *S. splendidissimella* (see Emmet, 1991a).

+ *auromarginella* (Richardson, 1890)

Footnote: Mere and Pelham-Clinton (1966); Bradley and Pelham-Clinton (1967).

+ *aeneofasciella* (Herrich-Schäffer, 1855)

Footnote: Emmet (1981).

+ *dryadella* (Hofmann, 1868)

Footnote: Mere and Pelham-Clinton (1966); Bradley and Pelham-Clinton (1967).

+ *filipendulae* (Wocke, 1871)

Footnote: Beirne (1944).

+ *ulmariae* (Wocke, 1879)

Footnote: Emmet (1981).

+ *poterii* (Stainton, 1857)

forma serella (Stainton, 1866)

Footnote: Mere *et al.* (1962). [*serella*] a junior synonym of *S. poterii* now considered to be a form (see Johansson *et al.*, 1990).

lemniscella (Zeller, 1839)

Synonymy: *Nepticula marginicolella* Stt. in Beirne (1941).

+ *continuella* (Stainton, 1856)

Footnote: Emmet (1981).

sorbi (Stainton, 1861)

Synonymy: in *Nepticula in* Beirne (1941).

plagicolella (Stainton, 1854)

Synonymy: in *Nepticula in* Beirne (1941).

+ *salicis* (Stainton, 1854)

Synonymy: *auritella* (Skala, 1934).

Footnote: [*auritella*] recorded by Emmet (1976) as a good species, but now considered to be a form of *S. salicis* (Johansson *et al.*, 1990).

Footnote: Beirne (1944); Bradley and Pelham-Clinton (1967).

+ *obliquella* (Heinemann, 1862)

Footnote: Emmet (1981).

+ *zelleriella* (Snellen, 1875)

Synonymy: *repentiella* (Wolf, 1955).

Footnote: Bond (1996).

+ *myrtillella* (Stainton, 1857)

Synonymy: *repentiella* (Wolf, 1959).

Footnote: Emmet (1975b).

+ *trimaculella* (Haworth, 1828)

Footnote: Emmet (1981).

+ *floslactella* (Haworth, 1828)

Footnote: Bradley and Pelham-Clinton (1967).

+ *tityrella* (Stainton, 1854)

Footnote: Emmet (1975b).

+ *perpygmaeella* (Doubleday, 1859)

Synonymy: *pygmaeella* (Haworth, 1828) nec (Hübner, 1813).

Footnote: Emmet (1975b).

+ *ulmivora* (Fologne, 1860)

Footnote: Emmet (1981).

+ *hemargyrella* (Kollar, 1832)

Footnote: Emmet (1975b).

+ *paradoxa* (Frey, 1858)

Footnote: Emmet (1970a).

+ *atricapitella* (Haworth, 1828)

Footnote: Emmet (1971, 1975b).

+ *ruficapitella* (Haworth, 1828)

Footnote: Emmet (1971).

+ *svenssoni* (Johansson, 1971)

Footnote: recorded from area I (Munster) and J (Connaught) by Emmet (1991a).

Emmet (1981) had written "I am strongly of the opinion that ...*S. svenssoni* (Johansson) occurs not uncommonly".

anomalella (Goeze, 1783)

ROSE LEAF MINER

Synonymy: in *Nepticula* in Beirne (1941).

+ *spinosissimae* (Waters, 1928)

Footnote: Bradley and Pelham-Clinton (1967).

malella (Stainton, 1854)

APPLE PYGMY

Synonymy: in *Nepticula* in Beirne (1941).

+ *catharticella* (Stainton, 1853)

Footnote: Speight and Cogan (1979); Emmet (1981).

hybnerella (Hübner, 1796)

Synonymy: *Nepticula gratiosella* Stt. in Beirne (1941).

Synonymy: *Nepticula ignobilella* Stt. in Beirne (1941).

oxyacanthella (Stainton, 1854)

Synonymy: in *Nepticula* in Beirne (1941).

Footnote: Emmet (1975b). Also recorded by Bradley. Boulevan, Co. Clare, August 1969 (Bond, 1995).

+ *nylandriella* (Tengström, 1848)

Synonymy: *aucupariae* (Frey, 1857).

Footnote: Beirne (1944); Emmet (1971).

+ *magdalенаe* (Klimesch, 1950)

Synonymy: *nylandriella* sensu auctorum.

Footnote: Emmet (1975a).

crataegella (Klimesch, 1936)

Footnote: Bond (1995).

+ *betulicola* (Stainton, 1856)

Footnote: Emmet (1981).

+ *microtheriella* (Stainton, 1854)

Footnote: Emmet (1971).

+ *luteella* (Stainton, 1857)

Footnote: Emmet (1971). Also recorded by Bradley: mines on *Betula* at Boulevan, Co. Clare, August 1969, emerged 3 May 1970 (Bond, 1995).

+ *glutinosae* (Stainton, 1858)

Footnote: Emmet (1981).

+ *alnetella* (Stainton, 1856)

Footnote: Emmet and Langmaid (1997). Earlier records were unconfirmed and this species was not mentioned in Bond (1995).

+ *lapponica* (Wocke, 1862)

Footnote: Mere and Pelham-Clinton (1966).

+ *confusella* (Wood, 1894)

Footnote: Emmet (1971). Also recorded by Bradley: mines on *Betula*, Boulevan, Co. Clare, August 1969 (Bond, 1995).

ENTEUCHA MEYRICK, 1915

acetosae (Stainton, 1854)

Synonymy: in *Nepticula* in Beirne (1941).

5. OPOSTEGIDAE

EYE-CAP MOTHS

OPOSTEGA ZELLER, 1839

salaciella (Treitschke, 1833)

PSEUDOPOSTEGA KOZLOV, 1985

crepusculella (Zeller, 1839)

Synonymy: in *Opostega* in Beirne (1941).

TISCHERIOIDEA

6. TISCHERIIDAE

TRUMPET LEAFMINER MOTHS

TISCHERIA ZELLER, 1839

ekebladella (Bjerkander, 1795)

Synonymy: *complanella* Hübn. in Beirne (1941).

dodonea Stainton, 1858

Footnote: The Irish occurrence is not indicated in Emmet (1991a).

Footnote: *dodonea* Meyr. in Beirne (1941).

Footnote: *dodonea* in Bond (1995).

EMMETIA LERAUT, 1993

marginata (Haworth, 1828)

Synonymy: in *Tischeria* in Beirne (1941).

INCURVARIOIDEA

7. INCURVARIIDAE

INCURVARIINAE

LEAFCUTTER MOTHS

PHYLLOPORIA HEINEMANN, 1870

bistrigella (Haworth, 1828)

INCURVARIA HAWORTH, 1828

pectinea Haworth, 1828

masculella (Denis and Schiffermüller, 1775)

Synonymy: *musculella* Fab. in Beirne (1941).

oehmanniella (Hübner, 1796)

Synonymy: in *Lampronia* in Beirne (1941).

Synonymy: *zinckenii* (Zeller, 1839).

praelatella (Denis and Schiffermüller, 1775)

Synonymy: in *Lampronia* in Beirne (1941).

Synonymy: *Excurvaria* Kuprijanov, 1994.

8. PRODOXIDAE

YUCCA MOTHS

LAMPRONIINAE

LAMPRONIA STEPHENS, 1829

luzella (Hübner, 1817)

corticella (Linnaeus, 1758)

RASPBERRY MOTH

Synonymy: *rubiella* Bjerk. in Beirne (1941).

+ *pubicornis* (Haworth, 1828)

Footnote: Bradley and Pelham-Clinton (1967). Hodgkinson (1868) recorded this species from Howth, Co. Dublin, but Beirne (1941) considered this record doubtful pending confirmation.

9. ADELIDAE

LONGHORNED FAIRY MOTHS

NEMATOPOGONINAE

NEMATOPOGON ZELLER, 1839

swammerdamella (Linnaeus, 1758)

Synonymy: in *Nemophora* in Beirne (1941).

schwarziellus Zeller, 1839

Synonymy: in *Nemophora* in Beirne (1941).

Synonymy: *panzerella* sensu auctorum.

Footnote: misidentification. *N. panzerella* (Fabricius, 1794) is a junior synonym of *N. adonsoniella* (Villers, 1789), restricted to Continental Europe.

***metaxella* (Hübner, 1813)**

Synonymy: in *Nemophora metaxiella* in Beirne (1941) (misspelling).

+ *magna* (Zeller, 1878)

Synonymy: *variella* (Brandt, 1937).

Synonymy: *piliella* (Denis and Schiffermüller, 1775) partim.

Footnote: Bland (1984) as *Nematopogon variella*. The record of *Nematopogon pilella* in Heath and Pelham-Clinton (1976) refers to this species (Bond, 1995).

ADELINAE

NEMOPHORA ILLIGER AND

HOFFMANNSEGG, 1798

***minimella* (Denis and Schiffermüller, 1775)**

Synonymy: in *Nematois* in Beirne (1941). The authority is given as Zeller.

***cupriacella* (Hübner, 1819)**

Synonymy: in *Nematois* in Beirne (1941).

***degeerella* (Linnaeus, 1758)**

Synonymy: in *Nematois* in Beirne (1941).

ADELA LATREILLE, 1796

+ *cuprella* (Denis and Schiffermüller, 1775)

Footnote: Bond (1981c). Beirne (1941) considered the three earlier Irish records unreliable.

***reaumurella* (Linnaeus, 1758)**

Synonymy: *viridella* Scop. in Beirne (1941).

+ *croesella* (Scopoli, 1763)

Footnote: Mere *et al.* (1964). There is also a specimen in the King collection (Glasgow University) labelled "Enniskerry - Wicklow July 3-14 1876" (Bond, 1995).

***rufimitrella* (Scopoli, 1763)**

Synonymy: in *Cauchas* Zeller, 1839 in recent Continental works.

10. HELIOZELIDAE

SHIELDBEARER MOTHS

HELIOZELA HERRICH-SCHÄFFER, 1853

***sericiella* (Haworth, 1828)**

+ *resplendella* (Stainton, 1851)

Footnote: Mere *et al.* (1964);

Emmet (1968).

+ *hammoniella* (Sorghagen, 1885)

Footnote: Emmet (1971).

COSSOIDEA

11. COSSIDAE

CARPENTER MOTHS

ZEUZERINAE

ZEUZERA LATREILLE, 1804

+ *pyrina* (Linnaeus, 1761)

LEOPARD MOTH

Footnote: Myers (1979b).

COSSINAE

COSSUS FABRICIUS, 1793

cosus (Linnaeus, 1758)

GOAT MOTH

ZYGAENOIDEA

12. ZYGAENIDAE

BURNET MOTHS

PROCRIDINAE

ADSCITA RETZIUS, 1783

statices (Linnaeus, 1758)

THE FORESTER

Synonymy: in *Procris* in Baynes (1964).

ZYGAENINAE

ZYGAENA FABRICIUS, 1775

filipendulae stephensi Dupont, 1900

SIX-SPOT BURNET

BUIRNÉAD SÉBHALLACH

Synonymy: *filipendulae anglicola*

Tremewan in Baynes (1964).

Footnote: nominate *filipendulae*

(Linnaeus, 1758) is confined to

Continental Europe. Hybrids

between *Zygaena lonicerae* and *Z.*

filipendulae are reported from

Coagh, Co. Londonderry by Greer

(1918).

lonicerae insularis Tremewan,

1960

NARROW-BORDERED FIVE-

SPOT BURNET

Synonymy: *lonicerae* ssp.

transferens Verity in Baynes

(1964).

Footnote: Tremewan (1960).

Footnote: Bradley (2000) states that

nominate *lonicerae* (Scheven,

1777) occurs in Continental Europe

and lists three British Isles sub-

species: *latomarginata* Tutt, 1899

from mainland Britain, *jocelynae*

Tremewan, 1962 from the Inner

Hebrides (Skye) and *insularis*

Tremewan, 1960 from Ireland,

“mainly northern”. Sub-species

transferens Verity is not listed (but

see Bradley *et al.* (1972)).

***purpuralis sabulosa* Tremewan,**

1960

TRANSPARENT BURNET

Synonymy: *purpuralis* Brunn. in Baynes (1964).

Footnote: Tremewan (1960).

Footnote: Bradley (2000) states that the nominate *purpuralis* (Brünnich, 1763) occurs in Continental Europe and lists three British Isles sub-species: *segontii* Tremewan, 1958 from North Wales, a western Scottish sub-species *caledonensis* Reiss, 1931 and sub-species *sabulosa* Tremewan, 1960 from Ireland. Baynes (1964) says "The general run of Irish specimens are sub-species *hibernica* Reiss, but it is said that some Irish examples are closer in appearance to the western Scottish sub-species *caledonensis* Reiss, and these have been named f. loc. *sabulosa* Tremewan".

TINEOIDEA

13. PSYCHIDAE

BAGWORM MOTHS

NARYCIINAE

***DIPLODOMA* ZELLER, 1852**

***herminata* (Geoffroy, 1785)**

Synonymy: *Narycia*

marginepunctella Steph. in Beirne (1941).

Synonymy: *laichartingella* (Goeze, 1783) in Bond (1995).

Footnote: the name *herminata*

(Geoffroy, 1785) is used in Hättenschwiler (1985) and Emmet (1991a); *laichartingella* is a *nomen dubium* vide Hättenschwiler (1985).

PSYCHINAE

***LUFFIA* TUTT, 1899**

***ferchaultella* (Stephens, 1850)**

Synonymy: *lapidella* sensu Beirne (1941).

Footnote: the status of this parthenogenetic species is uncertain (Emmet, 1991a) and it is possible that it is a form of the bisexual species *L. lapidella* (Goeze, 1783), under which name Beirne (1941) recorded it.

***PSYCHE* SCHRANK, 1801**

***casta* (Pallas, 1767)**

Synonymy: in *Fumea* in Beirne (1941).

+ ***crassiorella* Braund, 1850**

Synonymy: in *Fumea* in Beirne (1941).

Footnote: Beirne (1941) considered the Tyrone record to be doubtful but later confirmed it (Beirne, 1942). Bradley (2000) also gives Tyrone.

EPICHOPTERIGINAE

EPICHOPTERIX HÜBNER, 1825

plumella (Denis and Schiffermüller, 1775)

Synonymy: *pulla* Esp. in Beirne (1941).

Footnote: Beirne (1941); Huggins (1953). The Irish records quoted by these authors are not indicated in Emmet (1991a) although they are included by Hättenschwiler (1985).

14. TINEIDAE

FUNGUS MOTHS

DRYADAULINAE

DRYADAULA MEYRICK, 1893

+ *pactolia* Meyrick, 1902

Footnote: Bond (1996).

Adventive colonist.

TEICHOBIIINAE

PSYCHOIDES BRUAND, 1847

Synonymy: *Teichobia* Herrich-Schäffer.

+ *verhuella* Bruand, 1847

Footnote: Pelham-Clinton (1985b).

Beirne (1941) considered that a Co.

Kerry record needed confirmation..

filicivora (Meyrick, 1937)

Synonymy: in *Mnesipatris* in Beirne (1941).

Adventive colonist.

MEESSIINAE

INFURCITINEA SPULER, 1910

argentimaculella (Stainton, 1849)

Synonymy: in *Meessia* in Beirne (1941).

albicomella (Stainton, 1851)

Synonymy: *Tinea confusella* H.-S. in Beirne (1941).

HAPLOTINEA DIAKONOFF AND HINTON, 1956

insectella (Fabricius, 1794)

Synonymy: *Tinea insectella* Fab. in Beirne (1941).

Adventive on stored grain and vegetable products. Europe-Asia.

NEMAPOGONINAE

NEMAPOGON SCHRANK, 1802

granella (Linnaeus, 1758)

CORN MOTH

Synonymy: in *Tinea* in Beirne (1941).

Footnote: Pelham-Clinton (1985b)

implied that the Irish records

needed confirmation but Beirne had

dissected two of the Murray specimens in Trinity College, Dublin. There are also more recent records from mid-Cork (Bond, 1996).

***cloacella* (Haworth, 1828)**

CORK MOTH

Synonymy: in *Tinea in* Beirne (1941).

***ruricolella* (Stainton, 1849)**

Synonymy: in *Tinea in* Beirne (1941).

+ *clematella* (Fabricius, 1781)

Synonymy: *arcella* sensu auctorum.

Footnote: Pelham-Clinton (1985b)

confirms the Irish status of this species.

Beirne (1941) had considered the one Irish record known then as doubtful. The details of the Clare record are:- Boulevan (Burren), 8-18 August 1969 (Bond, 1995).

TRIAXOMERA ZAGULYAEV, 1959

+ *fulvimitrella* (Sodoffsky, 1830)

Footnote: Chalmers-Hunt (1982). This record is not included in Pelham-Clinton (1985b).

TINEINAE

MONOPIS HÜBNER, 1825

***laevigella* (Denis and**

Schifferrmüller, 1775)

SKIN MOTH

Synonymy: *rusticella* Hübn. in Beirne (1941).

+ *weaverella* (Scott, 1858)

Footnote: Bond (1996).

***crocicapitella* (Clemens, 1859)**

Footnote: Beirne's (1941) records of *Monopis ferruginella* (Hübner) (= *Monopis obviella* Denis and Schifferrmüller) refer to *Monopis crocicapitella* (Clemens), see Pelham-Clinton (1985b).

+ *imella* (Hübner, 1813)

Footnote: Agassiz (1982).

TRICHOPHAGA RAGONOT, 1894

***tapetzella* (Linnaeus, 1758)**

TAPESTRY MOTH

LEAMHAN TAIPÉISE

Synonymy: *Trichorapha taperiella* in Beirne (1941).

TINEOLA HERRICH-SCHAFFER, 1853

***bisselliella* (Hummel, 1823)**

COMMON CLOTHES MOTH

Synonymy: *biselliella* in Beirne (1941).

Synanthropic.

NIDITINEA G. PETERSEN, 1957

***fuscella* (Linnaeus, 1758)**

BROWN-DOTTED CLOTHES MOTH

Synonymy: *Tinea fuscipunctella* Haw. in
Beirne (1941).

TINEA LINNAEUS, 1758

***pellionella* Linnaeus, 1758**

CASE-BEARING CLOTHES MOTH

LEAMHAN ÉADAIGH AN CHÁIS

+ ***dubiella* Stainton, 1859**

Synonymy: *turicensis* Müller-Rutz,
1920.

Footnote: Robinson (1979).

***flavescentella* Haworth, 1828**

***pallescentella* Stainton, 1851**

LARGE PALE CLOTHES MOTH

***semifulvella* Haworth, 1828**

***trinotella* Thunberg, 1794**

Synonymy: *Tinea lapella* Hübn. in
Beirne (1941).

HIEROXESTINAE

OINOPHILA STEPHENS, 1848

***v-flava* (Haworth, 1828)**

YELLOW V-MOTH

GRACILLARIOIDEA

15. BUCCALATRICIDAE

RIBBED-COCCOON MAKER MOTHS

BUCCULATRIX ZELLER, 1839

+ ***crisatella* (Zeller, 1839)**

Footnote: Beirne (1945a).

***nigricomella* (Zeller, 1839)**

***maritima* Stainton, 1851**

+ ***frangutella* (Goeze, 1783)**

Synonymy: *frangulella* missp.

Footnote: Emmet (1985b); Bond
(1996).

+ ***albedinella* Zeller, 1839**

Footnote: Bond (1996).

***cidarella* (Zeller, 1839)**

***ulmella* Zeller, 1848**

***bechsteinella* (Bechstein and
Scharfenberg, 1805)**

Synonymy: *crataegi* Zell. in Beirne
(1941).

Footnote: *bechsteinella* is the
spelling given in Emmet (1991b)
and Bradley (2000) not
bechsteiniella.

+ ***demaryella* (Duponchel,
1840)**

Footnote: Bradley and Pelham-
Clinton (1967).

16. GRACILLARIIDAE

LEAFMINER MOTHS

GRACILLARIINAE

CALOPTILIA HÜBNER, 1825

***cuculipennella* (Hübner, 1796)**

***populetorum* (Zeller, 1839)**

***elongella* (Linnaeus, 1761)**

Footnote: Emmet *et al.* (1985) state that *C. elongella* occurs wherever its foodplant (*Alnus glutinosa* (L.) Gaertn.) is found throughout the British Isles and their accompanying map indicates records from twelve Irish vice-counties. Beirne (1941) stated that this species was widely distributed in Ireland. However, when Beirne wrote, *C. elongella* and *C. betulicola* were not recognised as separate species. Published records include Mere and Pelham-Clinton (1966), Ellerton (1967) and Emmet (1968).

+ *betulicola* (M. Hering, 1927)

Footnote: the only published record appears to be that of Langmaid (1989) from West Mayo. In addition, the distribution map in Emmet *et al.* (1985) indicates records from North Kerry, Offaly, Wicklow and Armagh. Records in Beirne (1941) of *C. elongella*, *q. v.* could refer to either that species or *C. betulicola*.

***alchimiella* (Scopoli, 1763)**

+ *robustella* Jäckh, 1972

Footnote: Chalmers-Hunt (1982).

***stigmatella* (Fabricius, 1781)**

+ *falconipennella* (Hübner, 1813)

Footnote: in Emmet *et al.* (1985), the text refers to Meath (H22), but this should be Westmeath (H23) as shown on the distribution map (Bond, 1995).

***leucapennella* (Stephens, 1835)**

Synonymy: *sulphurella* Haw. in Beirne (1941).

Synonymy: *Povolnya* Kuznetsov, 1979.

***syringella* (Fabricius, 1794)**

Synonymy: *Gracillaria* Haworth, 1828 subgenus.

ASPILAPTERYX SPULER, 1910

***tringipennella* (Zeller, 1839)**

Synonymy: in *Caloptilia* in Beirne (1941)

CALYBITES HÜBNER, 1822

***phasianipennella* (Hübner, 1813)**

Synonymy: in *Caloptilia* in Beirne (1941).

***auroguttella* (Stephens, 1835)**

Synonymy: in *Caloptilia* in Beirne (1941).

PARORNIX SPULER, 1910

+ *loganella* (Stainton, 1848)

Footnote: Mere *et al.* (1964).

betulae (Stainton, 1854)

anglicella (Stainton, 1850)

devoniella (Stainton, 1850)

Synonymy: *avellanella* Stt. in Beirne (1941).

scoticella (Stainton, 1850)

+ *finitimella* (Zeller, 1850)

Footnote: Emmet and Langmaid (1997).

DELTAORNIX KUZNETSOV 1979

+ *torquillella* (Zeller, 1850)

Footnote: new placement, previously in *Parornix*.

Footnote: Bradley and Pelham-Clinton (1967).

CALLISTO STEPHENS, 1834

denticulella (Thunberg, 1794)

Synonymy: *guttea* Haw. in Beirne (1941).

ACROCERCOPS WALLENGREN, 1881

brongniardella (Fabricius, 1798)

LITHOCOLLETINAE

PHYLLONORYCTER HÜBNER, 1822

harrisella (Linnaeus, 1761)

Synonymy: *Lithocolletis cramerella* Fab. in Beirne (1941).

roboris (Zeller, 1839)

Synonymy: in *Lithocolletis* in Beirne (1941).

heegeriella (Zeller, 1846)

Synonymy: in *Lithocolletis* in Beirne (1941).

quercifoliella (Zeller, 1839)

Synonymy: in *Lithocolletis* in Beirne (1941).

messaniella (Zeller, 1846)

Synonymy: in *Lithocolletis* in Beirne (1941).

oxyacanthae (Frey, 1856)

Synonymy: in *Lithocolletis* in Beirne (1941).

Synonymy: *Meganephria oxyacanthae* [Linnaeus] (Frey, 1856).

+ *sorbi* (Frey, 1855)

Footnote: Emmet (1970b, 1971).

mespilella (Hübner, 1805)

Footnote: there has been much confusion over the identity of this species, *Ph. blancardanella* and *Ph. cydoniella* (see Beirne, 1941) (in *Lithocolletis*). Confirmed Irish records are given by Bond (1996).

+ *blancardella* (Fabricius, 1781)

Footnote: records for this species and *Ph. cydoniella* may be confused in Beirne (1941) (in *Lithocolletis*); confirmed Irish records are listed in Bond (1996).

+ *cydoniella* (Denis and Schiffermüller, 1775)

Synonymy: *blancardella* sensu Beirne (1941).

Footnote: confirmed records are listed in Bond (1996).

+ *spinicolella* (Zeller, 1846)

Synonymy: *pomonella* (Zeller, 1846).

Footnote: confirmed by Beirne (1945a). Beirne (1941) (as *Lithocolletis*) had considered that the record of Hogan (1855) was in need of confirmation.

+ *corylifoliella* (Hübner, 1796)

Synonymy: in *Lithocolletis* in Beirne (1941).

+ *leucographella* (Zeller, 1850)

Footnote: Bond and Ashe (2005).

+ *salicitella* ssp. *viminiella* (Sircom, 1848)

Footnote: Beirne (1945a). Status changed. Now considered a sub-species of *P. salicitella* (Zeller, 1846) (the nominate sub-species is Continental Europe only). However *P. viminiella* may well be a good species.

+ *viminetorum* (Stainton, 1854)

Synonymy: in *Lithocolletis* in Beirne (1941).

+ *salicicolella* (Sircom, 1848)

Synonymy: in *Lithocolletis* in Beirne (1941).

+ *hilarella* (Zetterstedt, 1839)

Synonymy: *Lithocolletis spinolella* Dup. in Beirne (1941).

+ *scopariella* (Zeller, 1846)

Synonymy: in *Lithocolletis* in Beirne (1941).

+ *maestingella* (Müller, 1764)

Synonymy: *Lithocolletis faginella* Zell. in Beirne (1941).

+ *coryli* (Nicelli, 1851)

NUT LEAF BLISTER MOTH

Footnote: Bradley and Pelham-Clinton (1967).

+ *rajella* (Linnaeus, 1758)

Synonymy: *Lithocolletis alnifoliella* Dup. (sic) in Beirne (1941).

+ *quinqueguttella* (Stainton, 1851)

Footnote: Emmet (1970b, 1971).

+ *nigrescentella* (Logan, 1851)

Synonymy: in *Lithocolletis* in Beirne (1941).

+ *insignitella* (Zeller, 1846)

Footnote: Emmet (1975a).

***lautella* (Zeller, 1846)**

Synonymy: in *Lithocolletis* in Beirne (1941).

***ulmifoliella* (Hübner, 1817)**

Synonymy: in *Lithocolletis* in Beirne (1941).

+ *emberizaepenella* (Bouché, 1834)

Footnote: according to Emmet *et al.* (1985), the only Irish record is that of Bradley and Pelham-Clinton from the Burren (1967). The species is not however recorded in that paper, but Irish records are summarised in Bond (1996).

+ *tristrigella* (Haworth, 1828)

Footnote: Mere *et al.* (1964).

+ *froelichiella* (Zeller, 1839)

Footnote: the record in Mere *et al.* (1964), and in Bradley and Pelham-Clinton (1967) is based on a misidentification (Bond, 1995). More recent confirmed records are found in Bond (1996).

+ *nicellii* (Stainton, 1851)

Footnote: Bradley and Pelham-Clinton (1967). The record of *Phyllonorycter froelichiella* (Zeller) in Bradley and Pelham-Clinton (1967) also refers to this species (Bond, 1995). Beirne (1941) had

considered that confirmation of the record in Partridge (1895) was desirable.

***kleemannella* (Fabricius, 1781)**

Synonymy: in *Lithocolletis* in Beirne (1941).

***trifasciella* (Haworth, 1828)**

Synonymy: in *Lithocolletis* in Beirne (1941).

+ *geniculella* (Ragonot, 1874)

Footnote: Emmet and Langmaid (1997); Emmet *in* Agassiz (1998).

PYLLOCNISTINAE

***PHYLLOCNISTIS* ZELLER, 1848**

+ *unipunctella* (Stephens, 1834)

Footnote: Bond (2001); Langmaid and Young (2001).

SESIOIDEA

17. SESIIDAE

CLEARWING MOTHS

SESIINAE

***SESIA* FABRICIUS, 1775**

***apiformis* (Clerck, 1795)**

HORNET MOTH

Synonymy: *Aegeria* Fabricius, 1807.

***bembeciformis* (Hübner, 1806)**

LUNAR HORNET MOTH

Synonymy: in *Spehia* in Baynes (1964).

PARANTHRENINAE

SYNANTHEDON HÜBNER, 1819

Synonymy: *Conopia* Hübner, 1819

***tipuliformis* (Clerck, 1759)**

CURRENT CLEARWING

Synonymy: in *Aegeria* in Baynes (1964).

***scoliaeformis* (Borkhausen, 1789)**

WELSH CLEARWING

Synonymy: in *Aegeria* in Baynes (1964).

***formicaeformis* (Esper, 1783)**

RED-TIPPED CLEARWING

Synonymy: in *Aegeria* in Baynes (1964).

SYNANSPHECIA CĂPUȘE, 1973

***muscaeformis* (Esper, 1783)**

THRIFT CLEARWING

Synonymy: in *Aegeria* in Baynes (1964).

CHOREUTOIDEA

18. CHOREUTIDAE

METALMARK MOTHS

ANTHOPHILA HAWORTH, 1811

***fabriciana* (Linnaeus, 1767)**

TEBENNA BILLBERG, 1820

+ *micalis* (Mann, 1857)

Synonymy: *bjerkandrella* auctorum – misidentification.

Footnote: the record of *Tebenna bjerkandrella* (Thunberg) (Bond,

1983) is based on a

misidentification of *T. micalis* - see Heckford (1990).

Rare migrant and transitory resident (Britain). Southern Europe, Japan, Australia.

PROCHOREUTIS DIAKONOFF AND HEPPNER, 1980

***sehestediana* (Fabricius, 1776)**

Synonymy: *Choreutis punctosa*

Haw. in Beirne (1941).

***myllerana* (Fabricius, 1794)**

Synonymy: in *Choreutis* in Beirne (1941).

YPONOMEUTOIDEA

19. GLYPHIPTERIGIDAE

SEDGE MOTHS

GLYPHIPTERIGINAE

GLYPHIPTERIX HÜBNER, 1825

***simpliciella* (Stephens, 1834)**

COCKSFOOT MOTH

Synonymy: *cramerella* Fab. in

Beirne (1941).

Synonymy: *fischeriella* (Zeller, 1839).

+ *schoenicolella* Boyd, 1858

Footnote: Bradley (1953a).

+ *forsterella* (Fabricius, 1781)

Footnote: Mere *et al.* (1964).

+ *haworthana* (Stephens, 1834)

Synonymy: *haworthiana* in Beirne (1941).

Footnote: Bond (1996). Beirne (1941) wrote of the two old records that "confirmation is desirable".

thrasonella (Scopoli, 1763)

Synonymy: *thrasoniella* in Beirne (1941).

ORTHOTELIINAE

ORTHOTAELIA STEPHENS, 1834

sparganella (Thunberg, 1788)

Footnote: new placement, was in Yponomeutidae.

20. YPONOMEUTIDAE

DIAMONDBACK MOTHS

ARGYRESTHIINAE

ARGYRESTHIA HÜBNER, 1825

+ *laevigatella* (Heydenreich, 1851)

Synonymy: *atmoriella* Bankes, 1896.

Footnote: Beirne (1942); Emmet (1971).

arceuthina Zeller, 1839

+ *dilectella* Zeller, 1847

Footnote: Agassiz (1988);

Langmaid (1989); also recorded from Douglas, mid-Cork, by Bond (1995).

brockeella (Hübner, 1813)

goedartella (Linnaeus, 1758)

pygmaeella (Denis and

Schiffermüller, 1775)

sorbiella (Treitschke, 1833)

curvella (Linnaeus, 1761)

Synonymy: *arcella* (Fabricius, 1776).

Synonymy: *cornella* Fab. in Beirne (1941).

retinella Zeller, 1839

glaucinella Zeller, 1839

spinosella Stainton, 1849

Synonymy: *mendica* Haw. in Beirne (1941).

conjugella Zeller, 1839

APPLE FRUIT MOTH

f. *maculosa* Tengström, 1847

Footnote: [*maculosa*] colour form, mainly in North Scotland and Ireland.

semifusca (Haworth, 1828)

Synonymy: *spiniella* Zell. in Beirne (1941) (and as separate species).

pruniella (Clerck, 1759)

CHERRY FRUIT MOTH

Synonymy: *ephippella* Fab. in Beirne (1941).

bonnetella (Linnaeus, 1758)

Synonymy: *curvella* sensu auctorum.

Synonymy: *nitidella* Fab. in Beirne (1941).

albistria (Haworth, 1828)

semitestacella (Curtis, 1833)

YPONOMEUTINAE

YPONOMEUTA LATREILLE, 1796

evonymella (Linnaeus, 1758)

BIRD-CHERRY ERMINE

Resident and migrant.

padella (Linnaeus, 1758)

ORCHARD ERMINE

malinellus Zeller, 1838

APPLE ERMINE

Synonymy: *padella* in Beirne (1941) partim.

Footnote: Beirne (1941) treated this species as an apple-feeding race of *Y. padella*.

cagnagella (Hübner, 1813)

SPINDLE ERMINE

Synonymy: *cognatella* Hübn. (sic, in vero Treitschke) in Beirne (1941).

plumbella (Denis and Schiffermüller, 1775)

Synonymy: in *Yponomeuta* in Beirne (1941).

KESSLERIA NOWICKI, 1864

+ *saxifragae* (Stainton, 1868)

Synonymy: *Hofmannia* Wocke, 1876.

Footnote: Mere *et al.* (1962).

ZELLERIA STAINTON, 1849

hepariella Stainton, 1849

Synonymy: *phillyrella* Millière, 1868 sensu Kane (1901); Beirne (1941).

PSEUDOSWAMMERDAMIA

FRIESE, 1960

combinella (Hübner, 1786)

Synonymy: in *Swammerdamia* in Beirne (1941).

SWAMMERDAMIA HÜBNER,

1825

caesiella (Hübner, 1796)

Synonymy: *heroldella* Hübn. in Beirne (1941).

pyrella (Villers, 1789)

PARASWAMMERDAMIA

FRIESE, 1960

albicapitella (Scharfenberg, 1805)

Synonymy: *spiniella* (Hübner, 1809).

Synonymy: *caesiella* (Hübner, 1813) nec (Hübner, 1796).

***lutarea* (Haworth, 1828)**

Synonymy: in *Swammerdammia* in Beirne (1941).

Synonymy: *nebulella* (Goeze, 1783) nomen dubium.

CEDESTIS ZELLER, 1839

+ ***subfasciella* (Stephens, 1834)**

Synonymy: *farinatella* (Duponchel, 1840).

Footnote: Mere *et al.* (1964).

OCNEROSTOMA ZELLER, 1847

+ ***piniariella* Zeller, 1847**

Footnote: Beirne (1941) considered the single old Irish record of *O. piniariella* to be in need of confirmation, but at that time this species and *O. friesei* had not been separated. The differences between the two species are described by Svensson (1966). Confirmed Irish records of both species are found in Bond (1996).

+ ***friesei* Svensson, 1966**

Footnote: see footnote under *O. piniariella* (above).

PRAYDINAE

PRAYS HÜBNER, 1825

***fraxinella* (Bjerkander, 1784)**

ASH BUD MOTH

Synonymy: *curtisellus* Don. in Beirne (1941).

YPSOLOPHINAE

YPSOLOPHA LATREILLE, 1796

+ ***mucronella* (Scopoli, 1763)**

Footnote: Johnson and Bond

(1999); Johnson (2001).

***nemorella* (Linnaeus, 1758)**

***dentella* (Fabricius, 1775)**

HONEYSUCKLE MOTH

Synonymy: *xylostella* in Beirne (1941) and auctt.

***scabrella* (Linnaeus, 1761)**

***parenthesella* (Linnaeus, 1761)**

Synonymy: *costella* Fab. in Beirne (1941).

***ustella* (Clerck, 1759)**

Synonymy: *radiatella* Don. in Beirne (1941).

***vittella* (Linnaeus, 1758)**

OCHSENHEIMERIINAE

Footnote: Ochsenheimeriidae.

Status change.

OCHSENHEIMERIA HÜBNER, 1825

***taurella* (Dennis and**

Schiffermüller, 1775)

Synonymy: *mediopectinellus* (Haworth, 1828).

Synonymy: *birdella* Curtis in Beirne (1941).

+ ***urella* Fischer von Röslerstamm, 1842**

Synonymy: *bisontella* (Lienig and Zeller, 1846).

Footnote: Beirne (1941) considered the Irish status to be doubtful pending confirmation, due to uncertainties about the identification. Beirne (1945a) reported *Ochsenheimeria birdella* (synonym *bisontella* (Lienig and Zeller, 1846)). According to Emmet (1985a), Beirne's records are now accepted "since its presence there has now been confirmed". The only published record is Bond (1989).

PLUTELLINAE

***PLUTELLA* SCHRANK, 1802**

***xylostella* (Linnaeus, 1758)**

DIAMOND-BACK MOTH

Synonymy: *maculipennis* Curt. in Beirne (1941).

Resident and breeding migrant.

***porrectella* (Linnaeus, 1758)**

***RHIGOGNOSTIS* ZELLER, 1857**

***senilella* (Zetterstedt, 1839)**

Synonymy: *Plutella dalella* Stt. in Beirne (1941).

***annulatella* (Curtis, 1832)**

Synonymy: in *Plutella* in Beirne (1941).

+ ***incarnatella* (Steudel, 1873)**

Footnote: Bond (1991a).

ACROLEPIINAE

***DIGITIVALVA* GAEDICKE, 1970**

***pulicariae* (Klimesch, 1956)**

Synonymy: *Acrolepia granitella* Tr. in Beirne (1941) and sensu auctorum.

Synonymy: *Inuliphila* Gaedike, 1970.

21. LYONETIIDAE

LEAF SKELETONIZER MOTHS

CEMIOSTOMINAE

***LEUCOPTERA* HÜBNER, 1825**

Synonymy: *Cemiosstoma* Zeller, 1848; *Paraleucoptera* Heinrich, 1918.

***laburnella* (Stainton, 1851)**

LABURNUM LEAF MINER

***spartifoliella* (Hübner, 1813)**

***lathyrifoliella* (Stainton, 1866)**

forma *orobi* (Stainton, 1870)

Footnote: Bond (1996) as a species.

Footnote: [*orobi*] status change, previously a valid species *vide* Mey (1994).

+ *lotella* (Stainton, 1858)

Footnote: Mere *at al.* (1964) and Chalmers-Hunt (1977b). The Irish record is not included in Emmet (1991a).

+ *malifoliella* (Costa, 1836)

PEAR LEAF BLISTER MOTH

Synonymy: *scitella* (Zeller, 1839).

Footnote: Emmet (1985b). The text refers to Co. Wexford, but this should be Co. Waterford, as shown on the distribution map (Bond, 1995).

LYONETIINAE

***LYONETIA* HÜBNER, 1825**

***clerkella* (Linnaeus, 1758)**

Synonymy: *clerckella* in Beirne (1941).

APPLE LEAF MINER

BEDELLIINAE

***BEDELLIA* STAINTON, 1849**

+ *somnulentella* (Zeller, 1847)

Footnote: Mere and Pelham-Clinton (1966); Bradley and Pelham-Clinton (1967).

GELECHIOIDEA

22. COLEOPHORIDAE

CASEBEARER MOTHS

***COLEOPHORA* HÜBNER, 1822**

+ *lutipennella* (Zeller, 1838)

Footnote: Bond (1996). All of Beirne's (1941 - in *Eupista*) records of this species, so far checked, refer to *C. flavipennella*.

***gryphipennella* (Hübner, 1796)**

Synonymy: in *Eupista* in Beirne (1941).

+ *flavipennella* (Duponchel, 1843)

Synonymy: *lutipennella* sensu Beirne (1941).

Footnote: most or all of the records of *Eupista lutipennella* Zeller in Beirne (1941) refer to this species. See Bond (1996).

***serratella* (Linnaeus, 1761)**

Synonymy: *Eupista fuscadinella* Zell. in Beirne (1941).

***spinella* (Schrank, 1802)**

APPLE AND PLUM CASE-BEARER

Synonymy: *cerasivorella* Packard, 1870.

Synonymy: *nigricella* sensu auctorum.

Footnote: Bond (1996). The records of *Eupista nigricella* Stephens in Beirne (1941) probably refer to this species, and the same applies to Barrett's (1885) record of *C. nigricella* "along hawthorn hedges".

+ ***milvipennis* Zeller, 1839**

Footnote: Emmet *et al.* (1996); Emmet and Langmaid (1997); Emmet *in* Agassiz (1998).

+ ***siccifolia* Stainton, 1856**

Footnote: Emmet *et al.* (1996).

+ ***fuscocuprella* Herrich-Schäffer, 1885**

Footnote: Bradley (1952).

+ ***lusciniaepennella* (Treitschke, 1833)**

Synonymy: *Eupista viminetella* Zell. *in* Beirne (1941).

+ ***juncicolella* Stainton, 1851**

Synonymy: *in Eupista in* Beirne (1941).

+ ***orbitella* Zeller, 1849**

Synonymy: *in Eupista in* Beirne (1941).

+ ***binderella* (Kollar, 1832)**

Synonymy: *in Eupista in* Beirne (1941).

+ ***potentillae* Elisha, 1885**

Footnote: Mere *et al.* (1964); Emmet (1971).

+ ***trifolii* (Curtis, 1832)**

Synonymy: *frischella* sensu auctorum.

Footnote: recorded by Bradley and Pelham-Clinton (1967). There is also one Beirne female genitalia slide of this species in NMI (checked KGMB) but as the specimens are missing, it is not known to which record the slide refers. This and the closely related species (*C. frischella* and *C. deauratella*) have been much confused in the past, and the partial absence of both the specimens and the genitalia slides has meant that most of the older records cannot be checked (Bond, 1995).

+ ***frischella* (Linnaeus, 1758)**

Synonymy: *in Eupista in* Beirne (1941).

Synonymy: *Eupista alcyonipennella* Koll. *in* Beirne (1941).

Footnote: recorded by Beirne (1941) but only one of his two remaining genitalia slides of this species is correctly labelled - the other being *C. trifolii* (*q. v.*). Also recorded by Bradley and Pelham-

Clinton (1967), but dissections of some of their specimens show them to be *C. deauratella*; while their record of larval cases on *Centaurea nigra* L. appears to refer to *C. paripennella* Zeller. The species was also recorded by Emmet (1971), but his record of *C. nigra* as the foodplant also indicates that *C. paripennella* is intended (Bond, 1995).

***mayrella* (Hübner, 1813)**

Synonymy: *Eupista spissicornis* Haw. in Beirne (1941).

***deauratella* Lienig and Zeller, 1846**

Synonymy: in *Eupista* in Beirne (1941).

+ *lithargyrinella* Zeller, 1849

Synonymy: *olivaceella* Stainton, 1854.

Footnote: confirmatory records in Bond (1996). Beirne (1941) had considered that Barrett's (1861b) record of this species (as *olivacella* missp.), also from the cliffs at Howth, Co. Dublin, to be doubtful pending confirmation. "The 'I' in the distribution column in Emmet (1991a) is a misprint for 'H'" (Bond, 1995).

***laricella* (Hübner, 1817)**

LARCH CASE-BEARER

Synonymy: in *Eupista* in Beirne (1941).

+ *lixella* Zeller, 1849

Footnote: Bradley and Pelham-Clinton (1967); considered doubtfully Irish by Beirne (1941).

+ *albidella* (Denis and Schiffermüller, 1775)

Footnote: there are two larval cases in NMI labelled "Newcastle marshes [Wicklow]", about which Beirne (1941 in *Eupista*) had written "confirmation is desirable".

The species is also recorded by Emmet (1968), and by Bradley from Boulevan, Co. Clare, ♂, 18 June 1970 (Bond, 1995).

***anatipennella* (Hübner, 1796)**

PISTOL CASE-BEARER

Synonymy: in *Eupista* in Beirne (1941).

Synonymy: *bernoulliella* auctorum.

Synonymy: *bernoulliella* (Goeze, 1783) in Bond (1995).

Footnote: Bradley (1953b).

Footnote: misidentification *vide* Emmet (1996).

+ *ibipennella* Zeller, 1849

Synonymy: *ardeaepennella* (Scott, 1861).

Footnote: Bond (1996). The nomenclature of this species and *C.*

betulella Heinemann and Wocke is discussed by Emmet (1993).

***betulella* Heinemann and Wocke, 1877**

Synonymy: *ibipennella* sensu Stainton, 1858 et auctt., nec Zeller, 1849.

Footnote: there is a specimen under *Coleophora ibipennella* Zeller from the Burren in the Bradley collection in BM(NH); also recorded by Uffen from the Burren, but this probably refers to the same specimen. See Bond (1996).

***pyrrhulipennella* Zeller, 1839**

Synonymy: in *Eupista* in Beirne (1941).

***albicosta* (Haworth, 1828)**

Synonymy: in *Eupista* in Beirne (1941).

***discordella* Zeller, 1849**

Synonymy: in *Eupista* in Beirne (1941).

+ *lassella* Staudinger, 1859

Footnote: Bradley (1952) (as *C. teidensis* Walsingham).

***striatipennella* Nylander, 1848**

Synonymy: *Eupista apicella* Stt. in Beirne (1941).

+ *follicularis* (Vallot, 1802)

Synonymy: *derivatella* Zeller.

Footnote: Bradley (1960).

Synonymy: *trogodytella* (Duponchel).

Footnote: Bradley (1952, 1960).

+ *trochilella* (Duponchel, 1843)

Footnote: Agassiz (1982).

Bradley's (1952, 1960) record as *C. troglodytella* (Duponchel) refers to *C. follicularis* (Vallot).

+ *ramosella* Zeller, 1849

Footnote: Bradley (1960).

+ *peribenanderi* Toll, 1943

Footnote: Bradley (1960). Beirne (1945a) refers to a specimen taken which was "probably" *therinella*, but this specimen has not been traced, and the species was confused with *C. peribenanderi* at the time.

+ *paripennella* Zeller, 1839

+ *therinella* Tengström, 1848

Footnote: Bradley (1960); the record of *C. therinella* by Beirne (1945a) may refer to this species (Bond, 1995).

***asteris* Mühlig, 1864**

Footnote: Emmet *et al.* (1996).

***obscenella* Herrich-Schäffer, 1855**

Synonymy: *Eupista virgaureae* Stt. in Beirne (1941).

***saxicolella* (Duponchel, 1843)**

Synonymy: *Eupista annulatella* Tengst.
in Beirne (1941).

Synonymy: *Eupista laripennella* Zell. in
Beirne (1941).

Synonymy: *annulatella* sensu auctorum
nec Tengström, 1848.

Synonymy: *benanderi* Kanerva, 1941.

Synonym: *flavaginella* sensu Ford, 1949;
Toll, 1955; Pelham-Clinton, 1959, nec
Lienig and Zeller, 1846.

Footnote: the records of this and closely
related species have been much confused
in the past (see synonymy). However the
specimens referred to by Beirne (1941)
under the synonym *Eupista annulatella*
Tengström refer to *C. saxicolella*
(Duponchel), as do those under *C.*
flavaginella in Bradley and Pelham-
Clinton (1967) and Emmet (1968, 1971)
(Bond, 1995).

+ **sternipennella (Zetterstedt, 1839)**

Footnote: Bond (2005a)

+ **adpersella Benander, 1939**

Footnote: Bond (1981b).

+ **versurella Zeller, 1849**

Footnote: Bradley (1960); Bond (1981b).

+ **pappiferella Hofmann, 1869**

Footnote: Mere *et al.* (1962); Bond
(1992a).

+ **atriplicis Meyrick, 1928**

Footnote: Bond (1996).

+ **otidipennella (Hübner, 1817)**

Synonymy: *Eupista muripennella*
Dup. in Beirne (1941).

+ **sylvaticella Wood, 1892**

Synonymy: in *Eupista* in Beirne
(1941).

+ **taeniipennella Herrich-
Schäffer, 1855**

Synonymy: *Eupista galactaula*
Meyr. in Beirne (1941).

+ **glaucicolella Wood, 1892**

Synonymy: in *Eupista* in Beirne
(1941).

+ **tamesis Waters, 1929**

Synonymy: in *Eupista* in Beirne
(1941).

Synonymy: *cratipennella* auctorum.
Synonymy: *cratipennella* sensu
Hodges *et al.*, 1983 nec Clemens,
1864.

Footnote: Bradley (1960).

Footnote: the name *tamesis* Waters
was removed from synonymy by
Baldizzone and Landry (1993).

+ **alticolella Zeller, 1849**

Synonymy: *caespititiella* sensu
auctorum.

+ *maritimella* Newman, 1873

Footnote: Healy (1975); there are also two specimens from Greencastle, Co. Down, in the Heal collection in NMI (Bond, 1995).

+ *adjunctella* Hodgkinson, 1882

Footnote: Emmet (1970b, 1971).

caespititiella Zeller, 1839

Synonymy: in *Eupista* in Beirne (1941).

Synonymy: *Eupista agramella* Wood in Beirne (1941).

+ *salicorniae* (Heinemann and Wocke, 1876)

Footnote: Bond (2001).

23. ELACHISTIDAE

GRASS MINER MOTHS

PERITTIA STAINTON, 1854

+ *obscurepunctella* (Stainton, 1848)

Footnote: Bond (1996).

ELACHISTA TREITSCHKE, 1833

regificella Sircom, 1849

Synonymy: *magnificella* Tengst. in Beirne (1941).

gleichenella (Fabricius, 1781)

Synonymy: *magnificella* (Duponchel, 1843).

poae Stainton, 1855

Footnote: this species should be indicated in area H (Leinster) in Emmet (1991a) (Bond, 1995).

atricomella Stainton, 1849

kilmunella Stainton, 1849

Footnote: this species should be indicated in area K (Ulster), not H (Leinster) in Emmet (1991a) (Bond, 1995).

alpinella Stainton, 1854

luticomella Zeller, 1839

albifrontella (Hübner, 1817)

apicipunctella Stainton, 1849

subnigrella Douglas, 1853

humilis Zeller, 1850

Synonymy: *perplexella* Stt. in Beirne (1941).

canapennella (Hübner, 1813)

Synonymy: *obscurella* Stt. in Beirne (1941).

rufocinerea (Haworth, 1828)

+ *maculicerusella* Bruand, 1859

Synonymy: *cerusella* (Hübner, 1796) in Bond (1995).

Homonym.

Footnote: Mere and Pelham-Clinton (1966); there are several further

records from widely spread localities (Bond, 1995).

***argentella* (Clerck, 1759)**

Synonymy: *cygnipennella* Hübn. in Beirne (1941).

Synonymy: *Aphelosetia* Stephens, 1834 (Sub-genus).

+ *triatomea* (Haworth, 1828)

Synonymy: *Aphelosetia* Stephens, 1834 (Sub-genus).

Footnote: (Bond, 1996).

+ *subocellea* (Stephens, 1834)

Synonymy: *Aphelosetia* Stephens, 1834 (Sub-genus).

Footnote: recorded from the Burren, Co. Clare, by Mere and Pelham-Clinton (1966) and by Bradley and Pelham-Clinton (1967). Birchall (1866-67) recorded *Elachista pollinariella* from Howth, while Hodgkinson (1868) recorded *E. collitella* from the same locality. British records of *E. pollinariella* are now considered to refer to *E. subocellea* (Stephens), while *E. collitella* (Duponchel) is considered to be a junior synonym of the same species. Beirne (1941), treating *E. pollinariella* and *E. colitella* as distinct species,

considered that the Irish records of both were doubtful. *E. subocellea* has however been recorded recently from Howth by Bond (1995).

+ *cahorsensis* Traugott-Olsen, 1992

Synonymy: *dispunctella* (Duponchel) sensu auctorum.

Synonymy: *Aphelosetia* Stephens, 1834 (Sub-genus).

Footnote: Bond (1996). Hogan (1854) recorded *Elachista triseriatella* from Howth, Co. Dublin, and Beirne (1941) treated this record as referring to the very similar *Elachista dispunctella* (Duponchel) with which it had been confused, but also considered the record doubtful. According to Bland (Emmet, *in litt.*), the other Irish records of *E. dispunctella* (Bradley, 1952; Bradley and Pelham-Clinton, 1967; Heckford and Langmaid, 1991) also refer to *E. cahorsensis* (Bond, 1995).

+ *megerlella* (Hübner, 1810)

Synonymy: *Aphelosetia* Stephens, 1834 (Sub-genus).

Footnote: Bond (1996). This species was considered doubtfully Irish by Beirne (1941).

***gangabella* Zeller, 1850**

Synonymy: *taeniatella* Stt. in Beirne (1941).

Synonymy: *Aphelosetia* Stephens, 1834 (Sub-genus).

+ *subalbidella* Schläger, 1847

Synonymy: *Aphelosetia* Stephens, 1834 (Sub-genus).

Footnote: Bradley (1953a). The Irish records were considered doubtful by Beirne (1941).

+ *adscitella* Stainton, 1851

Footnote: Bland (1996).

***bisulcella* (Duponchel, 1843)**

Synonymy: *zonariella* Tengst. in Beirne (1941).

**BISELACHISTA TRAUOGOTT-
OLSEN AND NIELSEN, 1977**

***trapeziella* (Stainton, 1849)**

Synonymy: in *Elachista* in Beirne (1941).

***cinereopunctella* (Haworth, 1828)**

Synonymy: in *Elachista* in Beirne (1941).

+ *serricornis* (Stainton, 1854)

Footnote: Bond (1984c).

+ *scirpi* (Stainton, 1887)

Footnote: Bond (1996); Bland (1996).

**+ *eleochariella* (Stainton,
1851)**

Footnote: Mere and Pelham-Clinton (1966); Bradley and Pelham-Clinton (1967); there is also a male in the B. P. Beirne collection in NMI, labelled "L. More, Glengarriff, 17.vii.47" (Co. Cork) (genitalia specimen checked, KGMB) (Bond, 1995).

***utonella* (Frey, 1856)**

Synonymy: *Elachista paludum* Frey in Beirne (1941).

***albidella* (Nylander, 1848)**

Synonymy: *Elachista rhynchospora* Stt. in Beirne (1941).

COSMIOTES CLEMENS, 1860

+ *freyerella* (Hübner, 1825)

Footnote: Mere *et al.* (1964) (as *Elachista nigrella* (Haworth)).

Beirne's (1941) records of "*Elachista consortella* Stt." refer to both *Cosmiotes freyerella* and *C. consortella*, which were at that time

not recognised as distinct species (see Bradley (1952)) (Bond, 1995).

Footnote: *nigrella* (Hübner, 1805), homonym.

+ *consortella* (Stainton, 1851)

Synonymy: *Elachista exiguella* (Frey, 1855).

Footnote: Bradley (1952).

24. OECOPHORIDAE

CONCEALER MOTHS

OECOPHORINAE

DENISIA HÜBNER, 1825

Synonymy: *Chambersia* Riley, 1891.

similella (Hübner, 1796)

Synonymy: in *Borkhausenina* in Beirne (1941).

Footnote: new placement. Previously in *Schiffermulleriella* Hübner, 1825.

BATIA STEPHENS, 1834

lambdella (Donovan, 1793)

BORKHAUSENIA HÜBNER, 1825

fuscescens (Haworth, 1828)

minutella (Linnaeus, 1758)

HOFMANNOPHILA SPULER, 1910

pseudopretella (Stainton, 1849)

BROWN HOUSE-MOTH

LEAMHAN TÍ DONN

Synonymy: *Borkhausenina pseudopretella* in Beirne (1941).

ENDROSIS HÜBNER, 1825

sarcitrella (Linnaeus, 1758)

WHITE-SHOULDERED HOUSE-MOTH

LEAMHAN TÍ CEANNBHÁN

Synonymy: *lactella* Schiff. in Beirne (1941).

ESPERIA HÜBNER, 1825

Synonymy: *Dasycera* Stephens 1829.

sulphurella (Fabricius, 1775)

ALABONIA HÜBNER, 1825

Synonymy: *Enicostoma* Stephens, 1829.

geoffrella (Linnaeus, 1767)

Synonymy: in *Oecophora* in Beirne (1941).

PHILOBOTINAE

PLEUROTA HÜBNER, 1825

bicostella (Clerck, 1759)

HYPERCALLIINAE

HYPERCALLIA STEPHENS, 1829

citrinalis (Scopoli, 1763)

CARCININAE

Status: considered a family by some authors.

CARCINA HÜBNER, 1825

quercana (Fabricius, 1775)

PSEUDATEMELIA REBEL, 1910

Synonymy: *Tubuliferola* Strand, 1917.

josephinae (Toll, 1956)

Synonymy: *Borkenhausia flavifrontella* Hübn. (sic) in Beirne (1941).

Footnote: in *Tubuliferodes* Toll, 1956 in recent Continental literature.

Footnote: Bradley (1952); Chalmers-Hunt (1982).

CHIMBACHINAE

DIURNEA HAWORTH, 1811

Synonymy: *Chimbache* Hübner, 1825.

Synonymy: *Cheimophila* Hübner, 1825.

fagella (Denis and Schiffermüller, 1775)

lipsiella (Denis and Schiffermüller, 1775)

Synonymy: *phryganella* Hübn. in Beirne (1941).

DASYSTOMA CURTIS 1833

salicella (Hübner, 1796)

Footnote: new placement. Previously in *Cheimophila* Hübner, 1825 and under this name in Beirne (1941).

DEPRESSARIINAE

DEPRESSARIA HAWORTH, 1811

daucella (Denis and Schiffermüller, 1775)

Synonymy: *nervosa* Haw. in Beirne (1941).

+ *ultimella* Stainton, 1849

Footnote: Bond (1996); “doubtful” in Beirne (1941).

pastinacella (Duponchel, 1838)

PARSNIP MOTH

Synonymy: *heraclei* Retzius, 1783 nomen dubium.

Synonymy: *heracliana* Linn. in Beirne (1941) and auctt.

badiella (Hübner, 1796)

+ *pulcherrimella* Stainton, 1849

Footnote: Bradley and Pelham-Clinton (1967). In addition, there is a specimen in NMI labelled “Errislannan” and “Cusack” (Bond, 1995).

douglasella Stainton, 1849

Synonymy: *douglasiella* in Beirne (1941).

EXAERETIA STAINTON, 1849

allisella Stainton, 1849

AGONOPTERIX HÜBNER, 1825

heracliana (Linnaeus, 1758)

Synonymy: *applana* Fab. in Beirne (1941).

***ciliella* (Stainton, 1849)**
***purpurea* (Haworth, 1811)**
***subpropinquella* (Stainton, 1849)**
***nanatella* (Stainton, 1849)**

Footnote: Beirne (1941) considers that the two Irish records are probably correct but states "confirmation is desirable". Accepted as Irish in Emmet (1991a).

***alstromeriana* (Clerck, 1759)**

Footnote: *alstroemeriana* in Beirne (1941).

***propinquella* (Treitschke, 1835)**
***arenella* (Denis and Schiffermüller, 1775)**

***kaekeritziana* (Linnaeus, 1767)**

Synonymy: *liturella* Schiff. in Beirne (1941).

***pallorella* (Zeller, 1839)**
***ocellana* (Fabricius, 1775)**
***assimilella* (Treitschke, 1832)**
***umbellana* (Fabricius, 1794)**

Synonymy: *ulicetella* Stt. (*umbellana* Steph. auctt.) in Beirne (1941).

Footnote: listed as *ulicetella* (Stainton, 1949) (*umbellana* sensu auctorum) in Bond (1996).

***nervosa* (Haworth, 1811)**

Synonymy: *costosa* Haw. in Beirne (1941).

+ ***liturosa* (Haworth, 1811)**

Synonymy: *hypericella* sensu auctorum.

Footnote: Classey and Goater (1951); Bradley and Pelham-Clinton (1967). The specimen referred to in Beirne (1941) (as *hypericella*) was not found in the Murray collection in Trinity College, Dublin (Bond, 1995).

***conterminella* (Zeller, 1839)**
+ ***astrantiae* (Heinemann, 1870)**

Footnote: Harper (1993).

***angelicella* (Hübner, 1813)**
***yeatiana* (Fabricius, 1781)**
+ ***capreolella* (Zeller, 1839)**

Footnote: Beirne (1941) indicated that the only Irish specimen he had seen was a very worn specimen from Armagh, which he considered could have been misidentified. There are confirmed records from the Burren, Co. Clare (Bradley, 1953b) and south-east Galway (Heckford and Langmaid, 1991).

***rotundella* (Douglas, 1846)**

25. GELECHIIDAE

TWIRLER MOTHS

ANOMOLOGINAE

METZNERIA ZELLER, 1839

+ *aestivella* (Zeller, 1839)

Footnote: Bond (1999a).

+ *metzneriella* (Stainton, 1851)

Footnote: Bradley (1953b). Beirne (1941) considered that the Irish status of this species required confirmation.

EULAMPOTES BRADLEY, 1971

+ *atrella* (Denis and Schiffermüller, 1775)

Footnote: Bradley (1952). Hogan's (1855) record was considered to be in need of confirmation by Beirne (1941).

+ *immaculatella* (Douglas, 1850)

Footnote: Heckford and Langmaid (1988).

Synonymy: *phaeella* (Heckford and Langmaid, 1988) in Bond (1995).

+ *unicolorella* (Duponchel, 1843)

Footnote: Mere *et al.* (1964).

wilkella (Linnaeus, 1758)

Synonymy: *Aristotelia pictella* Zell. in Beirne (1941).

MONOCHROA HEINEMANN, 1870

Synonymy: *Paltodora* Meyrick, 1894.

cytisella (Curtis, 1837)

Synonymy: in *Paltodora* in Beirne (1941).

tenebrella (Hübner, 1817)

Synonymy: in *Aristotelia* in Beirne (1941).

+ *lucidella* (Stephens, 1834)

Footnote: Bradley (1953b).

+ *suffusella* (Douglas, 1850)

Footnote: Bond (1996).

+ *lutulentella* (Zeller, 1839)

Footnote: Mere *et al.* (1964).

CHRYSOESTHIA HÜBNER, 1825

+ *drurella* (Fabricus, 1775)

Synonymy: in *Cosmopterix* Hübner, 1825.

Footnote: specimen taken on the edge of Derreen Woods, Lauragh, Co. Kerry, in 1977. Identification confirmed by J. D. Bradley (Chalmers-Hunt, 1977a).

sexguttella (Thunberg, 1794)

Synonymy: *Aristotelia stipella* Hübn. in Beirne (1941).

Footnote: Bradley and Pelham-Clinton (1967). The earlier Irish records were considered doubtful by Beirne (1941).

PTOCHEUUSA HEINEMANN, 1870

+ *paupella* (Zeller, 1847)

Footnote: Agassiz (1977).

ARISTOTELIA HÜBNER, 1825

+ *subdecurtella* (Stainton, 1859)

Footnote: Bland *et al.* (2002).

+ *ericinella* (Zeller, 1839)

Footnote: Bond (1984c).

BRYOTROPHA HEINEMANN, 1870

+ *affinis* (Haworth, 1828)

Footnote: Bland *et al.* (2002).

umbrosella (Zeller, 1839)

Synonymy: *mundella* Dougl. in Beirne

(1941), *mundella* Douglas, 1850 *vide*

Rutten and Karsholt (1998).

Footnote: in Bond (1995) *mundella* and *umbrosella* are given as separate species.

+ *similis* (Stainton, 1854)

Footnote: Bond (1996).

+ *senectella* (Zeller, 1839)

Footnote: Mere and Pelham-Clinton

(1966). This species was considered

doubtfully Irish by Beirne (1941).

desertella (Douglas, 1850)

terrella (Denis and Schiffermüller,
1775)

politella (Stainton, 1851)

domestica (Haworth, 1828)

GELECHIINAE

**STENOLECHIA MEYRICK,
1894**

+ *gemmella* (Linnaeus, 1758)

Footnote: (Bond, 1996).

**EXOTELEIA WALLENGREN,
1881**

+ *dodecella* (Linnaeus, 1758)

Footnote: Bond (1981b). This

species was considered doubtfully

Irish by Beirne (1941).

ATHRIPS BILLBERG, 1820

+ *tetrapunctella* (Thunberg,
1794)

Footnote: Bond (1996).

+ *mouffetella* (Linnaeus, 1758)

Synonymy: in *Epithectis* in Beirne
(1941).

Footnote: Bradley and Pelham-

Clinton (1967). This species was

considered doubtfully Irish by

Beirne (1941).

XENOLECHIA MEYRICK, 1895

+ *aethiops* (Humphreys and
Westwood, 1845)

Footnote: Bond (1996).

**PSEUDOTELPHUSA JANSE,
1958**

+ *paripunctella* (Thunberg,
1794)

Synonymy: *triparella* (Zeller, 1839).

Synonymy: *Telephusa triparella* Zell. in Beirne (1941).

Footnote: Emmet (1968); also recorded by Bradley:- several, Ballyeighter, Co. Clare, June 1970. There is a specimen in the Heal collection in NMI, previously placed under *Teleiopsis diffinis* (Haworth), labelled "H910610 [Church Hill, Armagh], 24.v.1967". Specimens under this name in the BM(NH) Burren Collection are probably *T. wagaе* (Nowicki) (Bond, 1995). This species was considered doubtfully Irish by Beirne (1941).

TELEIODES SATTTLER, 1960

Synonymy: *Teleia* Heinemann, 1870.

Homonym.

***vulgella* (Denis and Schiffermüller, 1775)**

Synonymy: in *Telephusa* in Beirne (1941). The authority is given as Hubn.

+ ***wagaе* (Nowicki, 1860)**

Footnote: Sattler (1980). Records of *Teleiodes notatella* (Hübner) in Bradley and Pelham-Clinton (1967) refer to this species.

CARPATOLECHIA CĂPUȘE, 1964

***decorella* (Haworth, 1812)**

Synonymy: *Telephusa humeralis* Zell. in Beirne (1941).

Footnote: new placement.

Previously in *Teleiodes* Sattler, 1960.

+ ***notatella* (Hübner, 1813)**

Footnote: new placement.

Previously in *Teleiodes* Sattler, 1960.

Footnote: Bradley and Pelham-Clinton (1967); Emmet (1971).

***proximella* (Hübner, 1796)**

Footnote: in *Telephusa* in Beirne (1941).

Footnote: new placement.

Previously in *Teleiodes* Sattler, 1960.

***fugitivella* (Zeller, 1839)**

Synonymy: in *Telephusa* in Beirne (1941).

Footnote: new placement.

Previously in *Teleiodes* Sattler, 1960.

TELEIOPSIS SATTTLER, 1960

***diffinis* (Haworth, 1828)**

Synonymy: in *Gelechia* in Beirne (1941).

CHIONODES HÜBNER, 1825

+ ***fumatella* (Douglas, 1850)**

Footnote: Bond (1981b).

+ *distinctella* (Zeller, 1839)

Footnote: Bond (1996).

MIRIFICARMA GOZMÁNY, 1955

mulinella (Zeller, 1839)

Synonymy: in *Gelechia* in Beirne (1941).

PROLITA LERAUT, 1993

Synonymy: *Lita* Treitschke, 1833.

Homonym.

+ *sexpunctella* (Fabricius, 1794)

Synonymy: *virgella* (Thunberg, 1794).

Footnote: Dowling (1979).

GELECHIA HÜBNER, 1825

rhombella (Denis and

Schiffermüller, 1775)

sororculella (Hübner, 1817)

SCROBIPALPA JANSE, 1951

Synonymy: *Ilseopsis* Povolný, 1965.

samadensis (Pfaffenzeller, 1870)

ssp. *plantaginella* (Stainton, 1883)

Synonymy: *Phthorimaea plantaginella* Stt. in Beirne (1941).

Footnote: the nominate subspecies *samadensis* (Pfaffenzeller, 1870)

occurs in Continental Europe, *plantaginella* may simply be a coastal ecotype.

instabilella (Douglas, 1846)

Synonymy: in *Phthorimaea* in Beirne (1941).

+ *ocellatella* (Boyd, 1858)

BEET MOTH

Footnote: Bond (1996).

+ *nitentella* (Fuchs, 1902)

Footnote: Bond (1996).

+ *obsoletella* (Fischer von Röslerstamm, 1841)

Synonymy: in *Phthorimaea* in Beirne (1941).

Footnote: Bond (1996). The records given by Beirne (1941) are based on mis-determinations.

+ *atriplicella* (Fischer von Röslerstamm, 1841)

Footnote: two specimens in NMI previously placed under *Scrobipalpa obsoletella* (Fischer von Röslerstamm) (*q. v.*) have been determined as this species (Karsholt *in litt.*, 1990). The abdomens are missing, but no genitalia slides have been traced (Bond, 1995).

costella (Humphreys and Westwood, 1845)

Synonymy: in *Phthorimaea* in Beirne (1941).

artemisiella (Treitschke, 1833)

THYME MOTH

Synonymy: in *Phthorimaea* in Beirne (1941).

+ *murinella* (Duponchel, 1843)

Footnote: Mere *et al.* (1964).

+ *acuminatella* (Sircom, 1850)

Footnote: Mere *et al.* (1964). This record is however omitted by Bradley and Pelham-Clinton (1967). In the Pelham-Clinton Irish Collection in NMS, there is one specimen, labelled: "Ballyvaghan, Clare, 12 Jun 1962 ECPC No. 19588", while in the Pelham-Clinton diary, p. 5615, there is an entry of "1 *Phthorimaea acuminatella*" from Doughbranneen on 12 June 1962, which presumably applies to the same specimen (M. Shaw, pers. comm.). The species has also been recorded from O'Donnell's Rock, G881355, Co. Leitrim, 20 May 1993 (Bond, 1995).

**CARYOCOLUM GREGOR AND
POVOLNÝ, 1954**

vicinella (Douglas, 1851)

Synonymy: *Phthorimaea leucomelanella* Zell. in Beirne (1941).

+ *alsinella* (Zeller, 1868) ssp.

semidecandrella (Threlfall, 1887)

Synonymy: *semidecandrella* (Threlfall, 1887).

Footnote: Emmet (1968).

+ *viscariella* (Stainton, 1855)

Footnote: Bradley and Pelham-Clinton (1967).

marmoreum (Haworth, 1828)

Synonymy: in *Phthorimaea* in Beirne (1941).

fraternella (Douglas, 1851)

Synonymy: in *Phthorimaea* in Beirne (1941).

blandella (Douglas, 1852)

Synonymy: *Phthorimaea maculea* Haw. in Beirne (1941).

tricolorella (Haworth, 1812)

Synonymy: in *Phthorimaea* in Beirne (1941).

ANACAMPSINAE

**APROAEREMA DURRANT,
1897**

Synonymy: *Aproneura* Durrant, 1897.

anthyllidella (Hübner, 1813)

Synonymy: in *Stomopteryx* in Beirne (1941).

SYNCOPACMA MEYRICK, 1925

sangiella (Stainton, 1863)

Synonymy: in *Stomopteryx* in Beirne (1941).

+ *taeniolella* (Zeller, 1839)

Synonymy: in *Stomopteryx* in Beirne (1941).

Footnote: although the Irish status of this species was accepted by Beirne (1941), he later considered that it “might be bracketed as doubtful” (Beirne, 1942).

There is a Beirne specimen in NMI from Bray Head, Co. Wicklow, 1944 (genitalia checked KGMB); this is probably the specimen referred to under *Stomopteryx vorticella* in Beirne (1945a) (Bond, 1995). The species has also been recorded by Bradley (1953b).

cinctella (Clerck, 1759)

Synonymy: *Stomopteryx vorticella* Scop. in Beirne (1941).

ANACAMPSIS CURTIS, 1827

temerella (Lienig and Zeller, 1846)

Synonymy: in *Compsolechia* in Beirne (1941).

populella (Clerck, 1759)

CHELARIINAE

NEOFACULTA GOZMÁNY, 1955

ericetella (Geyer, 1832)

Synonymy: *Gelechia betulea* Haw. in Beirne (1941).

ANARSIA ZELLER, 1839

spartiella (Schrank, 1802)

Synonymy: in *Anarstia* in Beirne (1941).

HYPATIMA HÜBNER, 1825

rhomboidella (Linnaeus, 1758)

Synonymy: *conscriptella* Hübn. in Beirne (1941).

DICHOMERIDINAE

ACOMPSIA HÜBNER, 1825

cinerella (Clerck, 1759)

DICHOMERIS HÜBNER, 1825

Synonymy: *Acanthophila* Heinemann, 1870.

+ *marginella* (Fabricius, 1781)

JUNIPER WEBBER

Footnote: Agassiz (1982). The date of capture should read “11.viii.1977” (Bond, 1995).

HELCYSTOGRAMMA ZELLER, 1877

rufescens (Haworth, 1828)

Synonymy: in *Brachmia* in Beirne (1941).

Footnote: previously placed in *Brachmia* Hübner, 1825.

26. AUTOSTICHIDAE

SCAVENGER MOTHS

OEGOCONIINAE

OEGOCONIA STANTON, 1854

- quadripuncta* (Haworth, 1828)
+ *deauratella* (Herrich-Schäffer,
1854)

Footnote: Bland (2002).

27. BLASTOBASIDAE

SCAVENGER MOTHS

BLASTOBASIS ZELLER, 1855

- lignea* Walsingham, 1894

28. BATRACHEDRIDAE

FROG CASEBEARER MOTHS

BATRACHEDRA HERRICH-SCHÄFFER, 1853

- praeangusta* (Haworth, 1828)

29. MOMPHIDAE

MOMPHA MOTHS

MOMPHA HÜBNER, 1825

- + *langiella* (Hübner, 1796)

Footnote: Bond (1996). Considered doubtful by Beirne (1941).

- + *terminella* (Humphreys and Westwood, 1845)

Footnote: Emmet and Langmaid (1997, 2002).

locupletella (Denis and Schiffermüller, 1775)

Synonymy: *schränkella* (Hübner, 1805).

- + *raschkiella* (Zeller, 1839)

Footnote: Mere *et al.* (1964).

ochraceella (Curtis, 1839)

propinquella (Stainton, 1851)

- + *subbistrigella* (Haworth, 1828)

Footnote: Bond (1981b).

Considered doubtful by Beirne (1941).

- + *epilobiella* (Denis and Schiffermüller, 1775)

Synonymy: *fulvescens* Haw. in Beirne (1941).

Footnote: Emmet (1971).

Considered in need of confirmation by Beirne (1941).

30. COSMOPTERIGIDAE

COSMET MOTHS

COSMOPTERIGINAE

COSMOPTERIX HÜBNER, 1825

Synonymy: *Cosmopterix* Zeller, 1839.

- + *orichalcea* Stainton, 1861

Footnote: Chalmers-Hunt (1977b).

Footnote: new placement. Previously in *Pancalia* Stephens, 1829.

+ *lienigiella* Lienig and Zeller, 1846

Footnote: Bond (1991b).

Footnote: new placement. Previously in *Pancalia* Stephens, 1829.

LIMNAECIA STAINTON, 1851

phragmitella Stainton, 1851

Footnote: *phragmittella* in Beirne (1941).

ANTEQUERINAE

PANCALIA STEPHENS, 1829

leuwenhoekella (Linnaeus, 1761)

schwarzella (Fabricius, 1798)

Synonymy: *latreillella* Curt. in Beirne (1941).

BLASTODACNINAE

Footnote: sometimes placed in the family Agonoxenidae.

SPULERIA HOFMANN, 1898

flavicaput (Haworth, 1828)

BLASTODACNA WOCKE, 1876

+ *hellerella* (Duponchel, 1838)

Footnote: Bradley and Pelham-Clinton (1967). This record is not indicated in Emmet (1991a).

atra (Howarth, 1828)

APPLE PITH MOTH

CHRYSOPELEIINAE

SORHAGENIA SPULER, 1910

+ *lophyrella* (Douglas, 1846)

Footnote: Bond (1996). Beirne (1941) recorded *Sorhagenia rhamniella* (Zeller, 1839) (as *Walshia*) from Co. Kerry but at that time the differences between that species, *S. lophyrella* (Douglas, 1846) and *S. janiszewskae* Riedl, 1962 were not recognized. See Bradley (1963). No Beirne specimens have been traced.

31. SCYTHRIDIDAE

FLOWER MOTHS

SCYTHRIS HÜBNER, 1825

grandipennis (Haworth, 1828)

+ *picaepennis* (Haworth, 1828)

Footnote: Bradley and Pelham-Clinton (1967).

TORTRICOIDEA

32. TORTRICIDAE

LEAFROLLER MOTHS

TORTRICINAE

PHTHEOCHROA STEPHENS, 1829

Synonymy: *Hysterosia* Stephens, 1852.

***inopiana* (Haworth, 1811)**

Synonymy: in *Idiographis* in Beirne (1941).

+ ***sodaliana* (Haworth, 1811)**

Footnote: Bond (1996).

**HYSTEROPHORA OBRAZTSOV,
1944**

***maculosana* (Haworth, 1811)**

Synonymy: in *Phtheocroa* in Beirne (1941).

**PHALONIDIA LE MARCHAND,
1933**

+ ***manniana* (Fischer von**

Röslerstamm, 1839)

Footnote: Bond (1996).

+ ***affinitana* (Douglas, 1846)**

Footnote: Bradley *et al.* (1973); Healy (1975). Several, Ballynalackan coast road, Co. Clare, June 1970 (Bond, 1995).

GYNNIDOMORPHA TURNER, 1916

+ ***minimana* (Caradja, 1916)**

Footnote: new placement. Previously in *Piercea* Filipjev, 1940.

Footnote: Bond (1996).

***permixtana* (Denis and**

Schiffermüller, 1775)

Synonymy: *Phalonia mussehliana* Tr. in Beirne (1941).

Footnote: new placement.

Previously in *Piercea* Filipjev, 1940.

+ ***vectisana* (Humphreys and
Westwood, 1845)**

Footnote: new placement.

Previously in *Piercea* Filipjev, 1940.

Footnote: Emmet (1971).

+ ***alismana* (Ragonot, 1883)**

Footnote: new placement.

Previously in *Piercea* Filipjev, 1940.

Footnote: Bond (1996).

COCHYLIMORPHA

RAZOWSKI, 1959

Synonymy: *Stenodes* Guenée, 1845.

***straminea* (Haworth, 1811)**

Synonymy: in *Euxanthis* in Beirne (1941).

AGAPETA HÜBNER, 1822

***hamana* (Linnaeus, 1758)**

Synonymy: in *Euxanthis* in Beirne (1941).

***zoegana* (Linnaeus, 1767)**

Synonymy: in *Euxanthis* in Beirne (1941).

AETHES BILLBERG, 1820

***piercei* Obraztsov, 1952**

Synonymy: *Chilodonia hartmanniana*
Clerck in Beirne (1941).

***cnicana* (Westwood, 1854)**

Synonymy: in *Phalonia* in Beirne
(1941).

***rubigana* (Treitschke, 1830)**

Synonymy: in *Phalonia* in Beirne
(1941).

***francillana* (Fabricius, 1794)**

Synonymy: in *Lozopera* in Beirne
(1941).

EUPOECILIA STEPHENS, 1829

***angustana* (Hübner, 1799)**

Synonymy: in *Euxanthis* in Beirne
(1941).

COCHYLIDIA OBRAZTSOV, 1956

+ *rupicola* (Curtis, 1834)

Footnote: Mere *et al.* (1964). Chalmers-
Hunt (1982) refers to a specimen in the
main collection at NMI.

**FALSEUNCARIA OBRAZTSOV AND
SWATSCHEK, 1958**

***ruficiliana* (Haworth, 1811)**

Synonymy: *Phalonia ciliella* Hübn. in
Beirne (1941).

Footnote: Beirne (1942) writes “ the
name *permixtana* Schiff. 1775 has
priority over *ciliella* Hübn., 1796”, but
the valid name for this species is

ruficiliana (Haworth), and
permixtana (Denis and
Schiffermüller) (*q. v.*) is a separate
species.

COCHYLIS TREITSCHKE, 1829

**+ *flaviciliana* (Westwood,
1854)**

Footnote: Bond (1979).

***dubitana* (Hübner, 1799)**

Synonymy: in *Phalonia* in Beirne
(1941).

***atricapitana* (Stephens, 1852)**

Synonymy: in *Phalonia* in Beirne
(1941).

***pallidana* Zeller, 1847**

Synonymy: in *Phalonia* in Beirne
(1941).

***nana* (Haworth, 1811)**

Synonymy: in *Phalonia* in Beirne
(1941).

PANDEMIS HÜBNER, 1825

***corylana* (Fabricius, 1794)**

CHEQUERED FRUIT-TREE

TORTRIX

***cerasana* (Hübner, 1786)**

BARRED FRUIT-TREE

TORTRIX

Synonymy: *cerastana* (misspelling)
in Beirne (1941).

Synonymy: *ribeana* (Hübner, 1799)

heparana (Denis and
Schiffermüller, 1775)

DARK FRUIT-TREE TORTRIX

ARGYROTAENIA STEPHENS, 1852

ljungiana (Thunberg, 1797)

Synonymy: *Eulia pulchellana* Haw. in
Beirne (1941).

ARCHIPS HÜBNER, 1822

podana (Scopoli, 1763)

LARGE FRUIT-TREE TORTRIX

Synonymy: *Cacoecia oporana* sensu
Beirne (1941) nec *oporana* (Linnaeus,
1758).

crataegana (Hübner, 1799)

BROWN OAK TORTRIX

Synonymy: in *Cacoecia* in Beirne
(1941).

xylosteanana (Linnaeus, 1758)

VARIEGATED GOLDEN TORTRIX

Synonymy: in *Cacoecia* in Beirne
(1941).

rosana (Linnaeus, 1758)

ROSE TORTRIX

Synonymy: in *Cacoecia* in Beirne
(1941).

CHORISTONEURA LEDERER, 1859

hebenstreitella (Müller, 1764)

Synonymy: in *Cacoecia* in Beirne
(1941).

CACOECIMORPHA

OBRAZTSOV, 1954

+ *pronubana* (Hübner, 1799)

CARNATION TORTRIX

Footnote: Bond (1988); Bond and
Good (1989); O'Connor and Bond
(2005).

SYNDEMIS HÜBNER, 1825

musculana musculana

(Hübner, 1799)

Synonymy: in *Tortrix* in Beirne
(1941).

Footnote: there are two sub-species
in the British Isles viz. the nominate
and *musculinana* (Kennel, 1899)
from Orkney, Shetland and the
Outer Hebrides.

APHELIA HÜBNER, 1825

viburnana (Denis and
Schiffermüller, 1775)

BILBERRY TORTRIX

Synonymy: in *Tortrix* in Beirne
(1941).

paleana (Hübner, 1793)

TIMOTHY TORTRIX

Synonymy: in *Tortrix* in Beirne
(1941).

+ *unitana* (Hübner, 1799)

Footnote: Bradley *et al.* (1973); Mere *et al.* (1964).

CLEPSIS GUENÉE, 1845

senecionana (Hübner, 1819)

Synonymy: *Tortrix rusticana* Tr. in Beirne (1941).

+ *rurinana* (Linnaeus, 1758)

Footnote: Bradley *et al.* (1973). The species was also recorded by Heckford and Langmaid (1991). Emmet reports two specimens from Ballyeigher Wood, Co. Clare, 10 July 1973 (Bond, 1995).

spectrana (Treitschke, 1830)

CYCLAMEN TORTRIX

Synonymy: *Tortrix costana* Fab. in Beirne (1941).

consimilana (Hübner, 1817)

Synonymy: in *Tortrix* in Beirne (1941).

EPIPHYAS TURNER, 1927

+ *postvittana* (Walker, 1863)

LIGHT-BROWN APPLE MOTH

Footnote: Bond (1998b).

Naturalised adventive, believed imported with apples; polyphagous in Britain.

From Australia and Tasmania.

Introduced into Europe, North America, Hawaii, New Zealand and New Caledonia.

PTYCHOLOMA STEPHENS, 1829

lecheana (Linnaeus, 1758)

Synonymy: in *Cacoecia* in Beirne (1941).

LOZOTAENIA STEPHENS, 1829

forsterana (Fabricius, 1781)

Synonymy: in *Tortrix* in Beirne (1941).

EPAGOGE HÜBNER, 1825

grotiana (Fabricius, 1781)

CAPUA STEPHENS, 1834

vulgana (Frölich, 1828)

Synonymy: in *Epagoge* in Beirne (1941).

Synonymy: *favillaceana* (Hübner, 1817).

PHILEDONE HÜBNER, 1825

gerningana (Denis and Schiffermüller, 1775)

PHILEDONIDES OBRAZTSOV, 1954

lunana (Thunberg, 1784)

Synonymy: *Philedone prodromana* Hübn. in Beirne (1941).

DITULA STEPHENS, 1829

angustiorana (Haworth, 1811)

RED-BARRED TORTRIX

PSEUDARGYROTOZA

OBRAZTSOV, 1954

conwagana (Fabricius, 1775)

Synonymy: in *Argyrotoxa conwayana*

Fab. in Beirne (1941).

EULIA HÜBNER, 1825

ministrana (Linnaeus, 1758)

CNEPHASIA CURTIS, 1826

longana (Haworth, 1811)

conspersana Douglas, 1846

stephensiana (Doubleday, 1849)

GREY TORTRIX

Synonymy: *Cnephasia chrysantheana*

Dup. in Beirne (1941).

stephensiana forma octomaculana
Curtis, 1850

Synonymy: *Cnephasia octomaculana*

Haw. in Beirne (1941).

Footnote: probable ecotype. Northern
calcareous districts.

asseclana (Denis and
Schifferrmüller, 1775)

FLAX TORTRIX

Synonymy: *Cnephasia virgaureana* Tr.
in Beirne (1941).

incertana (Treitschke, 1835)

LIGHT GREY TORTRIX

Synonymy: in *Cnephasia* in Beirne

(1941).

TORTRICODES GUENÉE, 1845

alternella (Denis and

Schifferrmüller, 1775)

Synonymy: *Oxypteron tortricella*

Hübner. in Beirne (1941).

EANA BILLBERG, 1820

osseana (Scopoli, 1763)

Synonymy: in *Cnephasia* in Beirne
(1941).

penziana bellana (Curtis,
1826)

Synonymy: *Cnephasia bellana*

Curt. in Beirne (1941).

Footnote: a specimen in the NMI
collections from Howth, Co.

Dublin, belongs to this form; the
others Irish specimens checked are
ssp. *colquhounana* (Barrett, 1884)
(Bond, 1995).

Footnote: nominate only in
Continental Europe, *bellana* may be
a montane ecotype or forma.

penziana colquhounana
(Barrett, 1884)

Synonymy: *Cnephasia*
colquhounana Barr. in Beirne
(1941).

Footnote: nominate only in Continental Europe, *colquhounana* may be a coastal ecotype or forma.

ALEIMMA HÜBNER, 1825

loeflingiana (Linnaeus, 1758)

Synonymy: in *Tortrix* in Beirne (1941).

TORTRIX LINNAEUS, 1758

viridana (Linnaeus, 1758)

GREEN OAK TORTRIX

ACLERIS HÜBNER, 1825

Synonymy: *Croesia* Hübner, 1825.

bergmanniana (Linnaeus, 1758)

Synonymy: in *Argyrotoxa* in Beirne (1941).

+ *forsskaleana* (Linnaeus, 1758)

Synonymy: *forskaleana* in Bond (1981a).

Footnote: Bond (1981a). Considered doubtfully Irish by Beirne (1941).

Introduced.

holmiana (Linnaeus, 1758)

Synonymy: in *Peronea* in Beirne (1941).

laterana (Fabricius, 1794)

Synonymy: *Peronea latifasciana* Haw. in Beirne (1941).

comariana (Lienig and Zeller, 1846)

STRAWBERRY TORTRIX

Synonymy: in *Peronea* in Beirne (1941).

caledoniana (Stephens, 1852)

Synonymy: in *Peronea* in Beirne (1941).

sparsana (Denis and Schiffermüller, 1775)

Synonymy: in *Peronea* in Beirne (1941).

rhombana (Denis and Schiffermüller, 1775)

RHOMBOID TORTRIX

Synonymy: in *Peronea* in Beirne (1941).

aspersana (Hübner, 1817)

Synonymy: in *Peronea* in Beirne (1941).

ferrugana (Denis and Schiffermüller, 1775)

Synonymy: in *Peronea* in Beirne (1941).

Synonymy: also *Peronea fissurana* Pierce in Beirne (1941).

Synonymy: *Peronea ferrugana* Tr. in Beirne (1941).

schalleriana (Linnaeus, 1761)

Synonymy: in *Peronea* in Beirne (1941).

variegana (Denis and Schiffermüller, 1775)

GARDEN ROSE TORTRIX

Synonymy: in *Peronea* in Beirne (1941).

***permutana* (Duponchel, 1836)**

Synonymy: in *Peronea* in Beirne (1941).

***hastiana* (Linnaeus, 1758)**

Synonymy: in *Peronea* in Beirne (1941).

***cristana* (Denis and Schiffermüller, 1775)**

Synonymy: in *Peronea* (authority incorrectly given as Fab.) in Beirne (1941).

***hyemana* (Haworth, 1811)**

Synonymy: *Peronea mixtana* Hübn. in Beirne (1941).

+ *rufana* (Denis and Schiffermüller, 1775)

Synonymy: in *Peronea* in Beirne (1941).

Footnote: confirmed by Beirne (1942).

***literana* (Linnaeus, 1758)**

Synonymy: in *Peronea* in Beirne (1941).

***emargana* (Fabricius, 1775)**

Synonymy: in *Peronea* in Beirne (1941).

CHILIDANOTINAE

OLINDIA GUENÉE, 1845

***schumacherana* (Fabricius, 1787)**

Synonymy: *ulmana* Hübn. in Beirne (1941).

OLETHREUTINAE

CELYPHA HÜBNER, 1825

***striana* (Denis and Schiffermüller, 1775)**

Synonymy: in *Argyroploce* in Beirne (1941).

+ *rosaceana* (Schläger, 1847)

Footnote: Beirne (1945a).

***cespitana* (Hübner, 1817)**

Synonymy: in *Argyroploce* in Beirne (1941).

***lacunana* (Denis and Schiffermüller, 1775)**

Synonymy: in *Argyroploce* in Beirne (1941).

Footnote: new placement.

Previously in *Olethreutes* Hübner, 1822.

***rivulana* (Scopoli, 1763)**

Synonymy: in *Argyroploce* in Beirne (1941).

Footnote: new placement.

Previously in *Olethreutes* Hübner, 1822.

***aurofasciana* (Haworth, 1811)**

Synonymy: in *Argyroploce* in Beirne (1941).

OLETHREUTES HÜBNER, 1822

***arcuella* (Clerck, 1759)**

Synonymy: in *Argyroploce* in Beirne (1941).

**+ *mygindiana* (Denis and
Schifferrmüller, 1775)**

Synonymy: *Stictea* Guenée, 1845 (Sub-
genus).

Footnote: Mere *et al.* (1962)

(*mygindana*); Bradley and Pelham-
Clinton (1967).

+ *arbutella* (Linnaeus, 1758)

Synonymy: *Argyroplote* Hübner, 1825
(Sub-genus).

Footnote: Mere *et al.* (1962); Bradley
and Pelham-Clinton (1967).

***schulziana* (Fabricius, 1776)**

Synonymy: in *Argyroplote* in Beirne
(1941).

Synonymy: *Phiaris* Hübner, 1825 (Sub-
genus).

***palustrana* (Lienig and Zeller,
1846)**

Synonymy: in *Argyroplote* in Beirne
(1941).

Synonymy: *Phiaris* Hübner, 1825 (Sub-
genus).

***olivana* (Treitschke, 1830)**

Synonymy: *Argyroplote micana* Frol. in
Beirne (1941).

Synonymy: *Phiaris* Hübner, 1825 (Sub-
genus).

***PINIPHILA* FALKOVITSH, 1962**

***bifasciana* (Haworth, 1811)**

Synonymy: *Argyroplote*

decrepitana H.-S. in Beirne (1941).

Footnote: new placement.

Previously in *Olethreutes* Hübner,
1822.

***HEDYA* HÜBNER, 1825**

***pruniana* (Hübner, 1799)**

PLUM TORTRIX

Synonymy: in *Argyroplote* in
Beirne (1941).

***nubiferana* (Haworth, 1811)**

MARBLED ORCHARD

TORTRIX

Synonymy: in *Argyroplote* in
Beirne (1941).

Synonymy: *dimidioalba* (Retzius,
1783) (invalid name).

***ochroleucana* (Frölich, 1828)**

Synonymy: in *Argyroplote* in
Beirne (1941).

METENDOTHENIA

DIAKONOFF, 1972

***atropunctana* (Zetterstedt,
1839)**

Synonymy: in *Argyroplote* in
Beirne (1941).

***ORTHOTAENIA* STEPHENS,
1829**

***undulana* (Denis and
Schiffermüller, 1775)**

Synonymy: *Argyroploce aemulana*

Hübner. *in* Beirne (1941).

Footnote: Bond (1996).

APOTOMIS HÜBNER, 1825

***semifasciana* (Haworth, 1811)**

Synonymy: *in* *Argyroploce* *in* Beirne
(1941).

***turbidana* Hübner, 1825**

Synonymy: *Argyroploce corticana*

Schiff. *in* Beirne (1941).

***betuletana* (Haworth, 1811)**

Synonymy: *in* *Argyroploce* *in* Beirne
(1941).

***capreana* (Hübner, 1817)**

Synonymy: *in* *Argyroploce* *in* Beirne
(1941).

***sororculana* (Zetterstedt, 1839)**

Synonymy: *in* *Argyroploce* *in* Beirne
(1941).

ENDOTHENIA STEPHENS, 1852

+ *marginana* (Haworth, 1811)

Synonymy: *oblongana* Haw. *in* Beirne
(1941).

Footnote: Bradley and Pelham-Clinton
(1967) (including record of *E.*
gentianaeana (Hübner) which is
erroneous). Bradley (1953a) recorded

“*Endothenia sellana* Hübn.” and
this record may also refer to *E.*
marginana.

***quadrinaculana* (Haworth,
1811)**

Synonymy: *antiquana* Hübn. *in*
Beirne (1941).

***trifoliata* (Herrich-Schäffer,
1851)**

Synonymy: *ericetana* West. *in*
Beirne (1941).

Synonymy: *ericetana* (Humphreys
and Westwood, 1854) (under this
name in Bradley (2000))

LOBESIA GUENÉE, 1845

***reliquana* (Hübner, 1825)**

***littoralis* (Humphreys and
Westwood, 1845)**

Synonymy: *Polychrosis dubitana*
Steph. *in* Beirne (1941).

BACTRA STEPHENS, 1834

***furfurana* (Haworth, 1811)**

***lancealana* (Hübner, 1799)**

Synonymy: *lanceolana* *in* Beirne
(1941).

+ *robustana* (Christoph, 1872)

Footnote: Bond (1996). The records
in Bradley *et al.* (1979) are
unconfirmed.

EUDEMIS HÜBNER, 1825

profundana (Denis and
Schifferrmüller, 1775)

Synonymy: *Argyoploce profundana* Fab.
in Beirne (1941).

ANCYLIS HÜBNER, 1825

+ *achatana* (Denis and
Schifferrmüller, 1775)

Footnote: Bradley *et al.* (1979); Bond
(1996).

+ *comptana* (Frölich, 1828)

Footnote: Classey and Goater (1951).
Beirne (1941) had considered that
confirmation of a Russ record from Sligo
was desirable.

unguicella (Linnaeus, 1758)

uncella (Denis and Schifferrmüller,
1775)

geminana (Donovan, 1806)

+ *subarcuana* (Douglas, 1847)

Footnote: Emmet (1970b as *inornatana*,
1971). Bradley reports *Ancylis*
subarcuana f. *inornatana*: Burren, Co.
Clare, August 1969 (Bond, 1995).

mitterbacheriana (Denis and
Schifferrmüller, 1775)

obtusana (Haworth, 1811)

badiana (Denis and Schifferrmüller,
1775)

myrtillana (Treitschke, 1830)

EPINOTIA HÜBNER, 1825

+ *subsequana* (Haworth, 1811)

Footnote: Bond (1996).

subocellana (Donovan, 1806)

Synonymy: *in* *Eucosma* *in* Beirne
(1941).

bilunana (Haworth, 1811)

Synonymy: *in* *Eucosma* *in* Beirne
(1941).

ramella (Linnaeus, 1758)

Synonymy: *in* *Eucosma* *in* Beirne
(1941).

immundana (Fischer von
Röslerstamm, 1839)

Synonymy: *Eucosma triquetrana*
Haw. *in* Beirne (1941).

tetraquetrana (Haworth, 1811)

Synonymy: *in* *Eucosma* *in* Beirne
(1941).

nisella (Clerck, 1759)

Synonymy: *in* *Eucosma* *in* Beirne
(1941).

tenerana (Denis and
Schifferrmüller, 1775)

NUT BUD MOTH

Synonymy: *Eucosma penkleriana*
F.v.R. *in* Beirne (1941).

+ *nemorivaga* (Tengström, 1848)

Footnote: Mere *et al.* (1962).

tedella (Clerck, 1759)

Synonymy: in *Eucosma* in Beirne (1941).

fraternana (Haworth, 1811)

Synonymy: *Eucosma proximana* H.-S. in Beirne (1941).

+ *signatana* (Douglas, 1845)

Synonymy: in *Eucosma* in Beirne (1941).

Footnote: Bond (1996).

nanana (Treitschke, 1835)

Synonymy: in *Eucosma* in Beirne (1941).

+ *rubiginosana* (Herrich-Schäffer, 1851)

Footnote: Bond (1997).

cruciana (Linnaeus, 1761)

WILLOW TORTRIX

Synonymy: in *Eucosma* in Beirne (1941).

mercuriana (Frölich, 1828)

Synonymy: *murcuriana* in Beirne (1941).

crenana (Hübner, 1817)

Synonymy: in *Eucosma* in Beirne (1941).

abbreviana (Fabricius, 1794)

Synonymy: *Eucosma trimaculana* Don. in Beirne (1941).

trigonella (Linnaeus, 1758)

Synonymy: *Eucosma similana* Schiff. in Beirne (1941).

Synonymy: *stroemiana* (Fabricius, 1781).

maculana (Fabricius, 1775)

Synonymy: in *Eucosma* in Beirne (1941).

+ *sordidana* (Hübner, 1824)

Footnote (Bond, 2003).

caprana (Fabricius, 1798)

Synonymy: *Eucosma semifuscana* Steph. in Beirne (1941).

+ *brunnichana* (Linnaeus, 1767)

Footnote: Ellerton (1967).

solandriana (Linnaeus, 1758)

Synonymy: in *Eucosma* in Beirne (1941).

CROCIDOSEMA ZELLER, 1847

+ *plebejana* Zeller, 1847

Footnote: Huggins (1966) (as *plebeiana*); Terry (1986). In addition, a male was recorded at the Rothamsted Insect Trap at Fota Wildlife Park, W781713, East

Cork, 15 November 1988 (Bond, 1995).

Migrant and maritime colonist.

RHOPOBOTA LEDERER, 1859

Synonymy: *Griselda* Heinrich, 1923.

***naevana* (Hübner, 1817)**

HOLLY TORTRIX

Synonymy: in *Acrolita* in Beirne (1941).

+ ***stagnana* (Denis and**

Schifferrmüller, 1775)

Synonymy: *fractifasciana* Haworth, 1811.

Footnote: Bradley (1952 as *R. fracifasciana* (misspelling)). Beirne (1941) considered an old record by Dillon (as *Eucosma fractifasciana* Haworth) to be very doubtful.

***myrtillana* (Humphreys and Westwood, 1845)**

Synonymy: in *Eucosma* in Beirne (1941).

ZEIRAPHERA TREITSCHKE, 1829

+ ***ratzeburgiana* (Ratzeburg, 1840)**

SPRUCE BUD MOTH

Footnote: Agassiz (1982). Further records are:- one at light, Dunmurry, J290690, Co. Antrim, 14 August 1969 (Heal card index); ♂, Nagles Mts, W671947, East Cork, 15 August 1980; at light, Killegar House, H262063, Co.

Leitrim, 17 August 1992. The use of the author's name Ratzeburg rather than Saxesen, follows Emmet (1991b). The same remarks apply to *Cydia coniferana*.

***isertana* (Fabricius, 1794)**

Synonymy: *Eucosma insertana* Fab. in Beirne (1941).

***griseana* (Hübner, 1799)**

LARCH TORTRIX

Synonymy: in *Eucosma* in Beirne (1941).

Footnote: Bond (1996).

GYPSONOMA MEYRICK, 1895

+ ***aceriana* (Duponchel, 1843)**

Footnote: Bond (1981a). Records in Bradley and Pelham-Clinton (1967) are based on misdeterminations of *G. dealbana* (see Bradley *et al.* (1979)).

***sociana* (Haworth, 1811)**

Footnote: Bond (1996). Records of *Gypsonoma sociana* (Haworth) and *G. neglectana* (Duponchel) in Beirne (1941) refer to *G. dealbana* (Frölich).

***dealbana* (Frölich, 1828)**

EPIBLEMA HÜBNER, 1825

***cynosbatella* (Linnaeus, 1758)**

Synonymy: in *Eucosma* in Beirne (1941).

Synonymy: *Notocelia* Hübner, 1825.

***uddmanniana* (Linnaeus, 1758)**

BRAMBLE SHOOT MOTH

Synonymy: in *Notocelia* in Beirne (1941).

***trimaculana* (Haworth, 1811)**

Synonymy: *Notocelia suffusana* Dup. in Beirne (1941).

***rosaecolana* (Doubleday, 1850)**

Synonymy: in *Notocelia* in Beirne (1941).

***roborana* (Denis and Schiffermüller, 1775)**

Synonymy: in *Notocelia aquana* Hübn. in Beirne (1941).

***incarnatana* (Hübner, 1800)**

Synonymy: in *Notocelia* in Beirne (1941).

***tetragonana* (Stephens, 1834)**

Synonymy: in *Notocelia* in Beirne (1941).

***turbidana* (Treitschke, 1835)**

Synonymy: in *Eucosma* in Beirne (1941).

***scutulana* (Denis and Schiffermüller, 1775)**

Synonymy: *Eucosma pflugiana* Fab. in Beirne (1941).

***cirsiana* (Zeller, 1843)**

Synonymy: in *Eucosma* in Beirne (1941).

***sticticana* (Fabricius, 1794)**

Synonymy: *farfae* Fletcher in Beirne (1941).

***costipunctana* (Haworth, 1811)**

Synonymy: *Eucosma trigeminana* Steph. in Beirne (1941).

ERIOPSELA GUENÉE, 1845

+ ***quadrana* (Hübner, 1813)**

Footnote: Bradley (1952); Bradley and Pelham-Clinton (1967).

EUCOSMA HÜBNER, 1823

+ ***aspidiscana* (Hübner, 1817)**

Footnote: Bradley (1952); Bradley and Pelham-Clinton (1967).

Footnote: previously in *Eriopsela* Guenée, 1845.

***aemulana* (Schläger, 1849)**

Footnote: Beirne (1945a).

***campoliliana* (Denis and Schiffermüller, 1775)**

Synonymy: *Eucosma nigromaculana* Haw. in Beirne (1941).

Footnote: new placement. Previously in *Eriopsela* Guenée, 1845.

***hohenwartiana* (Denis and Schiffermüller, 1775)**

Synonymy: *hohenwarthiana* Schiff. in Beirne (1941).

forma *fulvana* Stephens, 1834

Synonymy: *Eucosma fulvana* Steph. in Beirne (1941).

Footnote: new placement. Previously in *Eriopsela* Guenée, 1845. Considered a species by some authors.

***cana* (Haworth, 1811)**

Synonymy: new placement. Previously in *Eriopsela* Guenée, 1845.

+ *obumbratana* (Lienig and Zeller, 1846)

Footnote: new placement. Previously in *Eriopsela* Guenée, 1845.

Footnote: Bradley and Pelham-Clinton (1967); Bond (1981a).

***SPILONOTA* STEPHENS, 1829**

***ocellana* (Denis and Schiffermüller, 1775)**

BUD MOTH

+ *laricana* (Heinemann, 1863)

Footnote: Bond (1996). This species was previously considered by some authors

to be a form of *S. ocellana* (Denis and Schiffermüller).

***CLAVIGESTA* OBRAZTSOV, 1946**

+ *sylvestrana* (Curtis, 1850)

Footnote: Bond (1996).

PSEUDOCOCCYX

SWATSCHEK, 1958

Homonymy *Pseudococcyx* Agenjo, 1955.

Synonymy *Blastesthia* Obraztsov, 1960.

+ *posticana* (Zetterstedt, 1839)

Footnote: Bradley *et al.* (1979).

Chalmers-Hunt (1982) refers to a Stelfox specimen in NMI which was taken in 1926.

***RHYACIONIA* HÜBNER, 1825**

***buoliana* (Denis and**

Schiffermüller, 1775)

PINE SHOOT MOTH

Synonymy: in *Evetia* in Beirne (1941).

***pinivorana* (Lienig and Zeller, 1846)**

SPOTTED SHOOT MOTH

Synonymy: in *Evetia* in Beirne (1941).

THAUMATOTIBIA ZACHER, 1915

Synonymy: *Cryptophlebia* Walsingham, 1899.

+ *leucotreta* (Meyrick, 1913)

FALSE CODLING MOTH

Footnote: O'Connor and Nash (1982).

Adventive.

ENARMONIA HÜBNER, 1826

formosana (Scopoli, 1763)

CHERRY BARK TORTRIX

Synonymy: in *Laspeyresia* in Beirne (1941).

LATHRONYMPHA MEYRICK, 1926

strigana (Fabricius, 1775)

STROPHEDRA HERRICH-SCHÄFFER, 1854

nitidana (Fabricius, 1794)

Synonymy: in *Pammene* in Beirne (1941).

PAMMENE HÜBNER, 1825

splendidulana (Guenée, 1845)

argyrana (Hübner, 1799)

+ *spiniana* (Duponchel, 1843)

Footnote: Mere *et al.* (1962); Emmet (1971). Considered "doubtful" by Beirne (1941).

populana (Fabricius, 1787)

regiana (Zeller, 1849)

fasciana (Linnaeus, 1761)

rhediiella (Clerck, 1759)

FRUITLET MINING TORTRIX

gallicana (Guenée, 1845)

Synonymy: in *Laspeyresia* in Beirne (1941).

Synonymy: *Eucelis* Hübner, 1825 (Sub-genus).

aurana (Fabricius, 1775)

Synonymy: in *Laspeyresia* in Beirne (1941).

Synonymy: *Eucelis* Hübner, 1825 (Sub-genus).

GRAPHOLITA TREITSCHKE, 1829

+ *compositella* (Fabricius, 1775)

Synonymy: in *Laspeyresia* in Beirne (1941).

Footnote: new placement.

Previously in *Cydia* Hübner, 1825.

Footnote: Mere and Pelham-Clinton (1966). Beirne (1941) considered that confirmation of the Irish status was desirable.

Footnote: new placement.

Previously in *Cydia* Hübner, 1825.

internana (Guenée, 1845)

Synonymy: in *Laspeyresia* in Beirne (1941).

Footnote: new placement. Previously in *Cydia* Hübner, 1825.

***janthinana* (Duponchel, 1843)**

Synonymy: *Laspeyresia ianthinana* in Beirne (1941).

Footnote: new placement. Previously in *Cydia* Hübner, 1825.

***tenebrosana* (Duponchel, 1843)**

Synonymy: in *Laspeyresia* in Beirne (1941).

Footnote: new placement. Previously in *Cydia* Hübner, 1825.

+ *funebrana* (Treitschke, 1835)

PLUM FRUIT MOTH

Footnote: Bond (1996).

Footnote: new placement. Previously in *Cydia* Hübner, 1825.

+ *molesta* (Busck, 1916)

ORIENTAL FRUIT MOTH

Footnote: new placement. Previously in *Cydia* Hübner, 1825.

Footnote: Bond (1996).

***jungiella* (Clerck, 1759)**

Synonymy: in *Laspeyresia* in Beirne (1941).

Synonymy: *perlepidana* (Haworth, 1811).

Footnote: new placement. Previously in *Cydia* Hübner, 1825.

+ *lunulana* (Denis and Schiffermüller, 1775)

Footnote: Bradley *et al.* (1979); Heckford and Langmaid (1991). Caher river and Newtown Castle [Clare], v-vi.1971 (Bond, 1995).

Footnote: new placement.

Previously in *Cydia* Hübner, 1825.

CYDIA HÜBNER, 1825

Synonymy: *Laspeyresia* homonym.

***succedana* (Denis and Schiffermüller, 1775)**

Synonymy: in *Laspeyresia* in Beirne (1941).

+ *microgrammana* (Guenée, 1845)

Footnote: Heckford and Langmaid (1991). Further records are: Brittas Bay, T311841, Co. Wicklow, 31 May 1987; Ballyteige, S924067, Co. Wexford, 4 June 1988; Donabate Island, O239465, Co. Dublin, 18 June 1988 (Bond, 1995). Beirne (1941) included this species as “very doubtful”, pointing out that “the foodplant *Ononis spinosa*, has not been found in Ireland”.

However, according to Bradley *et*

al. (1979) and Emmet (1991a), the foodplant is *Ononis repens* L. Footnote: new placement. Previously in *Collicularia* Obraztsov, 1960.

+ ***nigricana* (Fabricius, 1794)**

PEA MOTH

Synonymy: *rusticella* (Clerck, 1759) in Bond (1995) (name suppressed).

Footnote: Bradley (1952); Bradley and Pelham-Clinton (1967); Bradley *et al.* (1979). Considered doubtfully Irish by Beirne (1941).

+ ***fagiglandana* (Zeller, 1841)**

Footnote: Bond (1996). Beirne (1941) removed this species (as *Laspeyresia aspidiscana* Hübner) from the Irish list.

+ ***splendana* (Hübner, 1799)**

Footnote: Bradley and Pelham-Clinton (1967); Bradley *et al.* (1979). Considered doubtful by Beirne (1941).

+ ***pomonella* (Linnaeus, 1758)**

CODLING MOTH

Synonymy: in *Laspeyresia* in Beirne (1941).

+ ***deshaisiana* (Lucas, 1858)**

JUMPING BEAN MOTH

Footnote: reared from jumping beans purchased from novelty shops in Belfast and Dublin.

Adventive, larvae in seeds of spurge (*Sebastiania*, *Colliguaja*).

Central America (Mexico).

+ ***coniferana* (Ratzeburg, 1840)**

Synonymy: in *Laspeyresia* in Beirne (1941).

DICHRORAMPHA GUENÉE, 1845

+ ***petiverella* (Linnaeus, 1758)**

Synonymy: in *Hemimene* in Beirne (1941).

+ ***alpinana* (Treitschke, 1830)**

Synonymy: in *Hemimene* in Beirne (1941).

Footnote: Bradley and Pelham-Clinton (1967). Beirne (1941) considered that confirmation of the Irish status of this species was desirable.

+ ***plumbagana* (Treitschke, 1830)**

Synonymy: in *Hemimene* in Beirne (1941).

+ ***acuminatana* (Lienig and Zeller, 1846)**

Synonymy: in *Hemimene* in Beirne (1941).

+ ***consortana* Stephens, 1852**

Synonymy: in *Hemimene* in Beirne (1941).

+ *simpliciana* (Haworth, 1811)

Synonymy: in *Hemimene* in Beirne (1941).

Footnote: Bond (1996). Beirne (1941) wrote, "confirmation is desirable".

montanana (Duponchel, 1843)

Synonymy: *Hemimene* in Beirne (1941).

+ *gueneeana* Obraztsov, 1953

Footnote: Bond (1996).

plumbana (Scopoli, 1763)

Synonymy: in *Hemimene* in Beirne (1941).

Synonymy: also as *Hemimene tanaceti* Stt. in Beirne (1941).

+ *aeratana* (Pierce and Metcalfe, 1915)

Footnote: Bradley and Pelham-Clinton (1967).

EPERMENIOIDEA

33. EPERMENIIDAE

FRINGE-TUFTED MOTHS

PHAULERNIS MEYRICK, 1895

fulviguttella (Zeller, 1839)

Synonymy: in *Cataplectia* in Beirne (1941).

EPERMENIA HÜBNER, 1825

Synonymy: *Cataplectia* Walsingham, 1894.

chaerophyllella (Goeze, 1783)

SCHRECKENSTEINIOIDEA

34. SCHRECKENSTEINIIDAE

BRISTLE-LEGGED MOTHS

SCHRECKENSTEINIA

HÜBNER, 1825

festaliella (Hübner, 1819)

ALUCITOIDEA

35. ALUCITIDAE

MANY-PLUMED MOTHS

ALUCITA LINNAEUS, 1758

hexadactyla Linnaeus, 1758

TWENTY-PLUME MOTH

Synonymy: in *Orneodes* in Beirne (1941).

PYRALOIDEA

36. PYRALIDAE

SNOUT MOTHS

CRAMBINAE

EUCHROMIUS GUENÉE, 1845

ocellea (Haworth, 1811)

Synonymy: in *Euchromis* in Beirne (1941).

Footnote: second Irish record in 1998 (Johnson, 2001).

Migrant and suspected adventive with imported grain.

CHILO ZINCKEN, 1817

phragmitella (Hübner, 1805)

CHRYSOTEUCHIA HÜBNER, 1825

culmella (Linnaeus, 1758)

Synonymy: in *Crambus* in Beirne (1941).

Synonymy: *Crambus hortuellus* Hübn. in Beirne (1941) misident.

CRAMBUS FABRICIUS, 1798

pascuella (Linnaeus, 1758)

+ *uliginosellus* Zeller, 1850

Footnote: Bond (1992c). Beirne (1941) considered that the Irish records of this species were doubtful. The main collection in NMI contains three specimens, all without locality labels (Bond, 1995).

lathoniellus (Zincken, 1817)

Synonymy: *pratellus* Linn. in Beirne (1941).

Synonymy: *dumetellus* Hübn. in Beirne (1941) misident.

perlella (Scopoli, 1763)

AGRIPHILA HÜBNER, 1825

selasella (Hübner, 1813)

Synonymy: in *Crambus* in Beirne

(1941).

straminella (Denis and Schiffermüller, 1775)

Synonymy: *culmella* auctorum including Beirne (1941).

tristella (Denis and Schiffermüller, 1775)

Synonymy: in *Crambus* in Beirne (1941).

inquinatella (Denis and Schiffermüller, 1775)

Synonymy: in *Crambus* in Beirne (1941).

+ *latistria* (Haworth, 1811)

Footnote: Agassiz (1977). The record is from distribution area "I", not "J" as indicted in Emmet (1991a) (Bond, 1995).

geniculea (Haworth, 1811)

Synonymy: in *Crambus* in Beirne (1941).

CATOPTRIA HÜBNER, 1825

pinella (Linnaeus, 1758)

Synonymy: *Crambus pinellus* Linn. in Beirne (1941).

margaritella (Denis and Schiffermüller, 1775)

Synonymy: in *Crambus* in Beirne (1941).

Resident and sporadic migrant. Europe.

PLATYTES GUENÉE, 1845

+ *alpinella* (Hübner, 1813)

Footnote: Bond (1979).

Confirmed resident, West Cork.

SCHOENOBIIINAE

DONACAULA MEYRICK, 1890

forficella (Thunberg, 1794)

Synonymy: in *Schoenobius* in Beirne (1941).

mucronellus (Denis and Schiffermüller, 1775)

Synonymy: in *Schoenobius* in Beirne (1941).

SCOPARIINAE

SCOPARIA HAWORTH, 1811

subfusca Haworth, 1811

Synonymy: *cembrella* auctorum.

Synonymy: *cembrae* Haw. in Beirne (1942).

pyralella (Denis and Schiffermüller, 1775)

Synonymy: *arundinata* (Thunberg, 1792).

Synonymy: *dubitalis* Hübn. in Beirne (1941).

ambigualis (Treitschke, 1829)

+ *basistrigalis* Knaggs, 1866

Footnote: Bradley (1953b). Beirne (1941) considered the Irish status to be doubtful pending confirmation.

DIPLEURINA CHAPMAN, 1912

lacustrata (Panzer, 1804)

Synonymy: *Scoparia centurionalis* Hübn. in Beirne (1941).

EUDONIA BILLBERG, 1820

pallida (Curtis, 1827)

Synonymy: in *Scoparia* in Beirne (1941).

Synonymy: subgenus *Witlesia* Chapman, 1912.

truncicolella (Stainton, 1849)

Synonymy: in *Scoparia* in Beirne (1941).

lineola (Curtis, 1827)

Synonymy: in *Scoparia* in Beirne (1941).

angustea (Curtis, 1827)

Synonymy: in *Scoparia* in Beirne (1941).

delunella (Stainton, 1849)

Synonymy: *Scoparia resinea* Haw. in Beirne (1941).

mercurella (Linnaeus, 1758)

Synonymy: *Scoparia mercurea* Haw. in Beirne (1941).

NYMPHULINAE

Synonymy: ACENTROPINAE.

ACENTRIA STEPHENS, 1829

Synonymy: *Acentropus* Curtis, 1834.

ephemerella (Denis and
Schiffermüller, 1775)

WATER VENEER

Synonymy: *Acentropus niveus* Ol. in
Beirne (1941).

ELOPHILA HÜBNER, 1822

nymphaeata (Linnaeus, 1758)

BROWN CHINA-MARK

Synonymy: in *Nymphula* in Beirne
(1941).

Footnote: new placement. Previously in
Acentria Stephens, 1829.

PARAPOYNX HÜBNER, 1825

stratitotata (Linnaeus, 1758)

Synonymy: in *Nymphula* in Beirne
(1941).

NYMPHULA SCHRANK, 1802

stagnata (Donovan, 1806)

BEAUTIFUL CHINA-MARK

CATACLYSTA HÜBNER, 1825

lemnata (Linnaeus, 1758)

SMALL CHINA-MARK

EVERGESTINAE

EVERGESTIS HÜBNER, 1825

forficalis (Linnaeus, 1758)

GARDEN PEBBLE

Synonymy: in *Mesographe* in
Beirne (1941).

pallidata (Hufnagel, 1767)

Synonymy: *Evergestis straminalis*
Hübner. in Beirne (1941).

PYRAUSTINAE

PYRAUSTA SCHRANK, 1802

purpuralis (Linnaeus, 1758)

+ *ostrinalis* (Hübner, 1796)

Footnote: Bradley and Pelham-
Clinton (1967); Emmet (1971).
Chalmers-Hunt (1982) refers to
further Irish specimens.

sanguinalis (Linnaeus, 1767)

despicata (Scopoli, 1763)

Synonymy: *cespitalis* Schiff. in
Beirne (1941).

cingulata (Linnaeus, 1758)

**PARATALANTA MEYRICK,
1890**

Synonymy: *Microstega* Meyrick,
1890.

pandalis (Hübner, 1825)

BORDERED PEARL

Synonymy: in *Microstega* in Beirne
(1941)

OSTRINIA HÜBNER, 1825

+ *nubilalis* (Hübner, 1796)

EUROPEAN CORN-BORER

Footnote: Agassiz (1977). The specimen referred to by Haynes and Hillis (1984) does not therefore represent the earliest record.

Migrant colonist. Europe, introduced into North America.

EURRHYPARA HÜBNER, 1825

hortulata (Linnaeus, 1758)

SMALL MAGPIE

PERINEPHELA HÜBNER, 1825

lancealis (Denis and Schiffermüller, 1775)

PHLYCTAENIA HÜBNER, 1825

coronata (Hufnagel, 1767)

Synonymy: *sambucalis* Schiff. in Beirne (1941).

ANANIA HÜBNER, 1823

funebri (Ström, 1768)

Synonymy: in *Pyrausta* in Beirne (1941).

EBULEA DOUBLEDAY, 1849

crocealis (Hübner, 1796)

Synonymy: in *Phlyctaenia* in Beirne (1941).

OPSIBOTYS WARREN, 1890

fuscalis (Denis and Schiffermüller, 1775)

Synonymy: in *Phlyctaenia* in Beirne (1941).

UDEA GUENÉE, 1845

lutealis (Hübner, 1809)

Synonymy: in *Phlyctaenia* in Beirne (1941).

prunalis (Denis and Schiffermüller, 1775)

Synonymy: in *Phlyctaenia* in Beirne (1941).

olivalis (Denis and

Schiffermüller, 1775)

Synonymy: in *Pyrausta* in Beirne (1941).

ferrugalis (Hübner, 1796)

Synonymy: in *Phlyctaenia* in Beirne (1941).

Breeding migrant. Palaearctic.

MECYNA DOUBLEDAY, 1849

+ *asinalis* (Hübner, 1819)

Footnote: Bradley (1953b).

Chalmers-Hunt (1982) refers to an earlier specimen in the Bullock collection. Beirne (1941) had treated the previous Irish records (as *Pyrausta*) as doubtful.

NOMOPHILA HÜBNER, 1825

noctuella (Denis and Schiffermüller, 1775)

RUSH VENEER

PLEUROPTYA MEYRICK, 1890

ruralis (Scopoli, 1763)

MOTHER OF PEARL

Synonymy: in *Notarcha* in Beirne (1941).

PALPITA HÜBNER, 1808

+ *vitrealis* (Rossi, 1794)

Synonymy: *unionalis* (Hübner, 1796) in Bond (1995).

Footnote: Donovan (1945). Chalmers-Hunt (1982) refers to four specimens in the Baynes collection at NMI, the earliest bearing the date "1.9.1985". It has been more recently taken in Co. Wicklow (Bond, 1995).

PYRALINAE

PYRALIS LINNAEUS, 1758

farinalis (Linnaeus, 1758)

MEAL MOTH

Synonymy: in *Pyrausta* in Beirne (1941).

Synanthropic. Afrotropics, Asia.

AGLOSSA LATREILLE, 1796

pinguinalis (Linnaeus, 1758)

LARGE TABBY

GALLERIINAE

GALLERIA FABRICIUS, 1798

mellonella (Linnaeus, 1758)

WAX MOTH

ACHROIA HÜBNER, 1819

grisella (Fabricius, 1794)

LESSER WAX MOTH

APHOMIA HÜBNER, 1825

sociella (Linnaeus, 1758)

BEE MOTH

PHYCITINAE

ANERASTIA HÜBNER, 1825

lotella (Hübner, 1813)

CRYPTOBLABES ZELLER, 1848

bistriga (Haworth, 1811)

ACROBASIS ZELLER, 1839

consociella (Hübner, 1813)

TRACHYCERA RAGONOT, 1893

Synonymy: *Numonia* auctorum.

+ *advenella* (Zincken, 1818)

Footnote: Bradley (1953b).

+ *marmorea* (Haworth, 1811)

Footnote: Mere and Pelham-Clinton (1966); Bradley and Pelham-Clinton (1967).

PEMPELIA HÜBNER, 1825

Synonymy: *Salebria* Zeller, 1846.

palumbella (Denis and

Schifferrmüller, 1775)

Synonymy: in *Salebria* in Beirne (1941).

PYLA GROTE, 1882

fusca (Haworth, 1811)

Synonymy: in *Salebria* in Beirne (1941).

PHYCITA CURTIS, 1828

***roborella* (Denis and
Schifferrmüller, 1775)**

Synonymy: *spissicella* Fab. in Beirne
(1941).

DIORYCTRIA ZELLER, 1846

***abietella* (Denis and Schifferrmüller,
1775)**

Footnote: Beirne (1941) treats *D.*
splendidella (Herrich-Schäffer) and *D.*
abietella (Denis and Schifferrmüller,
1775) as separate species. There is
however no confirmation of the
occurrence of *D. splendidella* in Ireland
or Britain (see Emmet, 1988), and the
records probably refer to *D. abietella*
(Bond, 1995). Beirne (*loc. cit.*) also
refers to a "*Dioryctria* sp." recorded by
Graves (1930). At present, *D. abietella* is
the only species of this genus confirmed
as Irish.

MYELOIS HÜBNER, 1825

+ ***circumvoluta* (Geoffroy, 1785)**

THISTLE ERMINE

Footnote: Bond (2002).

APOMYELOIS HEINRICH, 1956

+ ***bistriatella subcognata* (Ragonot,
1887)**

Footnote: Bond (1998a). The
nominate *bistriatella* (Hulst, 1887)
is non-British. North America.

**PEMPELIELLA VON
CARADJA, 1916**

***dilutella* (Denis and
Schifferrmüller, 1775)**

Synonymy: *Pempelia dilutella*
Hübner in Beirne (1941).

Footnote: this species is listed as *P.*
diluta (Haworth) in Emmet (1991a,
1991b).

+ ***ornatella* (Denis and
Schifferrmüller, 1775)**

Synonymy: *Pempelia ornatella*
Schiff. in Beirne (1941).

Footnote: Bradley (1953b). Beirne
(1941) treated the Irish records of
this species as "doubtful". The
species is indicated in Area "J"
(Connaught) in Beirne (1941), but
confirmed records are from area "I"
(Clare) (Bond, 1995).

ANCYLOSIS ZELLER, 1839

+ ***oblitella* (Zeller, 1848)**

Footnote: Agassiz (1977).

Footnote: new placement.

Previously in *Trachycera* Ragonot,
1893.

EPHESTIA GUENÉE, 1845

***elutella* (Hübner, 1796)**

CACAO MOTH

Introduced. Synanthropic.

***kuehniella* Zeller, 1879**

MEDITERRANEAN FLOUR MOTH

Synonymy: *Anagasta* Heinrich 1956

(Subgenus).

Introduced. Synanthropic.

***cautella* (Walker, 1863)**

DRIED CURRANT MOTH

Synonymy: *Cadra* Walker, 1864

(Subgenus).

+ *figulilella* (Gregson, 1871)

RAISIN MOTH OR FIG MOTH

Synonymy: *Cadra* Walker, 1864

(Subgenus).

Synonymy: *ficulella* Barr. in Beirne (1941).

Footnote: O'Connor *et al.* (1990).

Beirne (1941) was unable to trace the source of the record in Meyrick (1928 as *ficulella*). Following dissection, a specimen under this name in the Heal collection in NMI was found to be misidentified.

Introduced. Synanthropic.

***calidella* (Guenée, 1845)**

DRIED FRUIT MOTH

Synonymy: *Cadra* Walker, 1864 (Subgenus).

Introduced. Synanthropic.

PLODIA GUENÉE, 1845

***interpunctella* (Hübner, 1813)**

INDIAN MEAL MOTH

Introduced. Synanthropic.

HOMOEOSOMA CURTIS, 1833

+ *nebulella* (Denis and

Schiffermüller, 1775)

Footnote: Huggins (1962a, 1973).

Beirne (1941) had considered that the Irish records needed confirmation.

+ *sinuella* (Fabricius, 1794)

Footnote: Bond (2002).

***nimbella* (Duponchel, 1836)**

PHYCITODES HAMPSON, 1917

***binaevella* (Hübner, 1813)**

Synonymy: in *Homoeosoma* in Beirne (1941).

***saxicola* (Vaughan, 1870)**

***maritima* (Tengström, 1848)**

Synonymy: *Homoeosoma* *cretacella* Rossl. in Beirne (1941).

PTEROPHOROIDEA

37. PTEROPHORIDAE

PLUME MOTHS

PTEROPHORINAE

Synonymy: *Platyptiliinae*.

OXYPTILUS ZELLER, 1841

parvidactylus (Haworth, 1811)

MARASMARCHA MEYRICK, 1886

+ *lunaedactyla* (Haworth, 1811)

Footnote: Bond (1999b).

AMBLYPTILIA HÜBNER, 1825

acanthadactyla (Hübner, 1813)

Synonymy: in *Platyptilia* in Beirne (1941).

punctidactyla (Haworth, 1811)

Synonymy: in *Platyptilia* in Beirne (1941).

PLATYPTILIA HÜBNER, 1825

tesseradactyla (Linnaeus, 1761)

+ *calodactyla* (Denis and Schiffermüller, 1775)

Footnote: Huggins (1962b). Beirne (1941) listed an earlier record which he considered to be doubtful.

gonodactyla (Denis and Schiffermüller, 1775)

isodactylus (Zeller, 1852)

pallidactyla (Haworth, 1811)

STENOPTILIA HÜBNER, 1825

millieridactyla (Bruand, 1859)

Synonymy: *saxifragae* Fletcher in Beirne (1941).

Footnote: records of *S.*

graphodactyla (Treitschke) in

Beirne (1938) refer to *S.*

millieridactyla.

+ *zophodactylus* (Duponchel, 1840)

Footnote: Bond (2001); Langmaid and Young (2001).

bipunctidactyla (Scopoli, 1763)

Footnote: the European specimens previously placed under this name have been reported by some authors to consist of several closely related species (see Emmet 1991a, 1991b). However genitalia checks of several Irish specimens have not revealed any consistent differences that might suggest that they are specifically distinct from *Stenoptilia bipunctidactyla* (Scopoli) (Bond, 1995)

pterodactyla (Linnaeus, 1761)

MERRIFIELDIA TUTT, 1905

leucodactyla (Denis and Schiffermüller, 1775)

Synonymy: *tridactyla* (Linnaeus) sensu auctt.

Synonymy: *fuscolimbatus* (Duponchel, 1844).

Synonymy: *icterodactylus* auctorum.

Synonymy: in *Alucita* in Beirne (1941).

Footnote: new placement. Previously in *Pterophorus* Schaffer, 1766.

Footnote: *fuscolimbatus* considered a species by some authors.

***tridactyla phillipsi* Huggins, 1955**

Footnote: Bradley (1953b).

Footnote: Huggins (1955).

Footnote: disjunct. Western Ireland: Clare, Galway, Limerick. South West England: West Cornwall (the Lizard)

PTEROPHORUS SCHÄFFER, 1766

***pentadactyla* (Linnaeus, 1758)**

WHITE PLUME MOTH

Synonymy: in *Alucita* in Beirne (1941).

ADAINA TUTT, 1905

***microdactyla* (Hübner, 1813)**

EULEILOPTILUS BIGOT AND

PICARD, 1996

***tephradactyla* (Hübner, 1813)**

Synonymy: in *Oidematophorus* in Beirne (1941).

Footnote: new placement. Previously in *Leioptilus* Wallengren, 1862 (homonym).

OIDAEMATOPHORUS

WALLENGREN, 1862

***lithodactyla* (Treitschke, 1833)**

EMMELINA TUTT, 1905

***monodactyla* (Linnaeus, 1758)**

Synonymy: in *Oidematophorus* in Beirne (1941).

HESPERIOIDEA

38. HESPERIIDAE

SKIPPER BUTTERFLIES

PYRGINAE

ERYNNIS SCHRANK, 1801

***tages tages* (Linnaeus, 1758)**

DINGY SKIPPER

DONNÁN

Synonymy: *tages* L. in Baynes (1964).

***tages baynesi* Huggins, 1956**

IRISH DINGY SKIPPER

Footnote: Bradley (2000) lists two sub-species of this insect: the nominate *tages tages* (British Isles: protected in Northern Ireland and the Isle of Man) and *tages baynesi* Huggins, 1956 (Ireland: Clare and Galway (the Burren), Kildare). Types of *baynesi* in BM(NH). Footnote: Huggins (1956a).

PAPILIONOIDEA

Footnote: latest distributional data in Asher *et al.* (2001).

39. PAPILIONIDAE

SWALLOWTAIL BUTTERFLIES

PAPILIONINAE

PAPILIO LINNAEUS, 1758

machaon Linnaeus, 1758

SWALLOWTAIL

Footnote: extinct. There are old records from Leixlip's Louisa Bridge, Co. Kildare and from the Royal Canal, Co. Dublin (Haliday ms) and a recent, unpublished record from Co. Antrim, Kinahan. Accidental.

glaucus Linnaeus, 1758

TIGER SWALLOWTAIL

Footnote: Stelfox (1933).

Adventive. North America.

40. PIERIDAE

WHITE BUTTERFLIES

DISMORPHIINAE

LEPTIDEA BILLBERG, 1820

sinapis (Linnaeus, 1758)

WOOD WHITE

BÁNÓG CHOILLE

Footnote: to-date, known, in Ireland, only from parts of Cos Clare and

Galway.. Previous records are confused with *reali*.

sinapis juvernica Williams, 1946

IRISH WOOD WHITE

Footnote: Williams (1946).

Footnote: The validity of this subspecies and its assumed reference to *reali* needs to be re-assessed. Bradley (2000) lists the nominate *sinapis sinapis* (England and Wales) and *juvernica* (Ireland). + *reali* Reissinger, 1989

REAL'S WOOD WHITE

Footnote: added to the British and Irish list by Nelson *et al.* (2001).

COLIADINAE

COLIAS FABRICIUS, 1807

hyale (Linnaeus, 1758)

PALE CLOUDED YELLOW

BUIÓG LIATH

Footnote: the Irish status needs confirmation.

Breeding migrant. Europe.]

croceus (Geoffroy in

Fourcroy, 1785)

CLOUDED YELLOW

BUIÓG CHRÓCH

Breeding migrant. Europe.

GONEPTERYX LEACH, 1815

***rhamni gravesi* Huggins, 1956**

IRISH BRIMSTONE

BUÍÓG RUIBHEACH

Footnote: The Brimstone *in* Baynes (1964).

Footnote: Bradley (2000) lists two sub-species of this insect: the nominate *rhamni rhamni* (Linnaeus, 1758) from Britain and the Isle of Man and *gravesi* Huggins, 1956 from Ireland. Protected (Northern Ireland).

Footnote: Huggins (1956b).

PIERINAE

PIERIS SCHRANK, 1801

***brassicae* (Linnaeus, 1758)**

LARGE WHITE

BÁNÓG MHÓR

Resident and annual migrant. Europe.

***rapae* (Linnaeus, 1758)**

SMALL WHITE

BÁNÓG BHEAG

Resident and annual migrant. Europe.

***napi britannica* Müller and Kautz,
1939**

IRISH GREEN-VEINED WHITE

BÁNÓG UAINÉ

Synonymy: *napi* L. *in* Baynes (1964).

Footnote: Bradley (2000) lists three sub-species of this insect:-

sabellicae Stephens, 1827 (England and Wales), *thompsoni* Warren, 1968 (Scotland, Western Isles, Shetland) and *britannica* Müller and Kautz, 1939 (Ireland) (Verity's name *britannica* is not available since he applied it to a race, regarded by him as of infrasubspecific rank, of *Pieris napi*, stating that its type locality was the northern coast of Scotland. Müller and Kautz (1939) reapplied the name to the subspecies occurring in Ireland (Kudrna, O. 1983)) The nominate is not found in the British Isles (only Continental Europe). However the extraordinary range of variation in this insect in Ireland casts doubt on the validity of these taxa.

PONTIA FABRICIUS, 1807

***daplidice* (Linnaeus, 1758)**

BATH WHITE

BÁNÓG BHATH

Sporadic breeding migrant. Europe.

**ANTHOCHARIS BOISDUVAL,
RAMBUR, DUMÉRIL AND
GRASLIN, 1833**

cardamines hibernica Williams,
1916

IRISH ORANGE TIP
BÁNÓG RINNBHUÍ

Synonymy: in *Euchloe* in Baynes (1964).

Footnote: Bradley (2000) lists two sub-species of this insect:- *britannica* Verity, 1908 (Britain) and *hibernica* Williams, 1916 (Ireland). The nominate is only found in Continental Europe.

41. LYCAENIDAE

BLUE BUTTERFLIES

THECLINAE

CALLOPHRYS BILLBERG, 1820

rubi (Linnaeus, 1758)

GREEN HAIRSTREAK

STIALLACH UAINÉ

THECLA FABRICIUS, 1807

betulae (Linnaeus, 1758)

BROWN HAIRSTREAK

STIALLACH DONN

NEOZEPHYRUS SIBATANI AND

ITO, 1942

quercus (Linnaeus, 1758)

PURPLE HAIRSTREAK

STIALLACH CORCRA

Synonymy: in *Thecla* in Baynes (1964).

Footnote: new placement.

Previously in *Quercusia* Verity, 1943.

LYCAENINAE

LYCAENA FABRICIUS, 1807

phlaeas hibernica Goodson,
1948

IRISH SMALL COPPER

COPRÓG BHEAG

Footnote: Goodson (1948).

Footnote: Bradley (2000) lists two sub-species of this insect:- *eleus* (Fabricius, 1798) (Britain) and *hibernica* Goodson, 1948 (Ireland).

The nominate is only found in Continental Europe.

dispar (Haworth, 1803)

LARGE COPPER

COPRÓG MHÓR

Footnote: Southern Ireland (Tipperary, 1913-1928); Northern Ireland, 1970. Introduced, presumed extinct.

POLYOMMATINAE

CUPIDO SCHRANK, 1801

minimus (Fuessly, 1775)

SMALL BLUE

GORMÁN BEAG

POLYOMMATUS LATREILLE, 1804

icarus mariscolore (Kane, 1893)

IRISH COMMON BLUE

GORMÁN COITEANN

Synonymy: *icarus clara* Tutt. in Baynes (1964).

Footnote: Bradley (2000) lists two sub-species viz. the nominate *icarus icarus* (Rottemburg, 1775) (Britain) and *mariscolore* (Kane, 1893) (Ireland).

CELASTRINA TUTT, 1906

argiolus britanna Verity, 1919

HOLLY BLUE

GORMÁN CUILINN

Synonymy: *argiolus* L. in Baynes (1964).

Footnote: the nominate is only found in Continental Europe. The British Isles sub-species is *britanna* Verity, 1919. No doubt, Irish material belongs here but it has not been critically examined.

42. NYMPHALIDAE

BRUSH-FOOTED BUTTERFLIES

NYMPHALINAE

VANESSA FABRICIUS, 1807

atalanta (Linnaeus, 1758)

RED ADMIRAL

AIMIRÉAL DEARG

Footnote: may occasionally survive winter in hibernation.

Migrant and transitory resident.

Europe.

cardui (Linnaeus, 1758)

PAINTED LADY

AÍLLEÁNN

Synonym: new placement.

Previously in *Cynthia* Fabricius, 1807 (now a Subgenus).

Breeding migrant. Europe.

virginiensis (Drury, 1773)

AMERICAN PAINTED LADY

AÍLLEÁNN MEIRICEÁNACH

Synonymy: *huntera* Fab. in Baynes (1964).

Footnote: Bailey *et al.* (1989) gives a full list of British and Irish records of this North American migrant. The occurrence of the species in Britain and Ireland is reviewed by Crolla *et al.* (2002). Sporadic vagrant/migrant. North America.

AGLAIS DALMAN, 1816

urticae (Linnaeus, 1758)

SMALL TORTOISESHELL

RUÁN BEAG

Resident and migrant. Europe.

antiopa (Linnaeus, 1758)

CAMBERWELL BEAUTY

BÉ NA FALLAINGE

Synonymy: in *Nymphalis* in Baynes (1964).

Footnote: new placement. Previously in *Nymphalis* Kluk, 1802 (now a Subgenus).

Migrant and adventive. Northern Europe and North America.

INACHIS HÜBNER, 1819

io (Linnaeus, 1758)

PEACOCK

PÉACÓG

Synonymy: in *Nymphalis* in Baynes (1964).

Resident and migrant. Europe.

POLYGONIA HÜBNER, 1819

c-album (Linnaeus, 1758)

COMMA

Footnote: spreading northwards in the British Isles. Two (Portaferry, Co. Down) records only - see Asher *et al.* (2001). May be vagrants from Isle of Man. Old record from Malahide, Co. Dublin (Donovan, 1936).

ARGYNNINAE

BOLORIA MOORE, 1900

euphrosyne (Linnaeus, 1758)

PEARL-BORDERED

FRITILLARY

FRITILEÁN PÉARLACH

Synonymy: in *Argynnis* in Baynes (1964).

ISSORIA HÜBNER, 1819

lathonia (Linnaeus, 1758)

QUEEN OF SPAIN FRITILLARY

FRITILEÁN NIAMHRACH

Synonymy: in *Argynnis* in Baynes (1964).

Footnote: two Irish records only

(see Baynes (1964)).

Sporadic migrant. Europe - Japan.

ARGYNNIS FABRICIUS, 1807

aglaja (Linnaeus, 1758)

DARK GREEN FRITILLARY

FRITILEÁN DÚGHLAS

Synonymy: *aglaia* L. in Baynes (1964).

Footnote: Ford (1945) draws attention to the presence of sub-species *aglaja* amongst typical *scotica* in Scotland. The same appears true in Ireland. Higgins (1975) recognizes only the sub-species *aglaja* in Western Europe.

paphia (Linnaeus, 1758)

SILVER-WASHED FRITILLARY

FRITILEÁN GEAL

EUPHYDRYAS SCUDDER, 1872

aurinia (Rottemburg, 1775)

MARSH FRITILLARY

aurinia forma *hibernica* Birchall,
1873

IRISH MARSH FRITILLARY

FRITILEÁN REÍSC

Footnote: Baynes (1964) says the Irish insects are very variable, the form most commonly met with being ab. *praeclara* Kane, but examples similar to ab. *scotica* Robson are very abundant, particularly in Co. Cork. The taxonomy of *aurina* remains uncertain but we have retained the name *hibernica*.

[HEATH FRITILLARY

Melitaea athalia (Rottemburg, 1775) was reported as abundant in Killarney by Birchall (1866/67) but not seen since then. It is almost certainly extinct (Donovan, 1936; Baynes, 1964)].

SATYRINAE

PARARGE HÜBNER, 1819

aegeria tircis (Godart, 1821)

SPECKLED WOOD

BREACFHÉILEACÁN COILLE

Synonymy: *aegeria aegerides*

Staud. in Baynes (1964).

Footnote: Heath (1990) says

“Currently *P. aegeria tircis* occurs throughout Ireland and in the southern and western parts of Britain, but is scarce in East Anglia and North Eastern counties”.

Donovan (1936) referring to *egerides* (misspelling) as a race states “No attempts towards the colouring of the type, *aegeria*”.

Northern European *P. aegeria* were considered a distinct race - *aegerides* - by Staudinger (1871). Higgins (1975) uses Butler's name *tircis* for the northern form.

**LASIOMMATA HUMPHREYS
AND WESTWOOD, 1841**

Synonymy: in *Pararge* in Baynes (1964).

megea (Linnaeus, 1767)

WALL

DONNÓG AN BHALLA

Footnote: Higgins (1975)

recognizes only two western European sub-species of *megea* viz. *paramegea* Hübner from Sardinia and Corsica and the

nominate, *megea* L. from the remainder of the region.

EREBIA DALMAN, 1816

epiphron mnemon (Haworth, 1812)

SMALL MOUNTAIN RINGLET

FÁINNEOG SHLÉIBHE

Synonymy: *epiphron* Knoch in Baynes (1964).

Footnote: "The Irish insect has been referred to sub-species *aetherius* Esper, but the reason for this is not very clear" (Baynes, 1964)). This was done by Warren (1936). It is difficult to see on what basis authors have dismissed the museum specimens of this species (a claim made in Asher *et al.* (2001)) - see Chalmers-Hunt (1982), Nash and Samson (1990). We have followed Bradley (2000) in the use of the subspecific name *mnemon* for the British Isles race. The nominate is non-British, occurring only in montane Continental Europe. Extinct.

HIPPARCHIA FABRICIUS, 1807

semele hibernica Howarth, 1971

IRISH GRAYLING

DONNÓG AILLE, GLASÁN

Synonymy: *Eumenis semele* in Baynes (1964).

Footnote: described from Killarney, Co. Kerry, Ireland (Howarth, 1971), this taxon is not recognized by Higgins (1975). It may well be an extreme clinal form.

semele clarensis de Lattin,

1952

CLARE GRAYLING

Footnote: Cockayne (1954a) considered *semele clarensis* de Lattin as an aberration recurring within a variable population and that it did not merit sub-specific rank (Heath, 1990). Described from Co. Clare, Ireland (de Lattin, 1952).

PYRONIA HÜBNER, 1819

tithonus britanniae (Verity,

1915)

HEDGE BROWN, THE

GATEKEEPER

GEATÓIR

Synonymy: *Maniola tithonus* in Baynes (1964).

Footnote: Higgins (1975) lists no sub-species of *tithonus* and there are no Irish specimens in the Verity collection (La Specola, Florence, Italy).

MANIOLA SCHRANK, 1801

jurtina iernes Graves, 1930

IRISH MEADOW BROWN

DONNÓG FHÉIR

Footnote: Graves (1930).

Footnote: Bradley (2000) lists the following sub-species from the British Isles:- *insularis* Thompson, 1969 (most of Britain), *splendida* White, 1871 (Western and Northern Scotland, Western Isles, Orkney, Shetland), *cassiteridum* Graves, 1930 (Isles of Scilly) and *iernes* Graves, 1930 (Ireland).

COENONYMPHA HÜBNER, 1819

pamphilus pamphilus (Linnaeus, 1758)

SMALL HEATH

FRAOCHÁN BEAG

Synonymy: *pamphilus* L. in Baynes (1964).

Footnote: Higgins (1975) recognises four sub-species, two of which are doubtful, only the nominate - *pamphilus* occurring in north and central Europe.

tullia polydama (Howarth, 1803)

LARGE HEATH

FRAOCHÁN MÓR

Synonymy: *tullia* Mull. in Baynes (1964).

Footnote: sub-speciation in this insect is complex. Perhaps *tullia* is best regarded as a series of clinal forms. Higgins (1975) does this but then recognises three sub-species viz. *tullia* Müller (Central Europe), *demophile* Freyer (Fennoscandia and Scotland) and *rhodopensis* Elwes (Central Italy and the Balkans). This limits the options for Ireland to two i.e. the unsubspeciated clinal forms and *demophile* Freyer. Baynes (1964) states "The Irish insects appear to be more closely allied to the Scottish sub-species *scotica* Staudinger, rather than to the sub-species *philoxenus* Esper, found in the north of England". We draw no conclusions.

APHANTOPUS WALLENGREN, 1853

hyperantus (Linnaeus, 1758)

THE RINGLET

FÁINNEOG

DANAINAE

Footnote: a family in older works.

DANAUS KLUK, 1802

plexippus (Linnaeus, 1758)

MONARCH

BLEACHTFHÉILEACÁN

Footnote: Milkweed Butterfly *in* Baynes (1964).

Footnote: Irish records are reviewed by Cromein and O'Connor (2001). The species has occurred in counties Clare, Cork, Down, Dublin, Galway, Kerry, Limerick, Wexford and Wicklow. Migrant/vagrant. North and South America, Atlantic Islands. It is also found in Australia, New Zealand, Papua and the larger East Indian islands.

BOMBYCOIDEA

Synonymy: Lasiocampoidea in some literature (except Saturniidae).

43. LASIOCAMPIDAE

TENT CATERPILLARS AND LAPPET MOTHS

POECILOCAMPA STEPHENS, 1828

populi (Linnaeus, 1758)

DECEMBER MOTH

TRICHIURA STEPHENS, 1828

crataegi (Linnaeus, 1758)

PALE EGGAR

Footnote: Pale Oak Eggar *in* Baynes (1964).

ERIOGASTER GERMAR, 1811

lanestris (Linnaeus, 1758)

SMALL EGGAR

MALACOSOMA HÜBNER, 1820

neustria (Linnaeus, 1758)

THE LACKEY

LASIOCAMPA SCHRANK, 1802

quercus (Linnaeus, 1758)

forma callunae Palmer, 1847

NORTHERN EGGAR

UBHÓG THUAISCEARTACH

Synonymy: *Lasiocampa quercus callunae* Palmer.

Footnote: Emmet (1991a) following Bradley *et al.* (1972) gives two subspecies of *quercus* viz. the nominate *quercus quercus* Linnaeus, 1758 and *quercus callunae* Palmer, 1847 which he considers a dubious subspecies for stated reasons. Bradley (2000) gives no subspecies, listing *quercus* (woodland, commons, downland, coastal cliffs and dunes) and *quercus* f.[orm] *callunae* Palmer, 1847 (heaths and moors).

MACROTHYLACIA RAMBUR,

1866

rubi (Linnaeus, 1758)

FOX MOTH

EUTHRIX MEIGEN, 1830

potatoria (Linnaeus, 1758)

THE DRINKER

Synonymy: in *Philudoria* Kirby in Baynes (1964).

44. SATURNIIDAE

GIANT SILKWORM MOTHS

SATURNIA SCHRANK, 1802

pavonia (Linnaeus, 1758)

EMPEROR MOTH

IMPIRE

DREPANOIDEA

45. DREPANIDAE

HOOK-TIP MOTHS

DREPANINAE

FALCARIA HAWORTH, 1809

lacertinaria (Linnaeus, 1758)

SCALLOPED HOOK-TIP

RINNCHAM SCOLBACH

Synonymy: in *Drepana* in Baynes (1964).

WATSONALLA MINET, 1985

+ *cultraria* (Fabricius, 1775)

BARRED HOOK-TIP

Footnote: found in Northern Ireland in 1999 (Allen and Thompson, 2001).

DREPANA SCHRANK, 1802

falcataria falcataria (Linnaeus, 1758)

PEBBLE HOOK-TIP

Synonymy: *falcataria* L. in Baynes (1964).

Footnote: a Scottish subspecies of this species exists i.e. *falcataria scotica* Bytinski-Salz, 1939.

Whether any Irish specimens are referable to this sub-species is unknown.

CILIX LEACH, 1815

glaucata (Scopoli, 1763)

CHINESE CHARACTER

THYATIRINAE

THYATIRA OCHSENHEIMER, 1816

batis (Linnaeus, 1758)

PEACH BLOSSOM

HABROSYNE HÜBNER, 1821

pyritoides (Hufnagel, 1766)

BUFF ARCHES

STUABHUÍ

TETHEA OCHSENHEIMER, 1816

or hibernica (Turner, 1927)

IRISH POPLAR LUTESTRING

Synonymy: in *Tethia* in Baynes (1964).

Footnote: Poplar Lutestring in Bayes (1964).

Footnote: Heath (1992) states that the differences described by Turner in naming *or hibernica* are insufficient to support sub-specific status for the Irish population. He also rejects *scotica* Tutt, 1927 (Scottish Highlands-Sutherland; Orkney, Western Isles) on the same grounds. Both are retained by Bradley (2000) who lists English and mid and Southern Scotland populations (by implication) as the nominate - *or or* (Denis and Schiffermüller, 1775).

TETHELLA WERNY, 1966

fluctuosa (Hübner, 1803)

SATIN LUTESTRING

Synonymy: in *Tethia* in Baynes (1964).

OCHROPACHA WALLENGREN, 1871

duplaris (Linnaeus, 1761)

COMMON LUTESTRING

Synonymy: in *Tethia* in Baynes (1964).

Footnote: according to Kane (1901), nominate *duplaris* L. does not occur in Ireland.

ACHYLA BILLBERG, 1820

flavicornis galbanus (Tutt, 1891)

YELLOW HORNED

Synonymy: *flavicornis* L. in Baynes (1964).

Footnote: nominate *flavicornis* (Linnaeus, 1758) is not known from the British Isles. In Britain and Ireland, *flavicornis* are referable to the subspecies *galbanus* (Tutt, 1891). A Scottish subspecies of this species also exists i.e. *flavicornis scotica* (Tutt, 1888). Whether any Irish specimens are referable to this sub-species is unknown.

GEOMETROIDEA

46. GEOMETRIDAE

MEASURING WORMS,
GEOMETERS

ALSOPHILINAE

ALSOPHILA HÜBNER, 1825

aescularia (Denis and Schiffermüller, 1775)

THE MARCH MOTH

GEOMETRINAE

PSEUDOTERPNA HÜBNER, 1823

pruinata atropunctaria
(Walker, 1863)

GRASS EMERALD

SMARAGRID GHLAS

Footnote: *atropunctaria* is the subspecies found in the British Isles. The nominate is only in Continental Europe.

GEOMETRA LINNAEUS, 1758

papilionaria (Linnaeus, 1758)

LARGE EMERALD

SMARAGRID MHÓR

HEMITHEA DUPONCHEL, 1829

aestivaria (Hübner, 1799)

COMMON EMERALD

HEMISTOLA WARREN, 1893

chrysoprasaria (Esper, 1794)

SMALL EMERALD

Synonymy: *immaculata* auctt. including Baynes (1964).

Footnote: may be adventive in Ireland.

On *Clematis*.

JODIS HÜBNER, 1823

lactearia (Linnaeus, 1758)

LITTLE EMERALD

Footnote: omitted by Emmet (1991a) but definitely Irish.

STERRHINAE

CYCLOPHORA HÜBNER, 1822

albipunctata (Hufnagel, 1767)

BIRCH MOCHA

Synonymy: in *Cosymbia* in Baynes (1964).

+ *pupillaria* (Hübner, 1799)

BLAIR'S MOCHA

Synonymy: *pupillaria* in Myers (1983a).

Footnote: added by Myers (1983a), see also Haynes and Hillis (1983).

Migrant. Europe.

punctaria (Linnaeus, 1758)

MAIDEN'S BLUSH

Synonymy: in *Cosymbia* in Baynes (1964).

linearia (Hübner, 1799)

CLAY TRIPLE-LINES

Synonymy: in *Cosymbia* in Baynes (1964).

TIMANDRA DUPONCHEL, 1829

comae Schmidt, 1931

BLOOD-VEIN

Synonymy: *griseata* auctt.

Synonymy: *amata* auctt.

Synonymy: *Calothysanis amata* L. in Baynes (1964).

Footnote: confirmation in Allen and Thompson (2001).

SCOPULA SCHRANK, 1802

marginepunctata (Goeze, 1781)

MULLEIN WAVE

Synonymy: *conjugata* Borkh. in Baynes (1964).

imitaria (Hübner, 1799)

SMALL BLOOD-VEIN

immutata (Linnaeus, 1758)

LESSER CREAM WAVE

floslactata floslactata (Haworth, 1809)

CREAM WAVE

Synonymy: *lactata* Haw. in Baynes (1964).

Footnote: Bradley (2000) recognises the form *scotica* "Scotland, mainly western".

ternata Schrank, 1802

SMOKY WAVE

Footnote: confirmation K. Murphy, Murlough, Co. Down (Allen and Thompson, 2001).

IDAEA TREITSCHKE, 1825

Synonymy: in *Sterrha in Baynes* (1964).

muricata (Hufnagel, 1767)

PURPLE-BORDERED GOLD

Synonymy: in *Sterrha in Baynes* (1964).

biselata (Hufnagel, 1767)

SMALL FAN-FOOTED WAVE

Synonymy: in *Sterrha in Baynes* (1964).

dimidiata (Hufnagel, 1767)

SINGLE-DOTTED WAVE

Synonymy: in *Sterrha in Baynes* (1964).

subsericeata (Haworth, 1809)

SATIN WAVE

Synonymy: in *Sterrha in Baynes* (1964).

aversata (Linnaeus, 1758)

RIBAND WAVE

Synonymy: in *Sterrha in Baynes* (1964).

straminata (Borkhausen, 1794)

PLAIN WAVE

Synonymy: in *Sterrha in Baynes* (1964).

RHODOMETRA MEYRICK, 1892

sacraria (Linnaeus, 1767)

THE VESTAL

Sporadic breeding migrant. Europe - North Africa.

LARENTIINAE

ORTHONAMA HÜBNER, 1825

vittata (Borkhausen, 1794)

OBLIQUE CARPET

Synonymy: *lignata* Hübn. in Baynes (1964).

obstipata (Fabricius, 1794)

THE GEM

Synonymy: in *Nycterosea in Baynes* (1964).

Migrant and transitory resident.

XANTHORHOE HÜBNER, 1825

designata (Hufnagel, 1767)

FLAME CARPET

***decoloraria decoloraria* (Esper,
1806)**

RED CARPET

Synonymy: *munitata* (Hübner, 1809).

Synonymy: *munitata* Hübn. in Baynes
(1964).

Footnote: Bradley (2000) recognises two
sub-species in the British Isles viz. the
nominate and *hethlandica* (Prout, 1901)
from Shetland.

***spadicearia* (Denis and
Schifferrmüller, 1775)**

RED TWIN-SPOT CARPET

Footnote: very evident confusion
between *ferrugata* Clerck and
spadicearia (Denis and Schifferrmüller)
in older literature renders most published
records wholly unreliable.

***ferrugata* (Clerck, 1759)**

DARK-BARRED TWIN-SPOT
CARPET

Footnote: see note under previous
species.

***montanata montanata* (Denis and
Schifferrmüller, 1775)**

SILVER-GROUND CARPET

Synonymy: *montanata* Schiff. in Baynes
(1964).

Footnote: Bradley (2000)

recognises two sub-species in the
British Isles viz. the nominate and
shetlandica (Weir, 1880) from
Shetland.

***fluctuata fluctuata* (Linnaeus,
1758)**

GARDEN CARPET

Synonymy: *fluctuata* L. in Baynes
(1964).

Footnote: Bradley (2000)
recognises two sub-species in the
British Isles viz. the nominate and
thules (Prout, 1914) from Shetland.

SCOTOPTERYX HÜBNER, 1825
***chenopodiata* (Linnaeus, 1758)**

SHADED BROAD-BAR

Synonymy: in *Ortholitha* in Baynes
(1964).

Footnote: Shaded Brood-bar in
Baynes (1964).

***mucronata umbrifera*
(Heydemann, 1925)**

LEAD BELLE

Synonymy: *Ortholitha mucronata*
Scop. in Baynes (1964).

Footnote: the nominate, *mucronata*
mucronata (Scopoli, 1763), is
found in Continental Europe only.

In the British Isles, the species is represented by *mucronata umbrifera* (Heydemann, 1925) (South-west England, Wales and Ireland) and *scotica* (Cockayne, 1940) (North Wales, Anglesey, Isle of Man, North England, Scotland and Ireland). Note that Donovan (1936) considered *Scotopteryx* (as *Eubolia*) *plumbaria* and *mucronata* conspecific rendering early published records of these species redundant unless supported by specimens.

***mucronata scotica* (Cockayne, 1940)**

COCKAYNE'S LEAD BELLE

Footnote: see under previous species.

***luridata plumbaria* (Fabricius, 1775)**

JULY BELLE

Synonymy: *Ortholitha plumbaria* Fab. in Baynes (1964).

Footnote: the British [Isles] sub-species.

Nominate *luridata* is only found in Continental Europe.

CATARHOE HERBULOT, 1951

***cuculata* (Hufnagel, 1767)**

ROYAL MANTLE

Synonymy: in *Euphyia* in Baynes (1964).

EPIRRHOE HÜBNER, 1825

***tristata* (Linnaeus, 1758)**

SMALL ARGENT AND SABLE

***alternata alternata* (Müller, 1764)**

COMMON CARPET

Synonymy: *Epirrhoe alternata*

Mull. in

Baynes (1964).

Footnote: the British Isles sub-species, although a second (*obscurata* (South, 1888)) is found in the Outer Hebrides.

***galiata* (Denis and Schiffermüller, 1775)**

GALIUM CARPET

CAMPTOGRAMMA STEPHENS, 1831

***bilineata bilineata* (Linnaeus, 1758)**

YELLOW SHELL

Synonymy: *Euphyia bilineata* L. in Baynes (1964).

Footnote: Bradley (2000)

recognizes four sub-species of *bilineata* in the British Isles viz. the nominate (England, Wales, Scotland) [and presumably eastern Ireland]; sub-species *atlantica* (Staudinger, 1892) (Outer Hebrides and Shetland); sub-species

hibernica Tutt, 1902 (Western Ireland: sea cliffs, Cork, Kerry, Clare) and subspecies *isolata* Kane, 1896 (Western Ireland: Blaskets -off Kerry coast).
Footnote: ab. *ethelae* (Huggins, 1956c).

***bilineata hibernica* Tutt, 1902**

IRISH YELLOW SHELL

Synonymy: *Euphyia bilineata* L. in Baynes (1964).

Footnote: see under previous taxon.

***bilineata isolata* Kane, 1896**

BLASKETS' YELLOW SHELL

Footnote: see under previous taxon.

ENTEPHRIA HÜBNER, 1825

***flavicinctata flavicinctata* (Hübner, 1813)**

YELLOW-RINGED CARPET

Synonymy: *flavicinctata* Hübn. in Baynes (1964).

Footnote: Bradley (2000) recognises two subspecies in the British Isles viz. the nominate and *ruficinctata* (Guenée, 1857) from central and North-West Scotland.

Footnote: recent record in Allen and Thompson (2001).

***caesiata* (Denis and Schiffermüller, 1775)**

GREY MOUNTAIN CARPET

LARENTIA TREITSCHKE, 1825

***clavaria* (Haworth, 1809)**

THE MALLOW

ANTICLEA STEPHENS, 1831

***badiata* (Denis and Schiffermüller, 1775)**

SHOULDER STRIPE

Synonymy: in *Earophila* in Baynes (1964).

***derivata* (Denis and Schiffermüller, 1775)**

THE STREAMER

MESOLEUCA HÜBNER, 1825

***albicillata* (Linnaeus, 1758)**

BEAUTIFUL CARPET

PELURGA HÜBNER, 1825

***comitata* (Linnaeus, 1758)**

DARK SPINACH

LAMPROPTERYX STEPHENS, 1831

***suffumata* (Denis and Schiffermüller, 1775)**

WATER CARPET

COSMORHOE HÜBNER, 1825

***ocellata* (Linnaeus, 1758)**

PURPLE BAR

Synonymy: in *Lyncometra* in Baynes (1964).

NEBULA BRUAND, 1846

- salicata latentaria* (Curtis, 1830)
STRIPED TWIN-SPOT CARPET
Synonymy: in *Colostygia* in Baynes (1964).
Footnote: nominate only in Continental Europe.
- EULITHIS HÜBNER, 1821**
- prunata* (Linnaeus, 1758)
THE PHOENIX
Synonymy: in *Lygris* in Baynes (1964).
- testata* (Linnaeus, 1761)
THE CHEVRON
Synonymy: in *Lygris* in Baynes (1964).
- populata* (Linnaeus, 1758)
NORTHERN SPINACH
Synonymy: in *Lygris* in Baynes (1964).
- mellinata* (Fabricius, 1787)
THE SPINACH
Synonymy: in *Lygris* in Baynes (1964).
- pyraliata* (Denis and Schiffermüller, 1775)
BARRED STRAW
Synonymy: in *Lygris* in Baynes (1964).
- ECLIPTOPERA WARREN, 1894**
- silacea* (Denis and Schiffermüller, 1775)
SMALL PHOENIX
- CHLOROCLYSTA HÜBNER, 1825**
Synonymy: *Dysstroma* Hübner.
- siterata* (Hufnagel, 1767)
RED-GREEN CARPET
- miata* (Linnaeus, 1758)
AUTUMN GREEN CARPET
- citrata citrata* (Linnaeus, 1761)
DARK MARBLED CARPET
Synonymy: *Dysstroma citrata* L. in Baynes (1964).
Footnote: there are two British Isles subspecies viz. the nominate and *pythonissata* (Millière, 1872) from Orkney and Shetland.
- truncata* (Hufnagel, 1767)
COMMON MARBLED CARPET
Synonymy: in *Dysstroma* in Baynes (1964).
- CIDARIA TREITSCHKE, 1825**
- fulvata* (Forster, 1771)
BARRED YELLOW
- PLEMYRIA HÜBNER, 1825**
- rubiginata rubiginata* (Denis and Schiffermüller, 1775)
BLUE-BORDERED CARPET
Synonymy: *Plemyria rubinata* Schiff. in Baynes (1964).
Footnote: Bradley (2000) gives the nominate and also the subspecies *plumbata* (Curtis, 1837) from North

England, South Scotland (Ross, Western Isles).

Thera Stephens, 1831

Synonymy: *Pennithera* Viidalepp, 1980.

firmata (Hübner, 1822)

PINE CARPET

obeliscata (Hübner, 1787)

GREY PINE CARPET

britannica (Turner, 1925)

SPRUCE CARPET

Synonymy: *variata* auctt. including

Baynes (1964).

cognata (Thunberg, 1792)

CHESTNUT-COLOURED CARPET

juniperata juniperata (Linnaeus, 1758)

JUNIPER CARPET

Synonymy: *juniperata* L. in Baynes

(1964).

juniperata ssp. unnamed

Footnote: Bradley (2000) lists two Irish sub-species viz. *juniperata juniperata* from Eastern Ireland and a Western Ireland (Burren) sub-species as yet unnamed. The former was reported by Bond and Early (1991).

Electrophaes Prout, 1923

corylata (Thunberg, 1792)

BROKEN-BARRED CARPET

Colostygia Hübner, 1825

olivata (Denis and

Schifferrmüller, 1775)

BEECH-GREEN CARPET

multistrigaria (Haworth, 1809)

MOTTLED GREY

pectinataria (Knoch, 1781)

GREEN CARPET

Hydriomena Hübner, 1825

furcata (Thunberg, 1784)

JULY HIGHFLYER

impluviata (Denis and

Schifferrmüller, 1775)

MAY HIGHFLYER

Synonymy: *coerulata* Fab. in

Baynes (1964).

ruberata (Freyer, 1831)

RUDDY HIGHFLYER

Coenocalpe Hübner, 1825

lapidata (Hübner, 1809)

SLENDER-STRIPED RUFOUS

Horisme Hübner, 1825

+ *vitalbata* (Denis and

Schifferrmüller, 1775)

SMALL WAVED UMBER

Footnote: (Kane, 1901). Not in

Baynes (1964), specimen in

BM(NH).

Introduction (accidental).

+ *tersata* (Denis and Schiffermüller, 1775)

FERN

Footnote: Kane (1901). Not *in* Baynes (1964), specimen in BM(NH).

Migrant? Introduction (accidental).

PAREULYPE HERBULOT, 1951

+ *berberata* (Denis and Schiffermüller, 1775)

BARBERRY CARPET

Footnote: there is a specimen in the Murray collection (Trinity College, Dublin) from Clonmel, Co. Tipperary.

Sporadic migrant?

RHEUMAPTERA HÜBNER, 1822

hastata hastata (Linnaeus, 1758)

ARGENT AND SABLE

Synonymy: *hastata* L. *in* Baynes (1964).

forma nigrescens (Prout, 1914)

Footnote: the British Isles sub-species.

The northern and western bogland ecotype f. *nigrescens* (Prout, 1914) is not reported from Ireland but is present.

undulata (Linnaeus, 1758)

SCALLOP SHELL

TRIPHOSA STEPHENS, 1829

dubitata (Linnaeus, 1758)

THE TISSUE

Synonymy: *in Priphosa in* Baynes (1964).

PHILEREME HÜBNER, 1825

vetulata (Denis and Schiffermüller, 1775)

BROWN SCALLOP

+ *transversata britannica* Lempke, 1968

DARK UMBER

Footnote: see Baynes supplement (1970).

Recent records: Allen and Thompson (2001).

EUPHYIA HÜBNER, 1825

biangulata (Haworth, 1809)

CLOAKED CARPET

Synonymy: *picata* Hübn. *in* Baynes (1964).

unangulata (Haworth, 1809)

SHARP-ANGLED CARPET

EPIRRITA HÜBNER, 1822

dilutata (Denis and Schiffermüller, 1775)

NOVEMBER MOTH

Synonymy: *in Oporinia in* Baynes (1964).

christyi (Allen, 1906)

PALE NOVEMBER MOTH

Synonymy: *Oporinia christyi* Prout in Baynes (1964).

***autumnata* (Borkhausen, 1794)**

AUTUMNAL MOTH

Synonymy: in *Oporinia* in Baynes (1964).

***filigrammaria* (Herrich-Schäffer, 1845)**

SMALL AUTUMNAL MOTH

Synonymy: in *Oporinia* in Baynes (1964).

Footnote: Northern distribution in the British Isles. Apparently endemic.

OPEROPHTERA HÜBNER, 1825

***brumata* (Linnaeus, 1758)**

WINTER MOTH

+ *fagata* (Scharfenberg, 1805)

NORTHERN WINTER MOTH

Footnote: confirmed Allen and Thompson (2001).

PERIZOMA HÜBNER, 1825

***taeniata* (Stephens, 1831)**

BARRED CARPET

***affinitata* (Stephens, 1831)**

THE RIVULET

***alchemillata* (Linnaeus, 1758)**

SMALL RIVULET

***bifaciata* (Haworth, 1809)**

BARRED RIVULET

***minorata ericetata* (Stephens, 1831)**

HEATH RIVULET

Footnote: nominate in Continental Europe only.

***blandiata blandiata* (Denis and Schiffermüller, 1775)**

PRETTY PINION

Synonymy: *blandiata* Schiff. in Baynes (1964).

Footnote: Bradley (2000)

recognizes two sub-species viz. the nominate and *perfasciata* (Prout, 1914) from the Hebrides.

***albulata albulata* (Denis and Schiffermüller, 1775)**

GRASS RIVULET

Synonymy: *albulata* Schiff. in Baynes (1964).

Footnote: Bradley (2000)

recognizes two sub-species viz. the nominate and *subfasciaria*

(Boheman, 1852) from Shetland.

***flavofasciata* (Thunberg, 1792)**

SANDY CARPET

***didymata didymata* (Linnaeus, 1758)**

TWIN-SPOT CARPET

Synonymy: *Colostygia didymata* L. in Baynes (1964).

Footnote: Bradley (2000) recognizes two sub-species viz. the nominate and *hethlandica* (Rebel, 1910) from Shetland.

EUPITHECIA CURTIS, 1825

Footnote: synonymy in this large and difficult genus is complex and what early authors intended by names is often uncertain. Unless supported by genitalic determinations, records of some species in the early literature are unreliable.

***tenuiata* (Hübner, 1813)**

SLENDER PUG

***haworthiata* Doubleday, 1856**

HAWORTH'S PUG

***plumbeolata* (Haworth, 1809)**

LEAD-COLOURED PUG

***abietaria* (Goeze, 1781)**

CLOAKED PUG

Synonymy: *pini* Retz. in Baynes (1964).

Footnote: recent records in Allen and Thompson (2001).

Rare resident and suspected migrant.

+ *linariata* (Denis and Schiffermüller, 1775)

TOADFLAX PUG

Footnote: considered doubtful by Baynes (1964) but included by Meyrick (1928). Confirmed from a 1903 specimen from Favour Royal, Co. Tyrone (I. Rippey pers. comm. via Maurice Hughes).

pulchellata pulchellata

Stephens, 1831

FOXGLOVE PUG

Synonymy: *pulchellata* Steph. in Bradley (1964).

***pulchellata hebudium* Sheldon, 1899**

HEBRIDIAN FOXGLOVE PUG

Footnote: described from the Hebrides but its distribution also includes West Wales and Western Ireland (Bradley, 2000).

***exiguata exiguata* (Hübner, 1813)**

MOTTLED PUG

Synonymy: *exiguata* Hübn. in Baynes (1964).

Footnote: represented by two subspecies in the British viz. the nominate and *muricolor* Prout, 1938 from Eastern North Scotland: East Aberdeen.

***valerianata* (Hübner, 1813)**

VALERIAN PUG

Footnote: recent records in Allen and Thompson (2001).

pygmaeata (Hübner, 1799)

MARSH PUG

venosata venosata (Fabricius, 1787)

NETTED PUG

Synonymy: *venosta* Fab. in Baynes (1964).

venosata plumbea Huggins, 1962

WESTERN NETTED PUG

Synonymy: *venosta* Fab. ab. *plumbea* Huggins in Baynes (1964).

Footnote: two subspecies of *venosata* are found in Ireland viz. the nominate and *plumbea* Huggins from Inishvickilaun, Blaskets, Co. Kerry; South-West England and West Cornwall (the Lizard) (Huggins, 1962c).

centaureata (Denis and Schiffermüller, 1775)

LIME-SPECK PUG

tresignaria Herrich-Schäffer, 1848

TRIPLE-SPOTTED PUG

Donovan's (1936) records include reared specimens.

intricata hibernica Mere, 1964

MERE'S PUG

Synonymy: *intricata* Zett. in Baynes (1964).

Footnote: Edinburgh Pug in Baynes (1962).

Footnote: Mere (1964).

Footnote: according to Bradley (2000), this species is represented in the British Isles by *arceuthata* (Freyer, 1842) (English Midlands, Isle of Wight, Isles of Scilly); *millieraria* Wnukowsky, 1929 (North west England and Scotland: Inner Hebrides) and *hibernica* Mere, 1964 (Western Ireland - The Burren). The nominate is found only in Continental Europe.

satyrata callunaria Doubleday, 1850

SATYR PUG

Synonymy: *satyrata* Hübn. in Baynes (1964).

Footnote: according to Bradley (2000), this species is represented in the British Isles by the nominate (Southern and Eastern England); subspecies *callunaria* (Wales, England (The Midlands), Scotland and Ireland) and *curzoni* Gregson, 1884 (restricted to Shetland).

***absinthiata* (Clerck, 1759)**

WORMWOOD PUG

Footnote: see footnote to *goossensiata*.

***goossensiata* Mabilie, 1869**

LING PUG

Footnote: treated as a separate species in Leraut (1997) but Bradley (2000) regards it as a heathland ecotype of *absinthiata* Clerck following Riley (1986).

Eupithecia minutata Gn. sensu Kane, 1901, is probably *minuta* sensu Denis and Schiffermüller and hence a synonym of *absinthiata* Clerck. *E. minuta* Doubleday is, on the other hand, a synonym of *E. goossensiata* at least in part.

***assimilata* Doubleday, 1856**

CURRANT PUG

***expallidata* Doubleday, 1856**

BLEACHED PUG

***vulgata scotica* Cockayne, 1951**

SCOTTISH COMMON PUG

Footnote: whether or not nominate *vulgata* Haworth, 1909 occurs in Ireland remains to be ascertained. At present, only the Burren sub-species *clarensis* Huggins, 1962 and sub-species *scotica* Cockayne, 1951 are certainly known

here. Common Pug *E. vulgata* Haw. is given in Baynes (1964).

***vulgata clarensis* Huggins, 1962**

BURREN PUG

Footnote: Huggins (1962d).

Footnote: see footnote under *vulgata scotica*.

***tripunctaria* Herrich-Schäffer, 1852**

WHITE-SPOTTED PUG

***denotata jasioneata* Crewe, 1881**

JASIONE PUG

Footnote: represented in the British Isles by two sub-species viz. the nominate and the Western ssp. *jasioneata*.

***subfuscata* (Haworth, 1809)**

GREY PUG

Synonymy: *castigata* Hübn. in Baynes (1964).

***icterata subfulvata* (Haworth, 1809)**

TAWNY SPECKLED PUG

Footnote: nominate only in Continental Europe. Represented in the British Isles by subspecies *subfulvata* (Haworth, 1809) and f.

cognata Stephens, 1831, a possible ecotype, occurring more frequently northwards (Bradley, 2000).

***icterata oxydata* Treitschke, 1827**

BURREN TAWNY SPECKLED PUG

Synonymy: both subspecies are given in Baynes (1964) under *E. icterata* de Villers: Tawny Speckled Pug.

Footnote: not listed by Bradley (2000).

***succenturiata* (Linnaeus, 1758)**

BORDERED PUG

***subumbrata* (Denis and Schiffermüller, 1775)**

SHADED PUG

***simpliciata* (Haworth, 1809)**

PLAIN PUG

Synonymy: *subnotata* Hübn. in Baynes (1964).

***distinctaria constrictata* Guenée, 1857**

THYME PUG

Footnote: the nominate sub-species of *distinctaria* Herrich-Schäffer, 1848 does not occur in Britain or Ireland. Here, the species is represented by *constrictata* Guenée (Bradley, 2000).

***indigata* (Hübner, 1813)**

OCHREOUS PUG

***pimpinellata* (Hübner, 1813)**

PIMPINEL PUG

***nanata* (Hübner, 1813)**

NARROW-WINGED PUG

Synonymy: *nanata angusta* Prout in Baynes (1964).

Footnote: Scoble *et al.* (1999) give *angustata* (Haworth, 1809) and *angusta* Prout, 1938 as synonyms of *nanata* (Hübner, 1813).

***innotata* (Hufnagel, 1767)**

forma *fraxinata* Crewe, 1863

ASH PUG

Footnote: Baynes (1964) uses the name Angle-barred Pug.

Footnote: form of *innotata* (Bradley, 2000). Endemic (British Isles), ecotype which may be a separate species (Scoble *et al.*, 1990).

***virgaureata* Doubleday, 1861**

GOLDEN-ROD PUG

***abbreviata* Stephens, 1831**

BRINDLED PUG

***dodoneata* Guenée, 1857**

OAK-TREE PUG

***pusillata pusillata* (Denis and Schiffermüller, 1775)**

JUNIPER PUG

Synonymy: *sobrinata* Hübn. in Baynes (1964).

+ *phoeniceata* (Rambur, 1834)

CYPRESS PUG

Synonymy: *phoeniciata* in Myers (1982, 1983b).

Footnote: may be resident. Myers (1982, 1983b). Northward spreading species.

Adventive colonist.

lariciata (Freyer, 1842)

LARCH PUG

+ *tantillaria* Boisduval, 1840

DWARF PUG

Footnote: Mere *et al.* (1964).

Footnote: recent records in Allen and Thompson (2001).

CHLOROCLYSTIS HÜBNER, 1825

v-ata (Haworth, 1809)

V-PUG

Synonymy: *coronata* Hübn. in Baynes (1964).

PASIPHILA MEYRICK, 1883

Footnote: Genus *Rhinoprora* Warren, 1885.

rectangulata (Linnaeus, 1758)

GREEN PUG

Synonymy: in *Chloroclystis* in Baynes (1964).

debiliata (Hübner, 1817)

BILBERRY PUG

Synonymy: in *Chloroclystis* in Baynes (1964).

GYMNOSCELIS MABILLE, 1868

rufifasciata (Haworth, 1809)

DOUBLE-STRIPED PUG

Synonymy: *pumilata* Hübn. in Baynes (1964).

CHESIAS TREITSCHKE, 1825

legatella (Denis and

Schifferrmüller, 1775)

THE STREAK

CARSIA HÜBNER, 1825

sororiata anglica Prout, 1937

MANCHESTER TREBLE-BAR

Footnote: *anglica* is the British Isles sub-species. The nominate is found only in Continental Europe.

APLOCERA STEPHENS, 1827

plagiata plagiata (Linnaeus, 1758)

TREBLE-BAR

Synonymy: *Anaitis plagiata* L. in Baynes (1964).

Footnote: the main British Isles sub-species, although a second viz. *scotica* (Richardson, 1952) is found

in Central and Northern Scotland,
Orkney and the Hebrides.

ODEZIA BOISDUVAL, 1840

atrata (Linnaeus, 1758)

CHIMNEY SWEEPER

VENUSIA CURTIS, 1839

cambrica Curtis, 1839

WELSH WAVE

ASTHENA HÜBNER, 1825

albulata (Hufnagel, 1767)

SMALL WHITE WAVE

HYDRELIA HÜBNER, 1825

+ *flammeolaria* (Hufnagel, 1767)

SMALL YELLOW WAVE

Footnote: added by Allen and Thompson
(2001).

sylvata (Denis and Schiffermüller,
1775)

WAVED CARPET

Synonymy: *testacea* Donovan in
Baynes (1964).

LOBOPHORA CURTIS, 1825

halterata (Hufnagel, 1767)

THE SERAPHIM

TRICHOPTERYX HÜBNER, 1825

carpinata (Borkhausen, 1794)

EARLY TOOTH-STRIPED

**PTERAPHERAPTERYX CURTIS,
1825**

sexalata (Retzius, 1783)

SMALL SERAPHIM

Synonymy: in *Mysticoptera* in
Baynes (1964).

ACASIS DUPONCHEL, 1845

viretata (Hübner, 1799)

YELLOW-BARRED BRINDLE

ENNOMINAE

ABRAXAS LEACH, 1815

grossulariata (Linnaeus, 1758)

THE MAGPIE

BREACÓG

sylvata (Scopoli, 1763)

CLOUDED MAGPIE

Synonymy: sub-genus *Calospilos*
Hübner, 1825.

Resident and suspected migrant.

LOMASPILIS HÜBNER, 1825

marginata (Linnaeus, 1758)

CLOUDED BORDER

IMLEOG DHORCHA

LIGDIA GUENÉE, 1857

adustata (Denis and
Schiffermüller, 1775)

SCORCHED CARPET

MACARIA CURTIS, 1826

notata (Linnaeus, 1758)

PEACOCK MOTH

Synonymy: in *Semiothisa* in Baynes (1964).

Resident and suspected migrant, vagrant.

+ *alternata* (Denis and Schiffermüller, 1775)

SHARP-ANGLED PEACOCK

Footnote: found near Courtown, Co.

Wexford by K. G. M. Bond and identification confirmed by D. S. Fletcher.

liturata (Clerck, 1759)

TAWNY-BARRED ANGLE

Synonymy: in *Semiothisa* in Baynes (1964).

wauaria (Linnaeus, 1758)

THE V-MOTH

Synonymy: in *Itame* in Baynes (1964).

CHIASMIA HÜBNER, 1823

clathrata hugginsi (Baynes, 1959)

IRISH LATTICED HEATH

Footnote: Latticed Heath in Baynes (1964).

Footnote: Bradley (2000) lists the nominate from Britain and sub-species *hugginsi* (see Baynes, 1959) from Ireland.

CEPPHIS HÜBNER, 1823

advenaria (Hübner, 1790)

LITTLE THORN

Synonymy: in *Epione* in Baynes (1964).

PETROPHORA HÜBNER, 1811

chlorosata (Scopoli, 1763)

BROWN SILVER-LINE

Synonymy: in *Lithina* in Baynes (1964).

PLAGODIS HÜBNER, 1823

pulveraria (Linnaeus, 1758)

BARRED UMBER

Synonymy: in *Anagoga* in Baynes (1964).

dolabraria (Linnaeus, 1767)

SCORCHED UMBER

(SCORCHED WING)

OPISTHOGRAPTIS HÜBNER, 1823

luteolata (Linnaeus, 1758)

BRIMSTONE MOTH

LEAMHAN RUIBHEACH

EPIONE DUPONCHEL, 1829

repandaria (Hufnagel, 1767)

BORDERED BEAUTY

PSEUDOPANTHERA HÜBNER, 1823

macularia (Linnaeus, 1758)

SPECKLED YELLOW

APEIRA GISTL, 1848

syringaria (Linnaeus, 1758)

LILAC BEAUTY

ENNOMOS TREITSCHKE, 1825

autumnaria (Werneburg, 1859)

LARGE THORN

Footnote: there is only one certain Irish record of *autumnaria* (NMI) (Beirne coll.; Beirne (1933)). See note under *alniaria* below.

Resident and sporadic migrant.

quercinaria (Hufnagel, 1767)

AUGUST THORN

alniaria (Linnaeus, 1758)

CANARY-SHOULDERED THORN

Synonymy: in *Deuteronomos* in Baynes (1964).

Footnote: there is confusion over the name *alniaria* in the literature. *alniaria* sensu Denis and Schiffermüller is *autumnaria* (Werneburg, 1775).

+ *erosaria* (Denis and Schiffermüller, 1775)

SEPTEMBER THORN

Footnote: Chalmers-Hunt (1982).

SELENIA HÜBNER, 1823

dentaria (Fabricius, 1775)

EARLY THORN

Synonymy: *bilunaria* Esp. in Baynes (1964).

lunularia (Hübner, 1788)

LUNAR THORN

ODONTOPERA STEPHENS, 1831

bidentata (Clerck, 1759)

SCALLOPED HAZEL

Synonymy: in *Gonodontis* in Baynes (1964).

CROCALLIS TREITSCHKE, 1825

elinguaria (Linnaeus, 1758)

SCALLOPED OAK

OURAPTERYX LEACH, 1814

sambucaria (Linnaeus, 1758)

SWALLOW-TAILED MOTH

LADHRÓG

COLOTOIS HÜBNER, 1823

pennaria (Linnaeus, 1761)

FEATHERED THORN

ANGERONA DUPONCHEL, 1829

prunaria (Linnaeus, 1758)

ORANGE MOTH

PHIGALIA DUPONCHEL, 1829

Synonymy: *Apocheima* Hübner, 1825.

pilosaria (Denis and Schiffermüller, 1775)

PALE BRINDLED BEAUTY

LYCIA HÜBNER, 1825

- hirtaria* (Clerck, 1759)**
BRINDLED BEAUTY
***zonaria britannica* (Harrison, 1912)**
BELTED BEAUTY
Synonymy: *Nyssia zonaria* Schiff. in Baynes (1964).
Footnote: *zonaria atlantica* Harrison, 1938 is a Hebridean sub-species. Irish *zonaria* are properly placed in ssp. *britannica* Harrison, 1912.
- BISTON LEACH, 1815**
***strataria* (Hufnagel, 1767)**
OAK BEAUTY
***betularia* (Linnaeus, 1758)**
PEPPERED MOTH
BROCÓG
forma *carbonaria* Jordan, 1869
forma *insularia* Thierry-Mieg, 1886
Footnote: f. *carbonaria* Jordon is melanistic and prevalent in industrial areas.
- AGRIOPIS HÜBNER, 1825**
***leucophaearia* (Denis and Schiffermüller, 1775)**
SPRING USHER
Synonymy: in *Erranis* in Baynes (1964).
Footnote: specimen in NMI.
***aurantiaria* (Hübner, 1799)**
SCARCE UMBER
- Synonymy: in *Erranis* in Baynes (1964).
Footnote: placed in *Larerannis* Wehrli, 1935 by some Continental authors.
- marginaria* (Fabricius, 1777)**
DOTTED BORDER
Synonymy: in *Erranis* in Baynes (1964).
Footnote: placed in *Larerannis* Wehrli, 1935 by some Continental authors.
- ERANNIS HÜBNER, 1825**
***defoliaria* (Clerck, 1759)**
MOTTLED UMBER
MENOPHRA MOORE, 1887
***abruptaria* (Thunberg, 1792)**
WAVED UMBER
Footnote: confirmation of this species desirable.
- PERIBATODES WEHRLI, 1943**
***rhomboidaria* (Denis and Schiffermüller, 1775)**
WILLOW BEAUTY
Synonymy: in *Cleora* in Baynes (1964).
- SELIDOSOMA HÜBNER, 1823**
***brunnearia scandinaviaria* Staudinger, 1901**

BORDERED GREY

brunnearia tyronensis Cockayne,
1948

TYRONE BORDERED GREY

Footnote: the nominate sub-species of *brunnea* does not occur in Britain or Ireland. Here, the species is represented by two sub-species viz. *scandinaviaria* Staudinger, 1801 and *tyronensis* Cockayne, 1948. Bradley (2000) regards *tyronensis* as a "dwarf ecotype/variant", adding Northern Ireland, Tyrone, near Lough Neagh (habitat believed destroyed).

Footnote: West (1996) has described *Selidosema brunnearia* ab. *atlantica* from Co. Clare.

CLEORA CURTIS, 1825

cinctaria cinctaria (Denis and
Schiffermüller, 1775)

RINGED CARPET

Synonymy: *cinctaria* Schiff. in Baynes (1964).

Footnote: the sub-species *sodorensium* Weir, 1881 occurs in the Outer Hebrides.

DEILEPTENIA HÜBNER, 1825

ribeata (Clerck, 1759)

SATIN BEAUTY

Footnote: recent record in Allen and Thompson (2001).

ALCIS CURTIS, 1826

repandata repandata
(Linnaeus, 1758) forma
muraria Curtis, 1826

MOTTLED BEAUTY

Synonymy: *repandata* L. in Baynes (1964).

Footnote: Kane (1901) discusses variation in this species at length. Bradley (2000) lists "f. *muraria* Curtis, 1826 from Scotland and W Ireland".

jubata (Thunberg, 1788)

DOTTED CARPET

Footnote: recent records in Allen and Thompson (2001).

HYPOMECCIS HÜBNER, 1821

punctinalis (Scopoli, 1763)

PALE OAK BEAUTY

Synonymy: in *Pseudoboarmia* in Baynes (1964).

Synonymy: variously placed in *Boarmia* Treitschke, 1825 and *Serraca* Moore, 1887.

CLEORODES WARREN, 1894

lichenaria (Hufnagel, 1767)

BRUSSELS LACE

ECTROPIS HÜBNER, 1825

bistortata (Goeze, 1781)

THE ENGRAILED

Synonymy: *biundulata* de Vill. in Baynes (1964).

Footnote: *Boarmia* Stephens. Homonym.

Status is uncertain as it is considered in Continental Europe to be conspecific with *crepuscularia* (Denis and Schiffermüller, 1775).

crepuscularia (Denis and Schiffermüller, 1775)

SMALL ENGRAILED

Footnote: *Boarmia* Stephens. Homonym.

Status uncertain as it is considered in Continental Europe to be conspecific with *bistortata* (Goeze, 1781).

PARADARISA WARREN, 1894

Synonymy: *Ectropis* Hübner, 1825.

consonaria (Hübner, 1799)

SQUARE SPOT

Synonymy: in *Ectropis* in Baynes (1964).

AETHALURA MCDUNNOUGH, 1920

punctulata (Denis and Schiffermüller, 1775)

GREY BIRCH

EMATURGA LEDERER, 1853

atomaria atomaria (Linnaeus, 1758)

COMMON HEATH

Synonymy: *atomaria* L. in Baynes (1964).

forma minuta Heydemann, 1925

Footnote: form *minuta* is a dwarf form found on northern moorland habitats.

BUPALUS LEACH, 1815

piniaria (Linnaeus, 1758)

BORDERED WHITE

CABERA TREITSCHKE, 1825

pusaria (Linnaeus, 1758)

COMMON WHITE WAVE

Synonymy: in *Deilinia* in Baynes (1964).

exanthemata (Scopoli, 1763)

COMMON WAVE

Synonymy: in *Deilinia* in Baynes (1964).

LOMOGRAPHA HÜBNER, 1825

bimaculata (Fabricius, 1775)

WHITE-PINION SPOTTED

Synonymy: in *Bapta* in Baynes (1964).

temerata (Denis and Schiffermüller, 1775)

CLOUDED SILVER

Synonymy: in *Bapta* in Baynes (1964).

THERIA HÜBNER, 1825

primaria (Haworth, 1809)

EARLY MOTH

Synonymy: *rupicapraria* Schiff. in Baynes (1964).

Footnote: *rupicapraria* (Denis and Schiffermüller, 1775) of British and Irish authors is a misidentification. *T. rupicapraria* occurs in Continental

Europe but not in the British Isles.

CAMPAEA LAMARCK, 1816

margaritata (Linnaeus, 1767)

LIGHT EMERALD

HYLAEA HÜBNER, 1822

fasciaria (Linnaeus, 1758)

BARRED RED

Synonymy: in *Ellopia* in Baynes (1964). Resident and suspected migrant.

ODONTOGNOPHOS WEHRLI, 1951

Synonymy: *Odonthognophus* misspelling.

+ *dumetata hibernica* Forder, 1993

IRISH ANNULET

Footnote: recorded by Forder (1993).

Not found in Britain.

GNOPHOS TREITSCHKE, 1825

obfuscatus (Denis and Schiffermüller, 1775)

SCOTCH ANNULET

CHARISSA CURTIS, 1826

obscurata (Denis and Schiffermüller, 1775)

ANNULET

Synonymy: in *Gnophos* in Baynes (1964).

Footnote: was in *Gnophos*. New generic placement *vide* Scoble *et al.* (1991).

ASPITATES TREITSCHKE, 1825

gilvaria burrenensis Cockayne, 1951

IRISH STRAW BELLE

Synonymy: *gilvaria* in Baynes (1964).

Footnote: Cockayne (1951).

Footnote: Straw Belle in Baynes (1964).

Footnote: endemic (Ireland only: Clare and South-East Galway (the Burren), Dublin, Derry, Wicklow). Rare.

DYSCIA HÜBNER, 1825

fagaria (Thunberg, 1784)

GREY SCALLOPED BAR

PERCONIA HÜBNER, 1823

strigillaria (Hübner, 1787)

GRASS WAVE

SPHINGOIDEA

47. SPHINGIDAE

HAWKMOTHS

SPHINGINAE

AGRIUS HÜBNER, 1819

+ *cingulata* (Fabricius, 1775)

PINK-SPOTTED HAWK-MOTH

Footnote: O'Connor and Nash (1986).

Adventive. Not reported from Britain since 18th and 19th century (London).

North America.

convulvuli (Linnaeus, 1758)

CONVOLVULUS HAWK-MOTH

Synonymy: in *Herse in* Baynes (1964).

Breeding migrant. Europe and the tropics.

ACHERONTIA LASPEYRES, 1809

atropos (Linnaeus, 1758)

DEATH'S-HEAD HAWK-MOTH

CONACH NA CEALTRACH

Breeding migrant. Europe and the tropics.

SMERINTHINAE

SMERINTHUS LATREILLE, 1802

ocellata (Linnaeus, 1758)

EYED HAWK-MOTH

LAOTHOE FABRICIUS, 1807

populi (Linnaeus, 1758)

POPLAR HAWK-MOTH

CONACH POIBLEOIGE

MACROGLOSSINAE

HEMARIS DALMAN, 1816

tityus (Linnaeus, 1758)

NARROW-BORDERED BEE

HAWK-MOTH

MACROGLOSSUM SCOPOLI,

1777

stellatarum (Linnaeus, 1758)

HUMMING-BIRD HAWK-MOTH

CONACH FOLUANA

Breeding summer migrant. Western Europe and Mediterranean region eastwards.

DAPHNIS HÜBNER, 1819

nerii (Linnaeus, 1758)

OLEANDER HAWK-MOTH

Sporadic migrant. Eastern Mediterranean.

HYLES HÜBNER, 1819

gallii (Rottemburg, 1775)

BEDSTRAW HAWK-MOTH

Synonymy: in *Celerio in* Baynes (1964).

Breeding migrant. Western Europe and Asia.

livornica (Esper, 1780)

STRIPED HAWK-MOTH

Synonymy: in *Celerio* in Baynes (1964).

Breeding migrant. Canary Islands -
Southern Europe.

DEILEPHILA LASPEYRES, 1809

elpenor (Linnaeus, 1758)

ELEPHANT HAWK-MOTH

CONACH EILIFINTEACH

porcellus (Linnaeus, 1758)

SMALL ELEPHANT HAWK-MOTH

HIPPOTION HÜBNER, 1819

celerio (Linnaeus, 1758)

SILVER-STRIPED HAWK-MOTH

Footnote: the specimen from Co. Antrim
mentioned by Baynes (1964) is extant
(Ulster Museum).

Sporadic breeding migrant. South
Europe, Mediterranean region, tropics.

NOCTUOIDEA

48. NOTODONTIDAE

THE PROMINENTS

NOTODONTINAE

CERURA SCHRANK, 1802

vinula (Linnaeus, 1758)

PUSS MOTH

LEAMHAN PUISÍNEACH

FURCULA LAMARCK, 1816

+ *bicuspis* (Borkhausen, 1790)

ALDER KITTEN

Footnote: added to the Irish list by
V. McLaughlin (Maurice Hughes
pers. comm.).

furcula (Clerck, 1759)

SALLOW KITTEN

Synonymy: in *Harpyia* in Baynes
(1964).

bifida (Brahm, 1787)

POPLAR KITTEN

Synonymy: in *Harpyia* in Baynes
(1964).

Footnote: Western and Northern
Ireland (Bradley, 2000).

NOTODONTA

OCHSENHEIMER, 1810

Footnote: = (pars) *Tritophia*
Kiriakoff.

Footnote: = (pars) *Eligmodonta*
Kiriakoff.

dromedarius (Linnaeus, 1767)

IRON PROMINENT

STARRAICÍN IARAINN

ziczac (Linnaeus, 1758)

PEBBLE PROMINENT

Footnote: also in *Eligmodonta*
Kiriakoff, 1967.

PHEOSIA HÜBNER, 1819

gnoma (Fabricius, 1777)

LESSER SWALLOW PROMINENT

Synonymy: *Notodonta dictaeoides* Esper
in Donovan (1936).

Footnote: for identification see Heath
(1969).

tremula (Clerck, 1759)

SWALLOW PROMINENT

Footnote: for identification see Heath
(1969).

PTILODON HÜBNER, 1822

capucina (Linnaeus, 1758)

COXCOMB PROMINENT

Synonymy: *in Lophopteryx in* Baynes
(1964).

ODONTOSIA HÜBNER, 1819

carmelita (Esper, 1799)

SCARCE PROMINENT

PTEROSTOMA GERMAR, 1811

palpina (Clerck, 1759)

PALE PROMINENT

LEUCODONTA STAUDINGER, 1892

bicoloria (Denis and Schiffermüller,
1775)

WHITE PROMINENT

Footnote: Red Data Book species,
believed extinct in British Isles. England:
Staffs, Burnt Wood, 1860s; South
Devon, near Exeter, 1880; South-West
Ireland: last recorded from Kerry,

Killarney May 1938; on birch
(*Betula*). History: Haynes (1984)
and Brown (1986).

Extinct

DRYMONIA HÜBNER, 1819

dodonaea (Denis and
Schiffermüller, 1775)

MARBLED BROWN

ruficornis (Hufnagel, 1766)

LUNAR MARBLED BROWN

Synonymy: *in Chaonia in* Baynes
(1964).

PYGAERINAE

CLOSTERA SAMOUELLE, 1819

pigra (Hufnagel, 1766)

SMALL CHOCOLATE-TIP

curtula (Linnaeus, 1758)

CHOCOLATE-TIP

Footnote: larvae have been reported
from time to time, but no moths
have been bred (Donovan, 1936;
Baynes, 1964).

PHALERINAE

PHALERA HÜBNER, 1819

bucephala (Linnaeus, 1758)

BUFF-TIP

RINNBHUÍ

HETEROCAMPINAE

STAUROPUS GERMAR, 1812

fagi (Linnaeus, 1758)

LOBSTER MOTH

DILOBINAE

Footnote: subfamily assigned to
Noctuidae in recent classifications.

DILOBA BOISDUVAL, 1840

caeruleocephala (Linnaeus, 1758)

FIGURE OF EIGHT MOTH

Synonymy: in *Episema* in Baynes
(1964).

49. LYMANTRIIDAE

TUSSOCK MOTHS

ORGYIA OCHSENHEIMER, 1810

antiqua (Linnaeus, 1758)

THE VAPOURER

DICALLOMERA BUTLER, 1881

fascelina (Linnaeus, 1758)

DARK TUSSOCK

Synonymy: in *Dasychira* in Baynes
(1964).

CALLITEARA BUTLER, 1881

pudivunda (Linnaeus, 1758)

PALE TUSSOCK

Synonymy: in *Dasychira* in Baynes
(1964).

Footnote: previously in *Dasychira*

Hübner, 1809. Name rejected ICZN
Opinions 97, 278.

EUPROCTIS HÜBNER, 1819

similis (Fuessly, 1775)

YELLOW-TAIL

LEUCOMA HÜBNER, 1822

salicis (Linnaeus, 1758)

WHITE SATIN MOTH

Footnote: larvae found on *Salix*
cinerea L., North Bull Island, Co.
Dublin, 28 June 1991, and adults
reared (NMI) (Wistow, 1992) also
existing records from Cos Antrim,
Galway, Mayo and Wicklow.
Resident and migrant. Europe -
Scandinavia.

LYMANTRIA HÜBNER, 1819

monacha (Linnaeus, 1758)

BLACK ARCHES

50. ARCTIIDAE

TIGER MOTHS

LITHOSIINAE

THUMATHA WALKER, 1866

senex (Hübner, 1808)

ROUND-WINGED MUSLIN

SETINA SCHRANK, 1802

irrorella (Linnaeus, 1758)

DEW MOTH

**MILTOCHRISTA HÜBNER,
1819**

- miniata* (Forster, 1771)
ROSY FOOTMAN
NUDARIA HAWORTH, 1809
mundana (Linnaeus, 1761)
MUSLIN FOOTMAN
ATOLMIS HÜBNER, 1819
rubricollis (Linnaeus, 1758)
RED-NECKED FOOTMAN
Footnote: Allen and Thompson (2001).
Resident and suspected migrant.
CYBOSIA HÜBNER, 1819
+ *mesomella* (Linnaeus, 1758)
FOUR-DOTTED FOOTMAN
Footnote: Donaldson (1992);
Allen and Thompson (2001).
EILEMA HÜBNER, 1819
+ *griseola* (Hübner, 1803)
Footnote: Haynes and Hillis (1985);
Myers (1985).
DINGY FOOTMAN
+ *forma stramineola* (Doubleday,
1847)
Footnote: Jeffares (2002).
caniola (Hübner, 1808)
HOARY FOOTMAN
Synonymy: in *Lithosia* in Baynes (1964).
Footnote: see Baynes (1964) "precarious
on Waterford coast" and Brown (1987).
Resident and suspected migrant.
- complana* (Linnaeus, 1758)
SCARCE FOOTMAN
Synonymy: in *Lithosia* in Baynes
(1964).
forma sericea Gregson, 1860
NORTHERN FOOTMAN
Northern marsh, moss and bogland.
Ecotype.
depressa (Esper, 1787)
BUFF FOOTMAN
Synonymy: *Lithosia deplana* Esp.
in Baynes (1964).
lurideola (Zincken, 1817)
COMMON FOOTMAN
Synonymy: in *Lithosia* in Baynes
(1964).
Footnote: see Allen (1990a).
LITHOSIA FABRICIUS, 1798
quadra (Linnaeus, 1758)
FOUR-SPOTTED FOOTMAN
Resident and possible occasional
migrant.
ARCTIINAE
UTETHEISA HÜBNER, 1819
pulchella (Linnaeus, 1758)
CRIMSON SPECKLED
Sporadic migrant from the
Mediterranean - North Africa.
PARASEMIA HÜBNER, 1820

plantaginis plantaginis (Linnaeus, 1758)

WOOD TIGER

Synonymy: *plantaginis* L. in Baynes (1964).

ARCTIA SCHRANK, 1802

caja (Linnaeus, 1758)

GARDEN TIGER

LEAMHAN TÍOGRACH GARRAÍ

DIACRISIA HÜBNER, 1819

sannio (Linnaeus, 1758)

CLOUDED BUFF

SPILOSOMA CURTIS, 1825

Footnote: the two species in this group have a complex nomenclatural history with many problems of misidentification.

lubricipeda (Linnaeus, 1758)

WHITE ERMINE

EIRMÍN BÁN

Synonymy: *menthastri* Esper, 1790.

Synonymy: *Spilosoma menthastri* (Denis and Schiffermüller, 1775) nomen nudum.

luteum (Hufnagel, 1766)

BUFF ERMINE

EIRMÍN BUÍ

Synonymy: *lubricipeda* sensu auctorum (misidentification, see footnote to genus).

Synonymy: *lutea* Hufn. in Baynes (1964) misspelling.

Footnote: in *Spilarctea* Butler, 1875 in some recent continental works.

DIAPHORA STEPHENS, 1827

mendica (Clerck, 1759)

MUSLIN MOTH

Synonymy: *Cycnia mendica* ssp. *rustica* Hübn. in Baynes (1964).

PHRAGMATOBIA STEPHENS, 1828

fuliginosa fuliginosa

(Linnaeus, 1758)

RUBY TIGER

Synonymy: *fuliginosa* L. in Baynes (1964).

TYRIA HÜBNER, 1819

jacobaeae (Linnaeus, 1758)

THE CINNABAR

LEAMHAN FLANNDEARG

Synonymy: in *Callimorpha* in Baynes (1964).

51. CTENUCHIDAE

WASP MOTHS

ANTICHLORIS HÜBNER, 1818

Intercept, on bananas (*Musa*). West Indies and South America.

+ *steinbachi* Rothschild, 1909

Footnote: O'Connor and Nash (1986).

Intercept, on bananas (*Musa*). Colombia.

Rare (only two specimens known), not in Bradley (2000).

+ *eriphia* (Fabricius, 1777)

BANANA STOWAWAY

Footnote: O'Connor and Nash (1984).

Adventive, on imported bananas (*Musa*).

South America.

52. NOLIDAE

NOLID MOTHS

NOLINAE

NOLA LEACH, 1815

confusalis (Herrich-Schäffer, 1847)

LEAST BLACK ARCHES

Synonymy: in *Celama* in Baynes (1964).

53. NOCTUIDAE

NOCTUID MOTHS

NOCTUINAE

EUXOA HÜBNER, 1821

obelisca grisea (Tutt, 1902)

SQUARE-SPOT DART

Synonymy: *obelisca* Schiff. in Baynes (1964).

tritici (Linnaeus, 1761)

WHITE-LINE DART

nigricans (Linnaeus, 1761)

GARDEN DART

cursoria (Hufnagel, 1766)

COAST DART

Resident and suspected migrant.

AGROTIS OCHSENHEIMER, 1816

cinerea (Denis and

Schifferrmüller, 1775)

LIGHT FEATHERED RUSTIC

Synonymy: *denticulatus* Haw. in Baynes (1964).

vestigialis (Hufnagel, 1766)

ARCHER'S DART

segetum (Denis and

Schifferrmüller, 1775)

TURNIP MOTH

clavis (Hufnagel, 1766)

HEART AND CLUB

exclamationis (Linnaeus, 1758)

HEART AND DART

CROÍ-IS-DAIRT

trux lunigera Stephens, 1829

CRESCENT DART

Footnote: [*Agrotis*] *lunigera* was described from three Irish types taken on the Cork coast by Clear (1829, *Illustrations II*: p. 113, pl. 20, fig. 3) (Donovan, 1936).

ippsilon (Hufnagel, 1766)

DARK SWORD-GRASS

Migrant and transitory resident.

Temperate and sub-tropical regions.

+ *puta puta* (Hübner, 1803)

SHUTTLE-SHAPED DART

Footnote: doubtful in Baynes (1964) (as *puta*) but confirmed by Haynes and Hillis (1985); Myers (1985).

ripae (Hübner, 1823)

SAND DART

+ *crassa* (Hübner, 1803)

GREAT DART

Footnote: added by Myers (1985); Haynes and Hillis (1985).

Sporadic migrant. Southern England: Essex-Cornwall, Isle of Wight, Isles of Scilly and Southern Ireland. Resident: Channel Islands and Continental Europe.

AXYLIA HÜBNER, 1821

putris (Linnaeus, 1761)

THE FLAME

ACTEBIA STEPHENS, 1829

praecox (Linnaeus, 1758)

PORTLAND MOTH

Footnote: placed by some authors in *Ochropleura* Hübner, 1821.

OCHROPLEURA HÜBNER, 1821

pecta (Linnaeus, 1761)

FLAME SHOULDER

STANDFUSSIANA BOURSIN, 1946

lucernea (Linnaeus, 1758)

NORTHERN RUSTIC

Synonymy: in *Ammogrotis* in Baynes (1964).

Synonymy: *Agrotis lucernea kerrensis* Kane, 1901

RHYACIA HÜBNER, 1821

simulans (Hufnagel, 1766)

DOTTED RUSTIC

Synonymy: in *Ammogrotis* in Baynes (1964).

NOCTUA LINNAEUS, 1758

pronuba (Linnaeus, 1758)

LARGE YELLOW UNDERWING

FO-EITE BHUÍ MHÓR

Resident and migrant.

comes Hübner, 1813

LESSER YELLOW UNDERWING

Synonymy: in *Euschesis* in Baynes (1964).

Footnote: the use of the name *orbona* for two different insects - the *orbona* of Fabricius being in reality *comes* has caused much past confusion. Adding to this problem, some authors have considered Hufnagel's *orbona* a sub-species of

pronuba. *Noctua orbona* Hufnagel is not reliably known from Ireland.

***fimbriata* (Schreber, 1759)**

BROAD-BORDERED YELLOW
UNDERWING

Synonymy: in *Lampra* in Baynes (1964).

***janthe* (Borkhausen, 1792)**

LESSER BROAD-BORDERED
YELLOW UNDERWING

Synonymy: *Euschesis janthina* Schiff. in Baynes (1964).

Footnote: = *janthina* auctorum. A misidentification, *N. janthina* (Denis and Schiffermüller, 1775) occurs in Continental Europe.

Footnote: Lesser Broad-border in Baynes (1964).

***interjecta caliginosa* Schawerda,
1919**

LEAST YELLOW UNDERWING

Synonymy: *Euschesis interjecta* Hübn. in Baynes (1964).

**GRAPHIPHORA OCHSENHEIMER,
1816**

***augur* (Fabricius, 1775)**

DOUBLE DART

EUGNORISMA BOURSIN, 1946

Footnote: *Paradiarsia auctorum* (including Baynes (1964)) nec McDunnough, 1928.

***glareosa* (Esper, 1788)**

AUTUMNAL RUSTIC

Footnote: also represented by *glareosa edda* (Staudinger, 1892) in Britain, *edda* is a nearly black form found in the Shetland islands (varying percentages of the population). Similar forms are found on Orkney and in Caithness.

LYCOPHOTIA HÜBNER, 1821

***porphyrea* (Denis and
Schiffermüller, 1775)**

TRUE LOVER'S KNOT

Synonymy: *varia* de Vill. in Baynes (1964).

PERIDROMA HÜBNER, 1821

***saucia* (Hübner, 1808)**

PEARLY UNDERWING

Synonymy: *porphyrea* Schiff. in Baynes (1964). Misidentification. Migrant.

DIARSIA HÜBNER, 1821

***mendica mendica* (Fabricius,
1775)**

INGRAILED CLAY

Footnote: *mendica* Fab. in Baynes (1964).

Footnote: two British subspecies (other than the nominate one are recognized in Britain viz. *mendica thulei* (Staudinger, 1891) from the Shetlands and *mendica orkneyensis* (Bytinski-Salz, 1939) from the Orkney islands). We have without critical examination listed the nominate sub-species only.

***dahlia* (Hübner, 1813)**

BARRED CHESTNUT

***brunnea* (Denis and Schiffermüller, 1775)**

PURPLE CLAY

***rubi* (Vieweg, 1790)**

SMALL SQUARE-SPOT

XESTIA HÜBNER, 1818

+ *alpicola alpina* (Humphreys and Westwood, 1843)

NORTHERN DART

Synonymy: formerly in *Amathes*.

Footnote: Redway (1973); Redway and Heath (1973).

Footnote: the nominate occurs in Fennoscandia – Arctic.

***c-nigrum* (Linnaeus, 1758)**

SETACEOUS HEBREW CHARACTER

Synonymy: in *Amathes* in Baynes (1964).

Resident and migrant.

***ditrapezium* (Denis and Schiffermüller, 1775)**

TRIPLE-SPOTTED CLAY

Synonymy: in *Amathes* in Baynes (1964).

***triangulum* (Hufnagel, 1766)**

DOUBLE SQUARE-SPOT

Synonymy: in *Amathes* in Baynes (1964).

***baja* (Denis and**

Schiffermüller, 1775)

DOTTED CLAY

Synonymy: in *Amathes* in Baynes (1964).

***castanea* (Esper, 1798)**

THE NEGLECTED RUSTIC

Synonymy: in *Amathes* in Baynes (1964).

***sexstrigata* (Haworth, 1809)**

SIX-STRIPED RUSTIC

Synonymy: in *Amathes* in Baynes (1964).

***xanthographa* (Denis and Schiffermüller, 1775)**

SQUARE-SPOT RUSTIC

Synonymy: in *Amathes* in Baynes (1964).

***agathina agathina* (Duponchel, 1827)**

HEATH RUSTIC

Synonymy: in *Amathes* in Baynes (1964).

Footnote: aside from the nominate, this species is represented in Britain by *agathina hebridicola* (Staudinger, 1901) from the Hebrides.

NAENIA STEPHENS, 1827

***typica* (Linnaeus, 1758)**

THE GOTHIC

EUROIS HÜBNER, 1821

***occulta* (Linnaeus, 1758)**

GREAT BROCADE

Footnote: specimens from Co. Dublin examined by R. A. French, Rothamstead, were considered to be the Continental form of the insect (Baynes (1964)).

Migrant (also resident in Great Britain).

Holarctic.

ANAPLECTOIDES MCDUNNOUGH, 1929

***prasina* (Denis and Schiffermüller, 1775)**

GREEN ARCHES

CERASTIS OCHSENHEIMER, 1816

***rubricosa* (Denis and Schiffermüller, 1775)**

RED CHESTNUT

HADENINAE

ANARTA OCHSENHEIMER, 1816

***myrtilli* (Linnaeus, 1761)**

BEAUTIFUL YELLOW

UNDERWING

DISCESTRA HAMPSON, 1905

***trifolii* (Hufnagel, 1766)**

THE NUTMEG

Footnote: no Irish examples in the National Museum in Dublin (Baynes, 1964) but mapped by Bretherton *et al.* (1979). Myers (1979c).

Resident and migrant. Holarctic.

HADA BILLBERG, 1820

***plebeja* (Linnaeus, 1761)**

THE SHEARS

Synonymy: *nana* Hufn. in Baynes (1964).

POLIA OCHSENHEIMER, 1816

***bombycina* (Hufnagel, 1766)**

PALE SHINING BROWN

Synonymy: *nitens* Haw. in Baynes (1964).

Former resident, probably extinct.

Europe - Asia.

nebulosa (Hufnagel, 1766)

GREY ARCHES

SIDERIDIS HÜBNER, 1821

albicolon (Hübner, 1813)

WHITE COLON

Synonymy: in *Heliophobus* in Baynes (1964).

HELIOPHOBUS BOISDUVAL, 1828

reticulata hibernica Cockayne, 1944

BORDERED GOTHIC

Synonymy: *calcatrippae hibernica*

Cockayne in Baynes (1964).

Footnote: the nominate, *reticulata* (Goeze, 1781), is not found in the British Isles where the species is represented by two sub-species viz. *marginosa* (Haworth, 1809) in South England (chiefly East Anglia), South Wales and *hibernica* Cockayne, 1944 - South Ireland; coastal and estuarine.

MAMESTRA OCHSENHEIMER, 1816

brassicae (Linnaeus, 1758)

CABBAGE MOTH

MELANCHRA HÜBNER, 1820

Synonymy: *Ceramica* Guenée, 1852.

persicariae (Linnaeus, 1761)

THE DOT

pisi (Linnaeus, 1758)

BROOM MOTH

Synonymy: in *Ceramica* in Baynes (1964).

Footnote: Kane (1901) discusses variation in this species at length.

LACANOBIA BILLBERG, 1820

contigua (Denis and Schiffermüller, 1775)

BEAUTIFUL BROCADE

Synonymy: in *Hadena* in Baynes (1964).

thalassina (Hufnagel, 1766)

PALE-SHOULDERED BROCADE

Synonymy: in *Hadena* in Baynes (1964).

Footnote: Kane (1901) discusses variation in this species at length.

suasa (Denis and Schiffermüller, 1775)

DOG'S TOOTH

Synonymy: in *Hadena* in Baynes (1964).

oleracea (Linnaeus, 1758)

BRIGHT-LINE BROWN-EYE

Synonymy: in *Diataraxia* in Baynes (1964).

PAPESTRA SUKHAREVA, 1973

Footnote: = *Lacanobia partim*.

***biren* (Goeze, 1781)**

GLAUCOUS SHEARS

Synonymy: *Hadena bombycina* Hüfn. in Baynes (1964).

HECATERA GUENÉE, 1852

***bicolorata* (Hufnagel, 1766)**

BROAD-BARRED WHITE

Synonymy: in *Hadena* in Baynes (1964).

HADENA SCHRANK, 1802

***rivularis* (Fabricius, 1775)**

THE CAMPION

***perplexa capsophila* (Duponchel, 1842)**

POD LOVER

Synonymy: *lepida capsophila* Dup. in Baynes (1964).

Footnote: this species is represented by two sub-species in the British Isles viz. the nominate, *perplexa* (Denis and Schiffermüller, 1775):-England and Wales, Southern Scotland, Isle of Wight and *capsophila* (Duponchel, 1842):-South-West England, Western Wales, Southern Scotland (Ayrshire), Inner Hebrides, Isle of Man (protected) and Ireland (Aran Islands). The subspecies *capsophila* may be an ecotype, it is mainly coastal.

***luteago barrettii* (Doubleday, 1864)**

BARRETT'S MARBLED

CORONET

Synonymy: *barrettii* Doubl. in Baynes, (1964).

***confusa* (Hufnagel, 1766)**

MARBLED CORONET

Synonymy: *conspersa* Schiff in Baynes (1964).

***bicruris* (Hufnagel, 1766)**

THE LYCHNIS

***caesia mananii* (Gregson, 1866)**

THE GREY

Footnote: the nominate, *caesia caesia* (Denis and Schiffermüller), occurs in Continental Europe. In the British Isles, the species is represented by *caesia mananii* (Gregson, 1866).

CERAPTERYX CURTIS, 1833

***graminis* (Linnaeus, 1758)**

ANTLER MOTH

ssp. (as var.) *hibernicus*

Curtis, 1833

THOLERA HÜBNER, 1821

***cespitis* (Denis and**

Schiffermüller, 1775)

HEDGE RUSTIC

decimalis (Poda, 1761)

FEATHERED GOTHIC

Synonymy: *popularis* Fab. in Baynes (1964).

PANOLIS HÜBNER, 1821

flammea (Denis and Schiffermüller, 1775)

PINE BEAUTY

ORTHOSIA OCHSENHEIMER, 1816

cruda (Denis and Schiffermüller, 1775)

SMALL QUAKER

miniosa (Denis and Schiffermüller, 1775)

BLOSSOM UNDERWING

Resident and sporadic migrant.

opima (Hübner, 1809)

NORTHERN DRAB

Synonymy: *advena* Schiff. in Baynes (1964).

+ *populeti* (Fabricius, 1781)

LEAD-COLOURED DRAB

Footnote: added by Chalmers-Hunt (1982), also recent records from Co. Fermanagh.

gracilis (Denis and Schiffermüller, 1775)

POWDERED QUAKER

cerasi (Fabricius, 1775)

COMMON QUAKER

Synonymy: *stabilis* Schiff. in Baynes (1964).

incerta (Hufnagel, 1766)

CLOUDED DRAB

munda (Denis and Schiffermüller, 1775)

TWIN-SPOTTED QUAKER

gothica (Linnaeus, 1758)

HEBREW CHARACTER

MYTHIMNA OCHSENHEIMER, 1816

Footnote: = *Leucania*

Ochsenheimer, 1816 partim. = *Senta* Stephens, 1834.

conigera (Denis and Schiffermüller, 1775)

BROWN-LINE BRIGHT-EYE

Synonymy: in *Leucania* in Baynes (1964).

ferrago (Fabricius, 1787)

THE CLAY

Synonymy: *Leucania lithargyria* Esp. in Baynes (1964).

+ *albipuncta* (Denis and Schiffermüller, 1775)

WHITE-POINT

Footnote: added by Myers (1981).

Rare, Southern Ireland (Bradley, 2000).

Migrant and transitory resident.

***vitellina* (Hübner, 1808)**

THE DELICATE

Synonymy: in *Leucania in* Baynes (1964).

Breeding migrant.

***pudorina* (Denis and
Schifferrmüller, 1775)**

STRIPED WAINSCOT

Synonymy: in *Leucania in* Baynes (1964).

***straminea* (Treitschke, 1825)**

SOUTHERN WAINSCOT

Synonymy: in *Leucania in* Baynes (1964).

***impura* (Hübner, 1808)**

SMOKY WAINSCOT

Synonymy: in *Leucania in* Baynes (1964).

***impura forma scotica* Cockayne,
1944**

Footnote: *impura f. scotia* was described from Scotland.

***pallens* (Linnaeus, 1758)**

COMMON WAINSCOT

Synonymy: in *Leucania in* Baynes (1964).

***litoralis* (Curtis, 1827)**

SHORE WAINSCOT

Synonymy: in *Leucania in* Baynes (1964).

***unipuncta* (Haworth, 1809)**

AMERICAN WAINSCOT,
WHITE-SPECK

Synonymy: in *Leucania in* Baynes (1964).

Sporadic migrant from Europe and the Atlantic Islands and transitory resident.

***comma* (Linnaeus, 1761)**

SHOULDER-STRIPED
WAINSCOT

Synonymy: in *Leucania in* Baynes (1964).

***loreyi* (Duponchel, 1827)**

THE COSMOPOLITAN

Synonymy: in *Leucania in* Baynes (1964).

Sporadic migrant.

CUCULLIINAE

CUCULLIA SCHRANK, 1802

***absinthii* (Linnaeus, 1761)**

THE WORMWOOD

***chamomillae* (Denis and
Schifferrmüller, 1775)**

CHAMOMILE SHARK

***umbratica* (Linnaeus, 1758)**

THE SHARK

**SHARGACUCULLIA Ronkay and
Ronkay, 1992**

verbasci (Linnaeus, 1758)

THE MULLEIN

BRACHYLOMIA HAMPSON, 1906

Footnote: = *Cleoceris* Duponchel, 1837
partim.

viminalis (Fabricius, 1777)

MINOR SHOULDER-KNOT

Synonymy: in *Bombycia* in Baynes
(1964).

ASTEROSCOPIUS BOISDUVAL, 1828

sphinx (Hufnagel, 1766)

THE SPRAWLER

Synonymy: in *Brachionycha* in Baynes
(1964).

Footnote: see Allen and Thompson
(2001).

DASYPOLIA GUENÉE, 1852

templi (Thunberg, 1792)

BRINDLED OCHRE

APOROPHYLA GUENÉE, 1841

australis pascuea (Humphreys and
Westwood, 1843)

FEATHERED BRINDLE

Footnote: the nominate is found in

Continental Europe only. The
British Isles subspecies is *pascuea*
(Humphreys and Westwood, 1843).

lueneburgensis (Freyer, 1848)

NORTHERN DEEP-BROWN

DART

Synonymy: *lutulenta*

lueneburgensis Freyer in Baynes
(1964).

Footnote: sub-species of *lutulenta*
(Denis and Schiffermüller, 1775)
according to some authors. Bradley
(2000) says "Possibly a sibling or
ecotype of *lutulenta*".

Footnote: Deep-brown Dart in
Baynes (1964).

nigra (Haworth, 1809)

BLACK RUSTIC

LITHOPHANE HÜBNER, 1821

socia (Hufnagel, 1766)

PALE PINION

Synonymy: *hepatica* sensu auctt.

Resident and suspected migrant.

ornitopus lactipennis (Dadd,
1911)

GREY SHOULDER-KNOT

Synonymy: the authority is given as
Dodd in Baynes (1964).

Footnote: the nominate occurs in Continental Europe only. The British Isles subspecies is *lactipennis* (Dadd, 1911).

XYLENA OCHSENHEIMER, 1816
vetusta (Hübner, 1813)

RED SWORD-GRASS

Resident and migrant.

exsoleta (Linnaeus, 1758)

THE SWORD-GRASS

Resident and sporadic migrant.

XYLOCAMPA GUENÉE, 1837
areola (Esper, 1789)

EARLY GREY

ALLOPHYTES TAMS, 1942
oxyacanthae (Linnaeus, 1758)

GREEN-BRINDLED CRESCENT

DICHONIA HÜBNER, 1821
aprilina (Linnaeus, 1758)

MERVEILLE DU JOUR

Synonymy: in *Gripusia* in Baynes (1964).

Resident and suspected migrant.

DRYOBOTODES WARREN, 1910
eremita (Fabricius, 1775)

BRINDLED GREEN

MNIOTYPE FRANCLEMONT, 1941
adusta (Esper, 1790)

DARK BROCADE

Synonymy: in *Eumichtis* in Baynes (1964).

ANTITYPE HÜBNER, 1821
chi (Linnaeus, 1758)

THE GREY CHI

POLYMIXIS HÜBNER, 1820
+ *xanthomista statices*
(Gregson, 1869)

BLACK-BANDED

Synonymy: *Antitype* Hübner, 1821.

Footnote: Demuth (1971).

Footnote: *Eumichitis* Hübner partim.

Footnote: nominate not found in the British Isles, Continental Europe only.

lichenea lichenea (Hübner, 1813)

FEATHERED RANUNCULUS

Synonymy: in *Eumichtis* in Baynes (1964).

Footnote: there are two sub-species in the British Isles viz. the nominate and *scillonea* Richardson, 1958 (from the Scilly Isles).

Footnote: see Allen and Thompson (2001).

ACRONICTINAE

EUPSILIA HÜBNER, 1821

transversa (Hufnagel, 1766)

THE SATELLITE

Footnote: varies as in Great Britain.

CONISTRA HÜBNER, 1821

vaccinii (Linnaeus, 1761)

THE CHESTNUT

ligula (Esper, 1791)

DARK CHESTNUT

AGROCHOLA HÜBNER, 1821

circellaris (Hufnagel, 1766)

THE BRICK

lota (Clerck, 1759)

RED-LINE QUAKER

macilenta (Hübner, 1809)

YELLOW-LINE QUAKER

helvola (Linnaeus, 1758)

FLOUNCED CHESTNUT

Synonymy: in *Anschoscelis* in Baynes (1964).

+ *litura* (Linnaeus, 1761)

BROWN-SPOT PINION

Footnote: to be added to the Irish list by Hughes *et al.* Collected in Northern Ireland, Murphy, 1996.

lychnidis (Denis and

Schifferrmüller, 1775)

BEADED CHESTNUT

ATETHMIA HÜBNER, 1821

centrago (Haworth, 1809)

CENTRE-BARRED SALLOW

Synonymy: *xeramprelina* in Baynes (1964).

OMPHALOSCELIS HAMPSON, 1906

lunosa (Haworth, 1809)

LUNAR UNDERWING

Footnote: a very variable species and all the known forms are represented in Ireland.

XANTHIA OCHSENHEIMER, 1816

togata (Esper, 1788)

PINK-BARRED SALLOW

Synonymy: *Citrea lutea* Ström. in Baynes (1964).

icteritia (Hufnagel, 1766)

THE SALLOW

Synonymy: in *Cirrhia* in Baynes (1964).

ACRONICTA

OCHSENHEIMER, 1816

megacephala (Denis and Schifferrmüller, 1775)

POPLAR GREY

Synonymy: in *Apatele* in Baynes (1964).

***aceris* (Linnaeus, 1758)**

THE SYCAMORE

Synonymy: in *Apatele* in Baynes (1964).

***leporina* (Linnaeus, 1758)**

THE MILLER

Synonymy: in *Apatele* in Baynes (1964).

***alni* (Linnaeus, 1767)**

ALDER MOTH

Synonymy: in *Apatele* in Baynes (1964).

**[*tridens* (Denis and Schiffermüller,
1775)**

DARK DAGGER

Synonymy: in *Apatele* in Baynes (1964).

In need of confirmation.]

***psi* (Linnaeus, 1758)**

GREY DAGGER

Synonymy: in *Apatele* in Baynes (1964).

***menyanthidis menyanthidis* (Esper,
1789)**

LIGHT KNOT GRASS

Synonymy: in *Apatele* in Baynes (1964).

Footnote: Bradley (2000) lists two subspecies *viz.* the nominate (Central England: North Norfolk, Gloucestershire; South-East Scotland; Wales; Northern Ireland) and *scotica* Tutt, 1888 (South-West, Central and North Scotland, Hebrides).

***euphorbiae myricae* Guenée, 1852**

SWEET GALE MOTH

Synonymy: in *Apatele* in Baynes (1964).

Footnote: the nominate is not found in the British Isles (Continental Europe).

***rumicis* (Linnaeus, 1758)**

KNOT GRASS

Synonymy: in *Apatele* in Baynes (1964).

**CRANIOPHORA SNELLEN,
1867**

***ligustri* (Denis and
Schiffermüller, 1775)**

THE CORONET

Footnote: see Allen and Thompson (2001).

BRYOPHILINAE

CRYPHIA HÜBNER, 1818

***domestica* (Hufnagel, 1766)**

MARBLED BEAUTY

Synonymy: *perla* Schiff. in Baynes (1964).

***muralis muralis* (Forster,
1771)**

MARBLED GREEN

Footnote: the urban colour form *impar* Warren, 1884 has not been reported from Ireland but several

colour forms close to it have been (see Baynes (1964)).

muralis forma *westropi* Cockayne
and Williams, 1956

WESTROPP'S MARBLED GREEN

Footnote: Southern Ireland only and not in Britain. Cork: a diminutive variable form common on the city harbour walls.

AMPHIPYRINAE

AMPHIPYRA OCHSENHEIMER,
1816

pyramidea (Linnaeus, 1758)

COPPER UNDERWING

Footnote: identification, see Clancy (1997).

+ *berbera svenssoni* Fletcher, 1968

SVENSSON'S COPPER UNDERWING

Footnote: for identification see Fletcher (1968) and Owen (1993). Added by Wedd (2000). The nominate is not found in the British Isles (Continental Europe only).

tragopoginis (Clerck, 1759)

THE MOUSE, MOUSE MOTH

MORMO OCHSENHEIMER, 1816

maura (Linnaeus, 1758)

THE OLD LADY

RUSINA STEPHENS, 1829

ferruginea (Esper, 1785)

BROWN RUSTIC

THALPOPHILA HÜBNER, 1820

matura (Hufnagel, 1766)

STRAW UNDERWING

EUPLEXIA STEPHENS, 1829

lucipara (Linnaeus, 1758)

SMALL ANGLE SHADES

PHLOGOPHORA

TREITSCHKE, 1825

meticulosa (Linnaeus, 1758)

ANGLE SHADES

SCÁTH UILLEACH

Resident and migrant.

IPIMORPHA HÜBNER, 1821

subtusa (Denis and

Schifferrmüller, 1775)

THE OLIVE

Synonymy: in *Zenobia* in Baynes (1964).

Footnote: a mainly Northern species. Recent records.

PARASTICHTIS HÜBNER, 1821

suspecta (Hübner, 1817)

THE SUSPECTED

Resident and sporadic migrant.

ypsillon (Denis and

Schifferrmüller, 1775)

DINGY SHEARS

Synonymy: in *Apamaea* in Baynes (1964).

Footnote: previously in *Enargia* Hübner, 1821.

COSMIA OCHSENHEIMER, 1816

+ *affinis* (Linnaeus, 1767)

LESSER-SPOTTED PINION

Footnote: there is a specimen in NMI, taken by Hart (1893, Howth, Dublin).

trapezina (Linnaeus, 1758)

THE DUN-BAR

HYPPA DUPONCHEL, 1845

rectilinea (Esper, 1788)

THE SAXON

APAMEA OCHSENHEIMER, 1816

monoglypha (Hufnagel, 1766)

DARK ARCHES

lithoxylaea (Denis and

Schifferrmüller, 1775)

LIGHT ARCHES

Footnote: the possibilities for much past confusion here are evident in the synonymy - there are two *lithoxylea*'s in *Apamea*. One is Hübner's variety of *sublustris* Esper, the other Denis and Schifferrmüller's *lithoxylea*. To add to this confusion, Kane attributed *lithoxylea* to Fabricius.

sublustris (Esper, 1788)

REDDISH LIGHT ARCHES

Footnote: see under previous species.

oblonga (Haworth, 1809)

CRESCENT STRIPED

crenata (Hufnagel, 1766)

CLOUDED-BORDERED

BRINDLE

epomidion (Haworth, 1809)

CLOUDED BRINDLE

Footnote: = *characteraea* auctorum nec (Hübner, 1800-03).

furva britannica Cockayne,

1950

THE CONFUSED

Footnote: Bradley (2000) states that the nominate form *furva* (Denis and Schifferrmüller, 1775) is non-British [Isles] i.e. Continental Europe only. The British Isles subspecies is *britannica* Cockayne, 1950.

remissa (Hübner, 1809)

DUSKY BROCADE

unanimis (Hübner, 1813)

SMALL CLOUDED BRINDLE

anceps (Denis and

Schifferrmüller, 1775)

LARGE NUTMEG

Synonymy: *infesta* Ochs. in Baynes (1964).

***sordens* (Hufnagel, 1766)**

RUSTIC SHOULDER-KNOT

+ ***scolopacina* (Esper, 1788)**

SLENDER BRINDLE

Footnote: Allen and Thompson (2001).

***ophiogramma* (Esper, 1794)**

THE DOUBLE LOBED

OLIGIA HÜBNER, 1821

***strigilis* (Linnaeus, 1758)**

MARBLED MINOR

Synonymy: in *Procus* in Baynes (1964).

Footnote: determination requires the genitalic examination of either sex.

Footnote: Irish distribution in Bond (2005b).

***versicolor* (Borkhausen, 1792)**

RUFOUS MINOR

Synonymy: in *Procus* in Baynes (1964).

Footnote: determination requires the genitalic examination of either sex.

There are confirmed (genitalic) records from eight Irish counties.

Footnote: Irish distribution in Bond (2005b).

***latruncula* (Denis and Schiffermüller, 1775)**

TAWNY MARBLED MINOR

Synonymy: in *Procus* in Baynes (1964).

Footnote: determination requires the genitalic examination of either sex. Based on genitalic examination, this species appears to be fairly widespread over Ireland.

Footnote: Irish distribution in Bond (2005b).

***fasciuncula* (Haworth, 1809)**

MIDDLE-BARRED MINOR

Synonymy: in *Procus* in Baynes (1964).

Footnote: "The ruddy type [the reddish form most often encountered in England] appears to be somewhat localised, and is not so frequently met with as the muddy grey form named var. *pallida* Tutt" (Kane, 1901), otherwise not a problem species.

MESOLIGIA BOURSIN, 1965

***furuncula* (Denis and Schiffermüller, 1775)**

CLOAKED MINOR

Synonymy: in *Procus* in Baynes (1964).

Footnote: Irish specimens are generally very dwarfed, and are frequently unicolorous, always faintly marked and coloured. The most numerous form seems to be the var. *albicans* Tutt (Kane, 1901).

***literosa* (Haworth, 1809)**

ROSY MINOR

Synonymy: in *Procus* in Baynes (1964).

MESAPAMEA HEINICKE, 1959

***secalis* (Linnaeus, 1758)**

COMMON RUSTIC

ODHRÓG CHOITEANN

Synonymy: in *Apamaea* in Baynes (1964).

Footnote: genitalic determinations indicate that it is common and generally distributed.

+ *didyma* (Esper, 1788)

LESSER COMMON RUSTIC

Footnote: = *secalella* Remm, 1983.

Footnote: genitalic determinations indicate that it is common and generally distributed.

PHOTEDES LEDERER, 1857

***captiuncula tincta* (Kane, 1895)**

KANE'S LEAST MINOR

Synonymy: *Phothedes* (misspelling) *captiuncula* Treit. in Baynes (1964).

Footnote: Least Minor in Baynes (1964).

Endemic. Western Ireland: Clare and South-East Galway (the "Burren") and Mayo.

***minima* (Haworth, 1809)**

SMALL DOTTED BUFF

Synonymy: in *Petilampa* in Baynes (1964).

CHORTODES TUTT, 1837

Synonymy: *Photedes* partim.

***pygmina* (Haworth, 1809)**

SMALL WAINSCOT

Synonymy: in *Arenostola* in Baynes (1964).

LUPERINA BOISDUVAL, 1828

***testacea* (Denis and**

Schiffermüller, 1775)

FLOUNCED RUSTIC

***nickerlii knilli* Boursin, 1964**

IRISH SANDHILL RUSTIC

Synonymy: *Luperina nickerlii* Freyer in Baynes (1964) but this author notes "the Irish insects are much darker in colour than the English subspecies *gueneei* Doubl."

Footnote: Sandhill Rustic in Baynes (1964).

Footnote: Knill-Jones (1965).

Footnote: Bradley (2000) lists four subspecies (besides the nominate which only occurs in Continental Europe). These are:- *guenéei* Doubleday, 1864 on sand couch (*Elytrigia juncea*) (North-West England: Lancs., Formby; North Wales and Anglesey); *leechi* Goater, 1976 also on sand couch (*E. juncea*) (South-West England: West Cornwall, south coast); *demuthi* Goater and Skinner, 1995 on common salt-marsh grass (*Puccinellia maritima*) (South-East England: North Kent, Essex. South-East Suffolk.); *knilli* Boursin, 1964 on ? Red fescue (*Festuca rubra*) (South-West Ireland: Kerry, Dingle peninsula).

Footnote: *knilli* is Atlantico-Mediterranean in distribution, being also recorded on the coast and inland in Portugal, Spain, western and central France, in the Pyrenees and French Alps, and in south-west Germany (Bretherton *et al.*, 1983).

AMPHIPOEA BILLBERG, 1820

***lucens* (Freyer, 1845)**

LARGE EAR

Synonymy: in *Hydraecia* in Baynes (1964).

Footnote: genitalic determination.

+ ***fucosa paludis* (Tutt, 1888)**

SALTERN EAR

Footnote: Bretherton *et al.* (1983); Bond (1984a).

***crinanensis* (Burrows, 1908)**

CRINAN EAR

Synonymy: in *Hydraecia* in Baynes (1964).

***oculea* (Linnaeus, 1761)**

THE EAR MOTH

Synonymy: in *Hydraecia* in Baynes (1964).

HYDRAECIA GUENÉE, 1841

***micacea* (Esper, 1789)**

ROSY RUSTIC

Synonymy: in *Gortyna* in Baynes (1964).

GORTYNA OCHSENHEIMER, 1816

***flavago* (Denis and**

Schiffermüller, 1775)

FROSTED ORANGE

CALAMIA HÜBNER, 1821

***tridens occidentalis* Cockayne, 1954**

THE BURREN GREEN

Footnote: Cockayne (1954b).

Footnote: confined, within the British Isles, to Ireland. The nominate, *tridens tridens*, occurs in Continental Europe.

CELAENA STEPHENS, 1829

haworthii (Curtis, 1829)

HAWORTH'S MINOR

Footnote: *Celaena haworthii* var.

hibernica Stephens, 1829 is no longer recognised as a sub-species.

leucostigma leucostigma (Hübner, 1808)

THE CRESCENT

Synonymy: *Celaena leucostigma* Hübn. in Baynes (1964).

Footnote: Bradley (2000) lists two sub-species of this insect viz. the nominate and *scotica* Cockayne, 1944. North Scotland and Hebrides. Resident and sporadic migrant.

NONAGRIA OCHSENHEIMER, 1816

typhae (Thunberg, 1784)

BULRUSH WAINSCOT

ARCHANARA WALKER, 1866

+ *geminipuncta* (Haworth, 1809)

TWIN-SPOTTED WAINSCOT

Footnote: Bond (1992b).

sparganii (Esper, 1790)

WEBB'S WAINSCOT

Synonymy: in *Nonagria* in Baynes (1964).

algae (Esper, 1789)

RUSH WAINSCOT

Synonymy: in *Nonagria* in Baynes (1964).

RHIZEDRA WARREN, 1911

lutosa (Hübner, 1803)

LARGE WAINSCOT

COENOBIA STEPHENS, 1850

rufa (Haworth, 1809)

SMALL RUFOUS

CHARANYCA BILLBERG, 1820

trigrammica (Hufnagel, 1766)

TREBLE LINES

Synonymy: in *Meristis* in Baynes (1964).

HOPLODRINA BOURSIN, 1937

alsines (Brahm, 1791)

THE UNCERTAIN

Synonymy: in *Caradrina* in Baynes (1964).

blanda (Denis and Schiffermüller, 1775)

THE RUSTIC

Synonymy: in *Caradrina* in Baynes (1964).

+ *ambigua* (Denis and Schiffermüller, 1775)

VINE'S RUSTIC

Footnote: Agassiz (1977); Myers (1979a).

Footnote: Rathlin Island, 2002, M. Hughes pers. comm.

Migrant.

SPODOPTERA GUENÉE, 1852

exigua (Hübner, 1808)

SMALL MOTTLED WILLOW

Synonymy: in *Laphygma* in Baynes (1964).

Migrant. Canary Islands – Mediterranean - tropics.

CARADRINA OCHSENHEIMER, 1816

morpheus (Hufnagel, 1766)

MOTTLED RUSTIC

PARADRINA BOURSIN, 1937

clavipalpis (Scopoli, 1763)

PALE MOTTLED WILLOW

Synonymy: in *Caradrina* in Baynes (1964).

Footnote: status change, formerly a sub-genus of *Caradrina*.

CHILODES HERRICH-SCHÄFFER, 1849

+ *maritimus* (Tauscher, 1806)

Footnote: Bond (1994).

SILKY WAINSCOT

STILBIA STEPHENS, 1829

anomala (Haworth, 1812)

THE ANOMALOUS

STIRIINAE

PANEMERIA HÜBNER, 1823

tenebrata (Scopoli, 1763)

SMALL YELLOW UNDERWING

HELIOTHINAE

PYRRHIA HÜBNER, 1821

umbra (Hufnagel, 1766)

BORDERED SALLOW

HELICOVERPA HARDWICK, 1965

armigera armigera (Hübner, 1808)

OLD WORLD BOLLWORM,

SCARCE BORDERED STRAW

Synonymy: in *Heliothis* in Baynes (1964).

Adventive, imported with fruit and flowers and autumnal breeding migrant.

HELIOTHIS OCHSENHEIMER, 1816

peltigera (Denis and Schiffermüller, 1775)

BORDERED STRAW

Sporadic migrant and transitory resident. Atlantic Islands - South

Europe -Mediterranean - Africa - Asia.

SCHINIA HÜBNER 1818

scutosa (Denis and Schiffermüller, 1775)

SPOTTED CLOVER

Synonymy: in *Protoschinia* in many older and recent continental works; in *Heliothis* in Baynes (1964).

Footnote: the single record given in Baynes (1964) has been accepted by most authorities.

Sporadic migrant. Holarctic.

EUSTROTIINAE

EUBLEMMA HÜBNER, 1821

ostrina (Hübner, 1808)

PURPLE MARBLED

Sporadic breeding migrant. Atlantic Islands - North Africa, Central and South. Europe.

parva (Hübner, 1808)

SMALL MARBLED

Sporadic breeding migrant. South Europe – North Africa - India.

PROTODELTOTE UEDA, 1984

pygarga (Hufnagel, 1766)

MARBLED WHITE SPOT

Synonymy: *Lithacodia fasciana* L. in Baynes (1964).

Footnote: Allen and Thompson (2001).

DELTOTE REICHENBACH, 1817

Synonymy: *Eustrotia* Hübner, 1821 and *Lithacodia* auctorum.

uncula (Clerck, 1759)

SILVER HOOK

Synonymy: in *Eustrotia* in Baynes (1964).

bankiana (Fabricius, 1775)

SILVER BARRED

Synonymy: in *Eustrotia* in Baynes (1964).

Suspected migrant, transitory resident.

EARIADINAE

EARIAS HÜBNER, 1825

clorana (Linnaeus, 1761)

CREAM-BORDERED GREEN

PEA

CHLOEPHORINAE

PSEUDOIPS HÜBNER, 1822

prasinana britannica Warren, 1913

GREEN SILVER LINES

Synonymy: *Bena fagana* Fab. in Baynes (1964).

Footnote: the nominate subspecies occurs in Continental Europe.

NYCTEOLA HÜBNER, 1822

revayana (Scopoli, 1772)

OAK NYCTEOLINE

Footnote: *Nycteola* (*Sarrothrips*)

degenerana is now considered a separate species. Kane's (1901) two Irish specimens published under this name, if correctly identified, would, then be additions to the Irish list. This is unlikely, though, since the species is known as British from only two specimens (Skinner, 1984).

PANTHEINAE

COLOCASIA OCHSENHEIMER, 1816

coryli (Linnaeus, 1758)

NUT-TREE TUSSOCK

PLUSIINAE

CHRYSODEIXIS HÜBNER, 1821

+ *acuta* (Walker, 1858)

TUNBRIDGE WELLS GEM

Sporadic migrant.

Possible adventive. Atlantic Islands – Afrotropics – Australasia.

Footnote: Langton (2004).

TRICHOPLUSIA MCDUNNOUGH, 1944

ni (Hübner, 1803)

THE NI MOTH

Synonymy: in *Plusia in* Baynes (1964).

Breeding migrant. Atlantic Islands - Southern Europe - tropics.

THYSANOPLUSIA ICHINOSE, 1973

orichalcea (Fabricius, 1775)

SLENDER BURNISHED BRASS

Synonymy: in *Plusia in* Baynes (1964).

Synonymy: in *Diachrysia in* Myers (1981) and Allen (1990b).

Sporadic migrant (Four Irish records) and adventive. Atlantic Islands - South Europe - Afrotropics - South-East. Asia.

DIACHRYSLIA HÜBNER, 1821

chrysitis (Linnaeus, 1758)

BURNISHED BRASS

PRÁSACH

Synonymy: in *Plusia in* Baynes (1964).

POLYCHRYSLIA HÜBNER, 1821

moneta (Fabricius, 1787)

GOLDEN PLUSIA

EUCHALCIA HÜBNER, 1821

variabilis (Piller and Mitterpacher, 1783)

PURPLE-SHADED GEM

Synonymy: in *Plusia in* Baynes (1964).

Footnote: adventive/vagrant migrant known only from from South England (South Wiltshire, Salisbury Plain, several specimens) and one from east Ireland: Wicklow, August 1887 (Carpenter (1889) as *Plusia illustris* (misidentification)).

Adventive/vagrant migrant. Central and South Europe.

PLUSIA OCHSENHEIMER, 1816

***festucae* (Linnaeus, 1758)**

GOLD SPOT

+ ***putnami gracilis* (Lempke, 1966)**

LEMPKE'S GOLD SPOT

Footnote: added by Skinner (1990).

Now known from Cos Cork and Kerry.

AUTOGRAPHA HÜBNER, 1821

***gamma* (Linnaeus, 1758)**

SILVER Y

Synonymy: in *Plusia* in Baynes (1964).

Regular migrant, summer transitory resident. Holarctic, but migrants chiefly from Europe, North Africa and the Atlantic Islands.

***pulchrina* (Haworth, 1809)**

BEAUTIFUL GOLDEN Y

Synonymy: in *Plusia* in Baynes (1964).

***jota* (Linnaeus, 1758)**

PLAIN GOLDEN Y

Synonymy: *Plusia iota* L. in

Baynes (1964).

***bractea* (Denis and**

Schiffermüller, 1775)

THE GOLD SPANGLE

Synonymy: in *Plusia* in Baynes (1964).

SYNGRAPHA HÜBNER, 1821

***interrogationis* (Linnaeus, 1758)**

SCARCE SILVER Y

Synonymy: in *Plusia* in Baynes (1964).

Resident and sporadic migrant.

Holarctic.

ABROSTOLA

OCHSENHEIMER, 1816

***triplasia* (Linnaeus, 1758)**

DARK SPECTACLE

Synonymy: *Unca trigemina* in Baynes (1964).

Footnote: see footnote under *tripartita* (THE SPECTACLE below).

***tripartita* (Hufnagel, 1766)**

THE SPECTACLE

Synonymy: *Unca triplasia* L. in Baynes (1964).

Footnote: the synonymy here is complex and confusing, beginning with the name *triplasia* being used in different senses by Linnaeus then Hufnagel. Subsequent authors' attempts to correct matters only made things worse (see Mikkola and Honey, 1993). Records and statements based on the scientific names alone should be treated with caution.

CATACOLINAE

CATOCALA SCHRANK, 1802

fraxini (Linnaeus, 1758)

CLIFDEN NONPAREIL

Footnote: 19th century records only.
Sporadic migrant and transitory resident (Britain).

nupta (Linnaeus, 1767)

RED UNDERWING

Footnote: Passage West, Co. Cork, 16 September 1906, only record see Baynes (1964).

THRIA WALKER, 1858

+ *robusta* Walker, 1857

Synonymy: *Pandesma anysa* auctorum.
Footnote: Dundrum, Co. Down. Autumn on grapes, det. B. Skinner (Maurice Hughes pers. comm.). Second British Isles record.
Adventive.

MINUCIA MOORE, 1885

lunaris (Denis and Schiffermüller, 1775)

LUNAR DOUBLE-STRIFE

Footnote: most authors have accepted the authenticity of the Bouchard record (the third from the British Isles - 1864).

Sporadic migrant and transitory resident (Britain).

CALLISTEGE HÜBNER, 1823

mi (Clerck, 1759)

MOTHER SHIPTON

Synonymy: in *Euclidimera* in Baynes (1964).

EUCLIDIA OCHSENHEIMER, 1816

glyphica (Linnaeus, 1758)

BURNET COMPANION

Synonymy: in *Ectypa* in Baynes (1964).

OPHIDERINAE

SCOLIOPTERYX GERMAR, 1811

libatrix (Linnaeus, 1758)

THE HERALD

PHYTOMETRA HAWORTH, 1809

viridaria (Clerck, 1759)

SMALL PURPLE-BARRED

RIVULINAE

RIVULA GUENÉE, 1845

sericealis (Scopoli, 1763)

THE STRAW DOT

HYPENINAE

HYPENA SCHRANK, 1802

crassalis (Fabricius, 1787)

BEAUTIFUL SNOUT

Synonymy: in *Bomolocha* in Baynes (1964).

Footnote: Allen and Thompson, (2001).

proboscidalis (Linnaeus, 1758)

THE SNOUT

obsitalis (Hübner, 1813)

BLOXWORTH SNOUT

Footnote: a single Cork record from 1936 in Baynes (1964).

Sporadic migrant and colonist. Europe - Asia.

STREPSIMANINAE

SCHRANKIA HÜBNER, 1825

+ *taenialis* (Hübner, 1809)

WHITE-LINE SNOUT

Footnote: recent record Allen and Thompson (2001).

costaestrigalis (Stephens, 1834)

PINION-STREAKED SNOUT

Footnote: recent record in Allen and Thompson (2001).

HYPENODES DOUBLEDAY, 1850

humidalis Doubleday, 1850

MARSH OBLIQUE-BARRED

Synonymy: *turfosalis* Wocke in Baynes (1964).

Footnote: recent record in Allen and Thompson (2001).

PECHIPOGO HÜBNER, 1825

strigilata (Linnaeus, 1758)

COMMON FAN-FOOT

Synonymy: *Herminia barbalis* Clerck in Baynes (1964).

Footnote: very rare.

ZANCLOGNATHA LEDERER, 1857

tarsipennalis (Treitschke, 1835)

THE FAN-FOOT

HERMINIA LATREILLE, 1802

grisealis (Denis and Schiffermüller, 1775)

SMALL FAN-FOOT

Synonymy: *Zanclognatha nemoralis* Fab. in Baynes (1964).

References

- Agassiz, D. (1977) Lepidoptera in the south of Ireland. *Entomologist's Record and Journal of Variation* **89**: 73-74.
- Agassiz, D. (1982) Lepidoptera in Ireland. *Entomologist's Record and Journal of Variation* **94**: 130-31.
- Agassiz, D. (1988) Microlepidoptera - a review of the year 1986. *Entomologist's Record and Journal of Variation* **100**: 118-130.
- Allen, D. (1990a) The status and distribution of *Eilema lurideola* (Zinck) common footman and *E. complana* (L.) scarce footman (Lepidoptera) in Northern Ireland. *Irish Naturalists' Journal* **23**: 337-338.
- Allen, D. (1990b) A record of *Diachrysia orichalcea* (Fabr.) (Lepidoptera) slender burnished brass from Co Down. *Irish Naturalists' Journal* **23**: 338.
- Allen, D., Cryer, R. and Gray, M. (1990) The macro-moths (Lepidoptera) of Rathlin Island, Co Antrim. *Irish Naturalists' Journal* **23**: 339-340.
- Allen, D. and Thompson, R. (2001) Significant records of macro-moths in Northern Ireland (1990-Feb. 2001). *Atropos* **14**: 35-41.
- Anderson, R., Nash, R. and O'Connor, J. P. (1997) Irish Coleoptera. A revised and annotated list. *Irish Naturalists' Journal Special Entomological Supplement*. 81pp.
- Asher, J., Warren, M. S., Fox, R., Harding, P. T., Jeffcoate, G. and Jeffcoate, S. (2001) *The millenium atlas of butterflies in Britain and Ireland*. Oxford University Press, Oxford.
- Bailey, K. E. J., Baker, R. R., Brakefield, P. M., Bretherton, R. F., Emmet, A. M., Lear, N. W., Melling, T., Pollard, E., Porter, K. J., Pratt, C. R., Shreeve, T. G., Warren, M. S., Willmott, K. J. and Wilson, A. (1989) Nymphalidae. Pp 180-285. In Emmet, A. M. and Heath, J. (eds) *Hesperiidae-Nymphalidae. The butterflies. The moths and butterflies of Great Britain and Ireland* **7**(1). Harley Books, Colchester.
- Baldizzone, G. and Landry, J.-F. (1993) *Coleophora cratipennella* Clemens, 1864 and *C. tamesis* Waters, 1929, two distinct species (Lepidoptera: Coleophoridae). *Nota Lepidopterologica* **16**: 2-12.
- Barrett, C. G. (1861a) Irish captures. *Entomologist's Weekly Intelligencer* **10**: 1-14.
- Barrett, C. G. (1861b) Captures of Lepidoptera near Dublin. *Zoologist*: 7799-7800.
- Barrett, C. G. (1885) Notes on the Lepidoptera of Belfast. *Entomologist's Monthly Magazine* **22**: 124-126.
- Barrett, C. G. (1900) Occurrence of *Zelleria phillyrella*, Millière, in Ireland. *Entomologist's Monthly Magazine* **36**: 4-6.
- Baynes, E. S. A. (1959) An Irish sub-species of *Chiasma clathrata* L. (Lep. Geometridae). *Entomologist* **92**: 20-21.
- Baynes, E. S. A. (1964) *A revised catalogue of Irish Macrolepidoptera* (butterflies and moths). E. W. Classey, Hampton.
- Baynes, E. S. A. (1970) *Supplement to a catalogue of Irish Macrolepidoptera* (butterflies and moths). E. W. Classey, Hampton.

AN ANNOTATED CHECKLIST OF THE IRISH BUTTERFLIES AND MOTHS (LEPIDOPTERA)

- Beirne, B. P. (1933) The large thorn moth in Co. Wexford: an addition to the Irish list. *Irish Naturalists' Journal* **4**: 137.
- Beirne, B. P. (1938) New Irish Microlepidoptera. *Irish Naturalists' Journal* **7**: 12-15.
- Beirne, B. P. (1941) A list of the Microlepidoptera of Ireland. *Proceedings of the Royal Irish Academy* **47B**: 53-147.
- Beirne, B. P. (1942) "A list of the Microlepidoptera of Ireland", additions and corrections. *Irish Naturalists' Journal* **8**: 16-17.
- Beirne, B. P. (1944) New records for Irish Lepidoptera. *Irish Naturalists' Journal* **8**: 147-149.
- Beirne, B. P. (1945a) Irish Lepidoptera collecting in 1944. *Entomologist's Record and Journal of Variation* **57**: 51-53, 63-66, 86-89.
- Beirne, B. P. (1945b) The male genitalia of the British Stigmellidae (Nepticulidae) (Lep.). *Proceedings of the Royal Irish Academy* **50B**: 191-218.
- Birchall, E. (1866-67) The Lepidoptera of Ireland. *Entomologist's Monthly Magazine* **3**: 128-131.
- Birchall, E. (1873) The origin and distribution of the insects of Ireland. *Entomologist's Monthly Magazine* **10**: 153-6.
- Bland, K. P. (1984) *Nematopogon variella* (Brandt, 1937) (Lepidoptera: Incurvariidae), a species newly recognized in Britain. *Entomologist's Gazette* **35**: 33-37.
- Bland, K. P. (1996) Elachistidae. Pp 339-410. In Emmet, A. M. (ed.) *Yponomeutidae-Elachistidae. The moths and butterflies of Great Britain and Ireland*. **3**. Harley Books, Colchester.
- Bland, K. P. (2002) Autostichidae (Symmocidae). Pp 188-195. In Emmet, A. M. and Langmaid, J. R. (eds) *Oecophoridae – Scythrididae (excluding Gelechiidae). The moths and butterflies of Great Britain and Ireland* **4(1)**. Harley Books, Colchester.
- Bland, K. P., Corley, M. F. V., Emmet, A. M., Heckford, R. J., Huemer, P., Langmaid, J. R., Palmer, S. M., Parsons, M. S., Pitkin, L. M., Rutten, T., Sattler, K., Simpson, A. N. B. and Sterling, P. H. (2002) Gelechiidae. Pp 10-251, plates 1-6. In Emmet, A. M. and Langmaid, J. R. (eds) *Gelechiidae. The moths and butterflies of Great Britain and Ireland* **4(2)**. Harley Books, Colchester.
- Bond, K. G. M. (1979) New Irish records of Microlepidoptera in August. *Entomologist's Record and Journal of Variation* **91**: 27.
- Bond, K. G. M. (1981a) *Croesia forskaleana* L., *Gypsonoma aceriana* Dup. and *Eucosma obumbratana* L. & Z. in County Cork *Entomologist's Record and Journal of Variation* **93**: 40
- Bond, K. G. M. (1981b) Some additions to the Irish Microlepidoptera, 1978-1980. *Entomologist's Record and Journal of Variation* **93**: 58-59.
- Bond, K. G. M. (1981c) *Adela cuprella* D. & S. (Lep.: Incurvariidae) in three Irish counties. *Entomologist's Record and Journal of Variation* **93**: 237.

- Bond, K. G. M. (1983) *Tebenna bjer kandrella* Thunberg (Lep.: Glyphipterigidae) in Ireland. *Entomologist's Record and Journal of Variation* **95**: 28.
- Bond, K. G. M. (1984a) First Irish record of *Amphipoea fucosa paludis* (Lepidoptera: Noctuidae). *Irish Naturalists' Journal* **21**: 278.
- Bond, K. G. M. (1984b) Recent records of Eriocraniidae (Lepidoptera) including three species new to the Irish list. *Irish Naturalists' Journal* **21**: 323-324.
- Bond, K. G. M. (1984c) Invertebrates of Irish Midlands raised bogs: part III. Lepidoptera. *Bulletin of the Irish Biogeographical Society* **8**: 103-110.
- Bond, K. G. M. (1988) *Cacoecimorpha pronubana* (Hübner) (Lepidoptera: Tortricidae) new to Ireland. *Irish Naturalists' Journal* **22**: 454.
- Bond, K. G. M. (1989) Clonmacnoise Heritage Zone, Co. Offaly, Ireland: assessment of conservation value based on Lepidoptera recorded from 1983 to 1987. *Bulletin of the Irish Biogeographical Society* **12**: 63-89.
- Bond, K. G. M. (1991a) Extension of the known range of *Rhigognostis incarnatella* (Steudel, 1873) (Lepidoptera: Yponomeutidae) - records from Ireland and the Isle of Man. *Entomologist's Gazette* **42**: 223-225.
- Bond, K. G. M. (1991b) A preliminary survey of the Lepidoptera of Pollardstown Fen, Co. Kildare, including a record of *Cosmopterix lienigiella* (Lienig and Zeller, 1839) (Cosmopterigidae), a species new to Ireland. *Bulletin of the Irish Biogeographical Society* **14**: 24-47.
- Bond, K. G. M. (1992a) *Coleophora pappiferella* Hofmann, 1869 (Lepidoptera: Coleophoridae) in Northern Ireland. *Entomologist's Gazette* **43**: 72.
- Bond, K. G. M. (1992b) First Irish record of *Archanara geminipuncta* (Haworth, 1809) (Lep.: Noctuidae). *Entomologist's Record and Journal of Variation* **104**: 256.
- Bond, K. G. M. (1992c) *Crambus uliginosellus* Zeller (Lepidoptera: Pyralidae), first confirmed Irish records. *Irish Naturalists' Journal* **24**: 167-168.
- Bond, K. G. M. (1994) *Chilodes maritimus* (Tauscher) (Lepidoptera: Noctuidae), new to Ireland. *Irish Naturalists' Journal* **24**: 412.
- Bond, K. G. M. (1995) Irish Microlepidoptera check-list. *Bulletin of the Irish Biogeographical Society* **18**: 176-262.
- Bond, K. G. M. (1996) Previously unpublished records of Microlepidoptera to be added to the Irish list. *Irish Naturalists' Journal* **25**: 194-207.
- Bond, K. G. M. (1997) First confirmed Irish record of *Epinotia rubiginosana* (Herrich-Schäffer, 1851) (Lepidoptera: Tortricidae). *Entomologist's Gazette* **48**: 230.
- Bond, K. G. M. (1998a) First Irish record of *Apomyelois bistriatella subcognata* (Ragonot, 1887) (*neophanes* (Durant, 1915)) (Lepidoptera: Pyralidae) with a discussion of its reported feeding habits. *Entomologist's Gazette* **49**: 139.
- Bond, K. G. M. (1998b) *Epiphyas postvittana* (Walker) (Lep.: Tortricidae) new to Ireland. *Entomologist's Record and Journal of Variation* **110**: 250.

AN ANNOTATED CHECKLIST OF THE IRISH BUTTERFLIES AND MOTHS (LEPIDOPTERA)

- Bond, K. G. M. (1999a) *Metzneria aestivella* (Zeller, 1839) (Lepidoptera: Gelechiidae): first confirmed Irish record, with a note on the locality of capture. *Entomologist's Gazette* **50**: 115.
- Bond, K.G.M. (1999b) The plume moth *Marasmaracha lunaedactyla* (Haworth) (Lepidoptera), new to Ireland, in Cos Waterford and Wexford. *Irish Naturalists' Journal* **26** (1998): 128.
- Bond, K. G. M. (2001) *Phyllocnistis unipunctella* (Stepens, 1834) (Lepidoptera: Gracillariidae, Phyllocnistinae) and *Coleophora salicorniae* Heinemann & Wocke, 1876 (Lepidoptera: Coleophoridae) new to Ireland and first confirmed Irish record of *Stenoptilia zophodactylus* (Duponchel, 1840) (Lepidoptera: Pterophoridae). *Entomologist's Gazette* **52**: 208.
- Bond, K. G. M. (2002) *Homoeosoma sinuella* (Fabricius, 1794) and *Myelois circumvoluta* (Fourcroy, 1785) (Lepidoptera: Pyralidae) new to Ireland from a Co Wicklow site. *Irish Naturalists' Journal* **27**: 121-122.
- Bond, K. G. M. (2003) *Epinotia sordidana* (Lepidoptera: Tortricidae) new to Ireland. *Entomologists' Gazette* **54**: 142.
- Bond, K. G. M. (2005a) *Coleophora sternipennella* (Zetterstedt, 1839) (Lepidoptera: Coleophoridae) new to Ireland. *Entomologist's Gazette* **56**: 65.
- Bond, K. G. M. (2005b) The status of the members of the genus *Oligia* Hübner, 1821 (Lepidoptera: Noctuidae) in Ireland. *Bulletin of the Irish Biogeographical Society* **29**: 130-142.
- Bond, K. G. M. and Ashe, P. (2005) *Phyllonorycter leucographella* (Zeller, 1850) (Lepidoptera: Gracillariidae) new to Ireland. *Entomologist's Gazette* **56**: 80.
- Bond, K. G. M. and Early, J. K. (1991) *Thera juniperata* Thunberg in eastern Ireland. *Entomologist's Record and Journal of Variation* **103**: 206-207.
- Bond, K. G. M. and Good, J. A. (1989) Extension in range of the carnation tortrix *Cacoecimorphia pronubana* (Hübner) (Lepidoptera: Tortricidae). *Irish Naturalists' Journal* **23**: 153.
- Bond, K. G. M. and van Nieukerken, E. J. (1987) Discovery of male *Ectoedemia argyropeza* (Zeller) (Lepidoptera: Nepticulidae) in south-west Ireland. *Entomologist's Gazette* **38**: 191-195.
- Bradley, J. D. (1952) Microlepidoptera collected in the Burren, Co. Clare, Ireland in 1951, including two species new to the British list. *Entomologist's Gazette* **3**: 185-192, plate 10.
- Bradley, J. D. (1953a) Microlepidoptera from the Bantry - Glengarriff area, west Cork. *Irish Naturalists' Journal* **11**: 16-18.
- Bradley, J. D. (1953b) Microlepidoptera collected in the Burren, Co. Clare, Ireland in 1952, including a plume moth new to the British list. *Entomologist's Gazette* **4**: 135-140, plate 1.
- Bradley, J. D. (1960) Additional records of Microlepidoptera collected in the Burren, Co. Clare, in 1951 and 1952. *Entomologist's Gazette* **11**: 31-36.

- Bradley, J. D. (1963) *Sorhagenia rhamniiella* (Zeller) (Lep., Momphidae) - a composite species. *Entomologist's Gazette* **14**: 41-44.
- Bradley, J. D. (2000) *Checklist of Lepidoptera recorded from the British Isles*. Second edition (revised). Published privately. D. J. and M. J. Bradley, Fordingbridge.
- Bradley, J. D., Fletcher, D. S. and Whalley, P. E. S. (1972) in Kloet, G. S. and Hincks, W. D. (eds) A check list of British Insects. Second edition (completely revised). Part 2: Lepidoptera. *Handbooks for the Identification of British Insects* **11**(2). Royal Entomological Society, London.
- Bradley, J. D. and Pelham-Clinton, E. C. (1967) The Lepidoptera of the Burren, Co. Clare, W. Ireland. *Entomologist's Gazette* **18**: 115-153.
- Bradley, J. D., Tremewan, W. G. and Smith, A. (1973) *British tortricoid moths. Cochylidae and Tortricidae: Tortricinae*. The Ray Society, London
- Bradley, J. D., Tremewan, W. G. and Smith, A. (1979) *British tortricoid moths. Tortricidae: Olethreutinae*. The Ray Society, London.
- Bretherton, R. F., Goater, B. and Lorimer, R. I. (1979) Noctuidae. Pp 120-278. In Heath, J. and Emmet, A. M. (eds) *Sphingidae - Noctuidae. Noctuidae and Hadeninae. The moths and butterflies of Great Britain and Ireland* **9**. Curwen Books, London.
- Bretherton, R. F., Goater, B. and Lorimer, R. I. (1983) Noctuidae (continued). Pp 36-413. In Heath, J. and Emmet, A. M. (eds) *Noctuidae (Cuculliinae to Hypeninae) and Agaristidae. The moths and butterflies of Great Britain and Ireland*. **10**. Harley Books, Colchester.
- Brown, D. (1987) *Eilema caniola* Hubn. (Hoary Footman) in SW Ireland. *Entomologist's Record and Journal of Variation* **99**: 45.
- Brown, S. C. S. (1986) *Leucodonta bicoloria* Schiff. Lep.: Notodontidae (The White Prominent) - a possible occurrence in Dorset. *Entomologist's Record and Journal of Variation* **98**: 173-174.
- Carpenter, G. H. (1889) *Plusia illustris* in Ireland. *Entomologist* **22**: 46.
- Chalmers-Hunt, J. M. (1977a) *Cosmopterix drurella* (Fabricius) (Lep.: Momphidae) in Ireland. *Entomologist's Record and Journal of Variation* **89**: 276.
- Chalmers-Hunt, J. M. (1977b) Lepidoptera in Co. Mayo. *Entomologist's Record and Journal of Variation* **89**: 347.
- Chalmers-Hunt, J. M. (1982) On some interesting Irish Lepidoptera in the National Museum of Ireland. *Irish Naturalists' Journal* **20**: 530-537.
- Clancy, S. (1997) Separation of Copper Underwing *Amphipyra pyramidea* and Svenssons Copper Underwing *A. berbera*. *Atropos* **2**: 20-31.
- Classey, E. W. and Goater, B. (1951) Systematic list of the Lepidoptera taken by the expedition to Ireland 5th August to 19th August, 1950. *Entomologist's Gazette* **2**: 95-99, plates 1-2, II.
- Cockayne, E. A. (1951) *Aspitates gilvaria* Fabricius ssp. *burrenensis* ssp. nov. *Entomologist's Gazette* **2**: 100-101.

AN ANNOTATED CHECKLIST OF THE IRISH BUTTERFLIES AND MOTHS (LEPIDOPTERA)

- Cockayne, E. A. (1954a) *Eumenis semele clarensis* de Lattin; an aberration, not a subspecies. *Entomologist's Record and Journal of Variation* **66**: 39.
- Cockayne, E. A. (1954b) The Irish subspecies of *Calamia virens* L. (Lep. Caradrinidae). *Entomologist's Gazette* **5**: 155-156.
- Crolla, J., Tunmore, M. and Bowles, M. (2002) Identification and status of American Painted Lady *Vanessa virginiensis* in the British Isles. *Atropos* **16**: 3-18.
- Cromein, S. and O'Connor, J. P. (2001) A record of the Monarch butterfly *Danaus plexippus* L. (Insecta: Lepidoptera) from County Wexford, Ireland, with a review of other Irish occurrences. *Bulletin of the Irish Biogeographical Society* **25**: 3-6.
- Demuth, R. P. (1971) *Antitype xanthomista* Gregson in Ireland. *Entomologist's Record and Journal of Variation* **83**: 24.
- Donaldson, C. (1992) A new moth record for Ireland *Cybosia mesomella* (L.) (Lepidoptera) Four-dotted Footman. *Irish Naturalists' Journal* **24**: 79-80.
- Donovan, C. (1936) *A catalogue of the Macrolepidoptera of Ireland*. E. J. Burrow, Cheltenham and London. Printed for private circulation.
- Donovan, C. (1945) The pyralid, *Margarodes unionalis* in Ireland. *Entomologist* **78**: 190-191.
- Dowling, D. N. (1979) *Lita virgella* Thunberg (Lep.: Gelichiidae) a species new to Ireland. *Entomologist's Record and Journal of Variation* **91**: 73.
- Ellerton, J. (1967) A fortnight in Connemara, 12th to 29th August, 1966. *Entomologist's Record and Journal of Variation* **79**: 125-127.
- Emmet, A. M. (1968) Lepidoptera in West Galway. *Entomologist's Gazette* **19**: 45-58.
- Emmet, A. M. (1970a) *Stigmella (Nepticula) paradoxa* Frey (*nitidella* Heinemann) (Lep. Nepticulidae) - a species new to Britain. *Entomologist's Record and Journal of Variation* **82**: 3-5.
- Emmet, A. M. (1970b) Pp 21-22. In Anon. (ed.) The annual exhibition - 1st November 1969. *Proceedings and Transactions of The British Entomological and Natural History Society* **3**: 17-23.
- Emmet, A. M. (1971) More Lepidoptera in West Galway. *Entomologist's Gazette* **22**: 3-18.
- Emmet, A. M. (1973) Notes on some of the British Nepticulidae II. *Entomologist's Record and Journal of Variation* **85**: 278-283.
- Emmet, A.M. (1975a) Pp 16-17. In Anon. (ed.) The 1974 annual exhibition. *Proceedings and Transactions of The British Entomological and Natural History Society* **8**: 16-17.
- Emmet, A. M. (1975b) A preliminary list of the Nepticulidae of Ireland. *Proceedings and Transactions of The British Entomological and Natural History Society* **8**: 31-38.

- Emmet, A. M. (1976) *Stigmella auritella* (Skala) (Lep.: Nepticulidae): a species new to Britain. *Entomologist's Record and Journal of Variation* **88** : 105-109.
- Emmet A. M. (1981) Records of Nepticulidae in Ireland since 1975. *Irish Naturalists' Journal* **20**: 186-188.
- Emmet, A. M. (1985a) Ochsenheimeriidae. Pp 208-212. In Emmet, A. M. and Heath, J. (eds) *Cossidae-Heliodinidae. The moths and butterflies of Great Britain and Ireland* **2**. Harley Books, Colchester.
- Emmet, A. M. (1985b) Lyonetiidae. Pp 212-239. In Emmet, A. M. and Heath, J. (eds) *Cossidae-Heliodinidae. The moths and butterflies of Great Britain and Ireland* **2**. Harley Books, Colchester.
- Emmet, A. M. (1988) *A field guide to the smaller British Lepidoptera*. (Second edition). The British Entomological and Natural History Society, London.
- Emmet, A. M. (1991a) Chart showing the life history and habits of the British Lepidoptera. Pp 61-303. In Emmet, A. M. and Heath, J. (eds) *Lasiocampidae – Thyatiridae with life history chart of the British Lepidoptera. The moths and butterflies of Great Britain and Ireland* **7(2)**. Harley Books, Colchester.
- Emmet, A. M. (1991b) *The scientific names of the British Lepidoptera. Their history and meaning*. Harley Books, Colchester.
- Emmet, A. M. (1993) Changes in the nomenclature of certain species of the genus *Coleophora* Hübner, 1822 (Lepidoptera) occurring in Britain. *Entomologist's Gazette* **44**: 31-35.
- Emmet, A.M. (1998) In Agassiz, P. J. L. (ed.) British Microlepidoptera. 1966 Annual Exhibition. *British Journal of Entomology and Natural History* **10**: (1997): 154-160.
- Emmet, A. M. and Langmaid, J. R. (1997) Microlepidoptera in Ireland, September, 1995. *Entomologist's Gazette* **48**: 147-155.
- Emmet, A. M. and Langmaid, J. (eds) (2002) *Oecophoridae to Scythridae. The moths and butterflies of Great Britain and Ireland* **4(1)**. Harley Books, Colchester.
- Emmet, A. M., Langmaid, J. R., Bland, K. P., Corley, M. F. V. and Razowski, J. (1996) Coleophoridae. Pp 126-338. In Emmet, A. M. (ed.) *Yponomeutidae-Elachistidae. The moths and butterflies of Great Britain and Ireland*. **3**. Harley Books, Colchester.
- Emmet, A. M., Watkinson, I. A. and Wilson, M. R. (1985) Gracillariidae. Pp 244-363. In Emmet, A. M. and Heath, J. (eds). *Cossidae-Heliodinidae. The moths and butterflies of Great Britain and Ireland* **2**. Harley Books, Colchester.
- Fletcher, D. S. (1968) *Amphipyra pyramidea* (Linnaeus) and *A. berbera* Rungs (Lep., Noctuidae), two species confused. *Entomologist's Gazette* **19**: 91-106.
- Ford, E. B. (1945) *Butterflies*. The New Naturalist, Collins, London.

AN ANNOTATED CHECKLIST OF THE IRISH BUTTERFLIES AND MOTHS (LEPIDOPTERA)

- Forder, P. (1993) *Odonthognophos dumetata* Treitschke (Lepidoptera: Geometridae) new to the British Isles with description of a new form, *hibernica* Forder ssp. nov. *Entomologist's Record and Journal of Variation* **105**: 201-202.
- Goodson, A. L. (1948) New varieties of *Argynnis cydippe* L. and *Lycaena phlaeas* L. *Entomologist* **81**: 177-178.
- Graves, P. (1930) The British and Irish *Maniola jurtina* L. (Lep.). *Entomologist* **63**: 49-54, 75-81, plate 1.
- Greer, T. (1918) *Zygaena filipendulae* and *Z. lonicerae* hybrids. *Entomologist's Record and Journal of Variation* **30**: 187-188.
- Harper, M. W. (1993) *Agonopterix astrantiae* (Heinemann) (Lepidoptera: Oecophoridae) new to Ireland, and other records. *Entomologist's Gazette* **44**: 56.
- Hättenschwiler, P. (1985) Psychidae. Pp 128-151. In Emmet, A. M. and Heath, J. (eds) *Cossidae-Heliodinidae. The moths and butterflies of Great Britain and Ireland* **2**. Harley Books, Colchester.
- Haynes, R. F. (1984) The extraordinary tale of the white prominent: *Leucodonta bicoloria* D. & S. in County Kerry. *Entomologist's Record and Journal of Variation* **96**: 1-6.
- Haynes, R. F. and Hillis, J. P. (1983) A report on migrant insects in Ireland for 1982. *Irish Naturalists' Journal* **21**: 187.
- Haynes, R. F. and Hillis, J. P. (1984) Report on migrant insects in Ireland for 1983. *Irish Naturalists' Journal* **21**: 324-325.
- Haynes, R. F. and Hillis, J. P. (1985) Report on migrant insects in Ireland for 1984. *Irish Naturalists' Journal*. **21**: 505-506.
- Heal, H. G. (1985) First record of a nepticulid moth. *Irish Naturalists' Journal* **21**: 545.
- Healy, B. (1975) Fauna of the salt-marsh, North Bull Island, Dublin. *Proceedings of the Royal Irish Academy* **75B**: 225-244.
- Heath, J. (1969) Lepidoptera distribution maps scheme guide to the critical species. *Entomologist's Gazette* **93**: 89-95.
- Heath J. and Pelham-Clinton, E. C. (1976) Incurvariidae. Pp 277-300. In Heath J. (ed.) *Micropterigidae: Heliozelidae. The moths and butterflies of Great Britain and Ireland* **1**. Blackwell and Curwen, London.
- Heckford, R. J. (1990) *Tebenna micalis* (Mann) a newly recognized British species and a reconsideration of British records of *T. bjerkanrella* (Thunberg) (Lepidoptera: Choreutidae). *Entomologist's Gazette* **41**: 17-20, plates 1-3.
- Heckford, R. J. and Langmaid, J. R. (1988) *Eulamprotes phaeella* sp. n. (Lepidoptera: Gelechiidae) in the British Isles. *Entomologist's Gazette* **39**: 1-11.
- Heckford, R. J. and Langmaid, J. R. (1991) Lepidoptera in Ireland, 1989. *Entomologist's Gazette* **42**: 15-29.
- Higgins, L. G. (1975) *The classification of European butterflies*. Collins, London.

- Hodgkinson, J. B. (1868) Captures of Lepidoptera at Howth. *Entomologist's Monthly Magazine* **5**: 78.
- Hogan, A. R. (1854) The occurrence of *Elachista triseriatella* near Dublin. *Zoologist* **12**: 5426.
- Hogan, A. R. (1855) Catalogue of Irish Microlepidoptera. *Natural History Review* **2**: 109-115.
- Howarth, T. G. (1971) The status of Irish *Hipparchia semele* (L.) (Lep., Satyridae) with descriptions of a new subspecies and aberrations. *Entomologist's Gazette* **22**: 123-129, plate 1.
- Huemer, P. and Tarmann, G. (1993) *Die Schmetterlinge Österreichs* (Lepidoptera). *Systematisches Verzeichnis mit Verbreitungsangaben für die einzelnen Bundesländer*. Beilagenband **5** zu den Veröffentlichungen des Museums Ferdinandeum. Selbstverlag des Tiroler Landesmuseums Ferdinandeum, Innsbruck. 224 pp.
- Huggins, H. C. (1953) The Lepidoptera of Glengarriff, Co. Cork. *Entomologist* **86**: 12-17, 242-254.
- Huggins, H. C. (1955) The Irish sub-species of *Alucita icterodactyla* Mann (Lep: Pterophoridae). *Entomologist's Gazette* **6**:124-126.
- Huggins, H. C. (1956a) The Burren subspecies of *Erynnis tages* Linn. *Entomologist* **89**: 241-242.
- Huggins, H. C. (1956b) The Irish race of *Gonepteryx rhamni* (Lep. Pieridae). *Entomologist* **89**: 65.
- Huggins H. C. (1956c) New aberrations of British Lepidoptera. *Entomologist* **89**: 1, plate 1.
- Huggins, H. C. (1962a) Notes on the Microlepidoptera. Confirmation of the Irish status of *Homoeosoma nebulella* Schiff. *Entomologist's Record and Journal of Variation* **74**: 218-219.
- Huggins, H. C. (1962b) Notes on the Microlepidoptera. The Irish status of *Platyptilia calodactyla* Schiff. (*zetterstedti* Zell.). *Entomologist's Record and Journal of Variation* **74**: 202.
- Huggins, H. C. (1962c) A new subspecies of *Eupithecia venosata* Fabr. *Entomologist's Record and Journal of Variation* **74**: 171-172.
- Huggins, H. C. (1962d) A new subspecies of *Eupithecia vulgata* Haworth (Lepidoptera, Hydrimenidae). *Entomologist* **95**: 45-46.
- Huggins, H. C. (1966) Notes on the Microlepidoptera. *Crociosema plebeiana* Zell., a tortrix new to Ireland. *Entomologist's Record and Journal of Variation* **78**: 256.
- Huggins, H. C. (1973) Ireland, 1972. *Entomologist's Record and Journal of Variation* **85**: 65-67.
- Jeffares, M. (2002) *Eilema griseola* (Hübner, [1803]) f. *stramineola* (Doubleday, 1847) (Lepidoptera: Arctiidae) new to Ireland. *Entomologist's Gazette* **53**: 56.

AN ANNOTATED CHECKLIST OF THE IRISH BUTTERFLIES AND MOTHS (LEPIDOPTERA)

- Johansson, R., Nielsen, E. S., van Nieukerken, E. J. and Gustafsson, B. (1990) The Nepticulidae and Opostegidae (Lepidoptera) of North West Europe. *Fauna Entomologica Scandinavica* **23**(1): 1-413; **23**(2): 415-739.
- Johnson, A. C. (2001) Lepidoptera in 1997 at Kilcolman National Reserve, Co. Cork, Ireland. *Bulletin of the Irish Biogeographical Society* **25**: 105-134.
- Johnson, A. C. and Bond, K. G. M. (1999) *Ysolopha mucronella* (Scopoli, 1763) (Lepidoptera: Yponomeutidae) in Co Cork, new to Ireland. *Irish Naturalists' Journal* **26** (1998): 128.
- Kane, W. F. de V. (1893) A catalogue of the Lepidoptera of Ireland. *Entomologist* **26**: 69-73, 117-121, 157-159, 187-190, 212-215, 240-244, 269-273.
- Kane, W. F. de V. (1901) *A catalogue of the Lepidoptera of Ireland*. West, Newman and Co., London. viii + 166pp.
- Karsholt, O. and Razowski, J. (eds) (1996) *The Lepidoptera of Europe. A distributional checklist*. Apollo Books, Stenstrup.
- Knill-Jones, S. A. (1965) The discovery of an Irish subspecies of *Luperina nickerlii* Freyer (Lep., Noctuidae). *Entomologist's Gazette* **16**: 3-6.
- Kudrna, O. (1983) An annotated catalogue of the butterflies (Lepidoptera: Papilionoidea) named by Roger Verity. *Journal of Research on the Lepidoptera* **21** (1982): 1-105, 1 plate.
- Langmaid, J. R. (1989) Lepidoptera in Ireland, August 1896. *Entomologist's Gazette* **40**: 307-313.
- Langmaid, J. R. and Young, M. R. (2001) Microlepidoptera review of 2000. *Entomologist's Record and Journal of Variation* **113**: 241-254.
- Langton, P. H. (2004) *Chrysodeixis acuta* (Walker, 1858) (Lepidoptera: Noctuidae), the Tunbridge Wells Gem, an adventine new to Northern Ireland. *Entomologist's Gazette* **55**: 102.
- Lattin, G. de (1952) Two new subspecies of *Hipparchia semele* Linnaeus. *Entomologist's Record and Journal of Variation* **64**: 335-336.
- Leraut, P. (1997) *Liste systématique et synonymique des Lépidoptères de France, Belgique et Corse* (deuxième édition). Supplément à Alexanor.
- Mere, R. M. (1964) Part II – a new subspecies of *Eupithecia intricata* Zetterstedt (Lep., Geometridae). p. 73, plate 3. In Mere, R. M., Bradley, J. D. and Pelham-Clinton, E. C. (1964) Lepidoptera in Ireland, May-June 1962 *Entomologist's Gazette* **15**: 66-92.
- Mere, R. M., Bradley, J. D. and Pelham-Clinton, E. C. (1962) Lepidoptera in Ireland, May, 1961. *Entomologist's Gazette* **13**: 159-177.
- Mere, R. M., Bradley, J. D. and Pelham-Clinton, E. C. (1964) Lepidoptera in Ireland, May-June, 1962. *Entomologist's Gazette* **15**: 66-92.
- Mere, R. M. and Pelham-Clinton, E. C. (1966) Lepidoptera in Ireland, 1963, 1964 and 1965. *Entomologist's Gazette* **17**: 163-182.
- Mey, W. (1994) Taxonomische Bearbeitung der westpaläarktischen Arten der Gattung *Leucoptera* Hubner, [1825], s.l. (Lepidoptera, Lyonetiidae). *Deutsche entomologische Zeitschrift, N. F.* **41**: 173- 234.

- Meyrick, E. (1928) *A revised handbook of British Lepidoptera*. Watkins and Doncaster, London.
- Mikkola, K. and Honey, M. (1993) The Noctuoidea (Lepidoptera) described by Linnaeus. *Zoological Journal of the Linnean Society* **108**: 103-169.
- Müller, L. and Kautz, H. (1939) *Pieris bryoniae*, O. und *Pieris napi*, L. *Abhandlungen des Österreichischen Entomologen-Vereines* **1**. xvi, 19pp, 16 colour plates.
- Myers, A. A. (1979a) A first record of *Hoplodrina ambigua* (D. & S.) (Lepidoptera: Noctuidae) from Ireland and its possible establishment as an Irish resident. *Entomologist's Gazette* **30**: 6.
- Myers, A. A. (1979b) Confirmation of *Zeuzera pyrina* (Linnaeus) (Lepidoptera: Cossidae) as an Irish species. *Entomologist's Gazette* **30**: 30.
- Myers, A. A. (1979c) *Dicestra trifolii* (Hufnagel) (Lepidoptera: Noctuidae) in Ireland. *Entomologist's Gazette* **30**: 46.
- Myers, A. A. (1981) Migrant nocturnal Lepidoptera in Co Cork, 1971-1980. A review. *Irish Naturalists' Journal* **20**: 301-302.
- Myers, A. A. (1982) First Irish record of *Eupithecia phoeniciata* (Rambur) (Lepidoptera: Geometridae). *Entomologist's Gazette* **33**: 47.
- Myers, A. A. (1983a) *Cyclophora pupillaria* (Hübner) (Lepidoptera: Geometridae) new to Ireland. *Entomologist's Gazette* **34**: 116.
- Myers, A. A. (1983b) *Eupithecia phoeniciata* (Rambur) (Lepidoptera: Geometridae) resident in south-west Ireland. *Entomologist's Gazette* **34**: 124.
- Myers, A. A. (1985) *Agrotis crassa* (Hübner) (Lepidoptera: Noctuidae) and other migrants in south-west Ireland, 1984. *Entomologist's Gazette* **36**: 14.
- Nash, R., Hughes, M., Nelson, B., and Warren, M. (2001) Real's Wood White *Leptidea reali* Reissinger, 1989: a butterfly new to Britain and Ireland. *Atropos* **14**: 12-15.
- Nash, R. and O'Connor, J. P. (2000) Checklisting the Irish insect fauna. Pp 97-102. In Ruston, B. S. (ed.) *Biodiversity. The Irish dimension. Proceedings of Seminar held on 4 and 5 March 1998*. Royal Irish Academy, Dublin.
- Nash, R. and Samson, C. (1990) A fourth Irish specimen of the small mountain ringlet *Erebia epiphron* Knoch (Lepidoptera). *Irish Naturalists' Journal* **23**: 339.
- Nelson, B., Hughes M., Nash, R. and Warren, M. (2001) *Leptidea reali* Reissinger 1989 (Lep.: Pieridae): a butterfly new to Britain and Ireland. *Entomologist's Record and Journal of Variation* **113**: 97-101.
- O'Connor, J. P., Ashe, P., O'Neill, L., Bond, K. G. M. and Murray, D. A. (1990) Records of some insect pests which recently caused public concern in Ireland. *Bulletin of the Irish Biogeographical Society* **13**: 141-165.
- O'Connor, J. P. and Bond, K. G. M. (2005) *Cacoecimorpha pronubana* (Hb.) (Lep.: Tortricidae) in a Dublin glasshouse. *Entomologist's Record and Journal of Variation* **117**: 44.

AN ANNOTATED CHECKLIST OF THE IRISH BUTTERFLIES AND MOTHS (LEPIDOPTERA)

- O'Connor, J. P. and Nash, R. (1982) Further records of insects (Dictyoptera, Lepidoptera, Coleoptera, Diptera) imported into Ireland. *Irish Naturalists' Journal* **20**: 393-395.
- O'Connor, J. P. and Nash, R. (1984) Insects imported into Ireland 6. Records of Orthoptera, Dermaptera, Lepidoptera and Coleoptera. *Irish Naturalists' Journal* **21**: 351-353.
- O'Connor, J. P. and Nash, R. (1986) Insects imported into Ireland 8. Records of Hemiptera, Coleoptera, Diptera and Lepidoptera. *Irish Naturalists' Journal* **22**: 104-107.
- Owen, D. F. (1993) Identification of *Amphipyra pyramidea* (L.) and *A. berbera* Fletcher (Lepidoptera: Noctuidae). *Entomologist's Record and Journal of Variation* **105**: 133-134.
- Partridge, C. E. (1895) Supplementary notes on the Lepidoptera of Enniskillen. *Entomologist's Monthly Magazine* **31**: 24-5.
- Pelham-Clinton, E. C. (1985a) Glyphipterigidae. Pp 400-407. In Emmet, A. M. and Heath, J. (eds) *Cossidae-Heliodinidae. The moths and butterflies of Great Britain and Ireland* **2**. Harley Books, Colchester.
- Pelham-Clinton, E. C. (1985b) Tineidae. Pp 152-207. In Emmet, A. M. and Heath, J. (eds) *Cossidae-Heliodinidae. The moths and butterflies of Great Britain and Ireland* **2**. Harley Books, Colchester.
- Prins, W. de (1998) *Catalogue of the Lepidoptera of Belgium*. Belgisch Instituut voor Natuurwetenschappen, Brussels.
- Redway, D. B. (1973) A further record of *Amathes alpicola* (Zetterstedt) (Lep., Noctuidae) in Ireland. *Entomologist's Gazette* **24**: 296.
- Redway, D. B. and Heath, J. (1973) *Amathes alpicola* (Zetterstedt) (Lep., Noctuidae) in Ireland and on the Pennines. *Entomologist's Gazette* **24**: 6, plate 1.
- Riley, A. M. (1986) A review of the status of *Eupithecia goossensiata* Mab. (The Ling Pug) and *E. absinthiata* Cl. (The Wormwood Pug) (Lep.: Geometridae). *Entomologist's Record and Journal of Variation* **98**: 85-89
- Robinson, G. S. (1979) Clothes-moths of the *Tinea pellionella* complex: a revision of the world's species (Lepidoptera: Tineidae). *Bulletin of the British Museum of Natural History (Entomology)* **38**: 57-128.
- Rutten, T. and Karsholt, O. (1998) *Bryotropha mundella* (Douglas): a new synonym of *Bryotropha umbrosella* (Zeller) (Lepidoptera, Gelechiidae). *Tijdschrift voor Entomologie* **141**: 109-114.
- Sattler, K. (1980) *Teleiodes wagae* (Nowicki, 1860) new to the British List (Lepidoptera: Gelechiidae). *Entomologist's Gazette* **31**: 235-245.
- Schnack, K. (ed.) (1985) Katalog over de danske sommerfugle. *Entomologiske Meddelelser* **52**: 1-163.
- Scoble, M. J. (1991) Classification of the Lepidoptera. Pp 11-45. In Emmet, A. M. and Heath, J. (eds) *Lasiocampidae-Thyatiridae with life history chart of the*

- British Lepidoptera. The moths and butterflies of Great Britain and Ireland* 7(2). Harley Books, Colchester.
- Scoble, M. J. (ed.), Pitkin, L. M., Parsons, M., Honey, M. R. and Pitkin, B. R. (1999) *Geometrid moths of the world: a catalogue (Lepidoptera: Geometridae)*. 2 volumes. Apollo Books, Stenstrup and CSIRO Publishing, Collingwood.
- Shackleton, J. (1977) *Ectoedemia intimella* (Zeller) and *E. subbimaculella* (Haworth): two species of Lepidoptera (Nepticulidae) new to Ireland. *Irish Naturalists' Journal* 19: 98
- Skinner, B. (1984) *Colour identification guide to moths of the British Isles*. Viking, Harmondsworth.
- Skinner, B. (1990) *Plusia putnami gracilis* Lempke and *Agrotis ripae* Hb. (Lep.: Noctuidae) in Ireland. *Entomologist's Record and Journal of Variation* 102: 147-148.
- Speight, M. C. D. and Cogan, B. H. (1979) *Acrometopia wahlbergi*, *Clusiodes caledonica* and *Stigmella catharticella*: insects new to Ireland. *Irish Naturalists' Journal* 19: 401-403.
- Stelfox, A. W. (1933) North American butterfly, *Papilio glaucus* L., in Co. Wicklow. *Irish Naturalists' Journal* 4: 245.
- Stephens, J. W. (1829) *Systematic catalogue of British insects* (2). London.
- Svensson, I. (1966) New and confused species of Microlepidoptera. *Opuscula Entomologica* 31: 183-200.
- Svensson, I. (1985) Anmärkningsvärda fynd av Microlepidoptera i Sverige 1984. *Entomologisk Tidskrift* 106: 71-82.
- Terry, M. G. W. (1986) An autumn visit to Cape Clear Island, Co. Cork, Ireland. *Entomologist's Record and Journal of Variation* 98: 175-176
- Traugott-Olsen, E. (1992) The *Elachista dispunctella* (Duponchel, 1843) complex with descriptions of new taxa (Lepidoptera, Elachistidae). *SHILAP Revista de lepidopterología* 20: 179-316.
- Tremewan, W. G. (1960) Additional notes on the British species of the genus *Zygaena* Fabricius (Lep., Zygaenidae). *Entomologist's Gazette* 11: 185-194.
- Verity, R. (1908) *Rhopalocera Palaeartica* 1. Italy.
- Vives Moreno, A. (1994) *Catalogo sistematico y sinonimico de los Lepidopteros de la Peninsular Iberica y Baleares (Insecta: Lepidoptera) (segunda parte)*. Ministerio de Agricultura, Madrid.
- Warren, B. C. S. (1936) *Monograph of the genus Erebia*. British Museum (Natural History), London.
- Wedd, D. (2000) A guide to the Burren district of Counties Clare and Galway. *Atropos* 11: 3-8.
- West, B. K. (1996) *Selidosema brunnearia* Vill. (Lep.: Geometridae): dimorphism in western Ireland and description of a new form. *Entomologist's Record and Journal of Variation* 108: 105-106.

AN ANNOTATED CHECKLIST OF THE IRISH BUTTERFLIES AND MOTHS (LEPIDOPTERA)

- Williams, H. B. (1916) Notes on the life-history and variation of *Euchloe cardamines* L. *Transactions of the London Natural History Society* **1957**: 82-88, 1 plate.
- Williams, H. B. (1946) The Irish form of *Leptidea sinapis* L. *Entomologist* **79**: 1-3.
- Wistow, S. (1992) The white satin moth (*Leucoma salicis* (L.)) (Lepidoptera), new to Co Dublin. *Irish Naturalists' Journal* **24**: 167.

INDEX OF GENERA AND SPECIES

<i>abbreviana</i> (Fabricius)	56	<i>adustata</i> (D. & S.)	98	<i>albicomella</i> (Stainton)	15
<i>abbreviata</i> Stephens	96	<i>advenaria</i> (Hübner)	99	<i>albicosta</i> (Haworth)	30
<i>abietaria</i> (Goeze)	93	<i>advenella</i> (Zincken)	68	<i>albidella</i> (D. & S.)	29
<i>abietella</i> (D. & S.)	69	<i>aegeria tircis</i> (Godart)	78	<i>albidella</i> (Nylander)	34
<i>ABRAXAS</i>	98	<i>aemulana</i> (Schläger)	58	<i>albifasciella</i> (Heinemann)	7
<i>ABROSTOLA</i>	133	<i>aeneofasciella</i> (H.-S.)	8	<i>albifrontella</i> (Hübner)	32
<i>abruptaria</i> (Thunberg)	101	<i>aeratana</i> (Pierce and Metcalf)	63	<i>albipuncta</i> (D. & S.)	118
<i>absinthiata</i> (Clerck)	95	<i>aescularia</i> (D. & S.)	83	<i>albipunctata</i> (Hufnagel)	84
<i>absinthii</i> (Linnaeus)	119	<i>aestivaria</i> (Hübner)	84	<i>albistria</i> (Haworth)	24
<i>acanthadactyla</i> (Hübner)	71	<i>aestivella</i> (Zeller)	38	<i>albulata</i> (Hufnagel)	98
<i>ACASIS</i>	98	<i>AETHALURA</i>	103	<i>albulata albulata</i> (D. & S.)	92
<i>ACENTRIA</i>	66	<i>AETHES</i>	46	<i>alchemillata</i> (Linnaeus)	92
<i>aceriana</i> (Duponchel)	57	<i>aethiops</i> (H. & W.)	39	<i>alchimiella</i> (Scopoli)	18
<i>aceris</i> (Linnaeus)	123	<i>affinis</i> (Haworth)	39	<i>ALCIS</i>	102
<i>acetosae</i> (Stainton)	10	<i>affinis</i> (Linnaeus)	125	<i>ALEIMMA</i>	51
<i>achatana</i> (D. & S.)	55	<i>affinitana</i> (Douglas)	46	<i>algae</i> (Esper)	129
<i>ACHERONTIA</i>	105	<i>affinitata</i> (Stephens)	92	<i>alismana</i> (Ragonot)	46
<i>ACHROIA</i>	68	<i>AGAPETA</i>	46	<i>allisella</i> Stainton	36
<i>ACHYLA</i>	83	<i>agathina agathina</i> (Duponchel)	115	<i>ALLOPHYES</i>	121
<i>ACLERIS</i>	51	<i>AGLAIS</i>	76	<i>alnetella</i> (Stainton)	10
<i>ACOMPSIA</i>	43	<i>aglaja</i> (Linnaeus)	77	<i>alni</i> (Linnaeus)	123
<i>ACROBASIS</i>	68	<i>AGLOSSA</i>	68	<i>alniaria</i> (Linnaeus)	100
<i>ACROCERCOPS</i>	19	<i>AGONOPTERIX</i>	36	<i>alpicola alpina</i> (H. & W.)	114
<i>ACRONICTA</i>	122	<i>AGRIOPIS</i>	101	<i>alpinana</i> (Treitschke)	62
<i>ACTEBIA</i>	112	<i>AGRIPHILA</i>	64	<i>alpinella</i> (Hübner)	65
<i>acuminatana</i> (Lienig and Zeller)	62	<i>AGRIUS</i>	105	<i>alpinella</i> Stainton	32
<i>acuminatella</i> (Sircom)	42	<i>AGROCHOLA</i>	122	<i>alsinella semidecandrella</i> (Threlfall)	41
<i>acuta</i> (Walker)	132	<i>AGROTIS</i>	111	<i>alsines</i> (Brahm)	129
<i>ADAINA</i>	72	<i>ALABONIA</i>	35	<i>ALSOPHILA</i>	83
<i>ADELA</i>	12	<i>albedinella</i> Zeller	17	<i>alstromeriana</i> (Clerck)	37
<i>adjunctella</i> Hodgkinson	32	<i>albicapitella</i> (Scharfenberg)	24	<i>alternata</i> (D. & S.)	99
<i>ADSCITA</i>	13	<i>albicillata</i> (Linnaeus)	88	<i>alternata alternata</i> (Müller)	87
<i>adscitella</i> Stainton	34	<i>albicolon</i> (Hübner)	116		
<i>adspersella</i> Benander	31				
<i>adusta</i> (Esper)	121				

AN ANNOTATED CHECKLIST OF THE IRISH BUTTERFLIES AND MOTHS (LEPIDOPTERA)

<i>alternella</i> (D. & S.)	50	<i>APEIRA</i>	99	<i>aspersana</i> (Hübner)	51
<i>alticolella</i> Zeller	31	<i>APHANTOPUS</i>	80	<i>aspidiscana</i> (Hübner)	58
<i>ALUCITA</i>	63	<i>APHELIA</i>	48	<i>ASPILAPTERYX</i>	18
<i>ambigua</i> (D. & S.)	129	<i>APHOMIA</i>	68	<i>ASPITATES</i>	104
<i>ambigualis</i> (Treitschke)	65	<i>apicipunctella</i> Stainton	32	<i>asseclana</i> (D. & S.)	50
<i>AMBLYPTILIA</i>	71	<i>apiformis</i> (Clerck)	21	<i>assimilata</i> Doubleday	95
<i>AMPHIPOEA</i>	128	<i>APLOCERA</i>	97	<i>assimilella</i> (Treitschke)	37
<i>AMPHIPYRA</i>	124	<i>APOMYELOIS</i>	69	<i>asteris</i> Mühlig	30
<i>ANACAMPSIS</i>	43	<i>APOROPHYLA</i>	120	<i>ASTEROSCOPIUS</i>	120
<i>ANANIA</i>	67	<i>APOTOMIS</i>	54	<i>ASTHENA</i>	98
<i>ANAPLECTOIDES</i>	115	<i>aprilina</i> (Linnaeus)	121	<i>astrantiae</i> (Heinemann)	37
<i>ANARSIA</i>	43	<i>APROAEREMA</i>	42	<i>atalanta</i> (Linnaeus)	76
<i>ANARTA</i>	115	<i>arbutella</i> (Linnaeus)	53	<i>ATETHMIA</i>	122
<i>anatipennella</i> (Hübner)	29	<i>arceuthina</i> Zeller	23	<i>athalia</i> (Rottemburg)	78
<i>anceps</i> (D. & S.)	125	<i>ARCHANARA</i>	129	<i>ATHRIPS</i>	39
<i>ANCYLIS</i>	55	<i>ARCHIPS</i>	48	<i>ATOLMIS</i>	109
<i>ANCYLOSIS</i>	69	<i>ARCTIA</i>	110	<i>atomaria atomaria</i>	
<i>ANERASTIA</i>	68	<i>arcuatella</i> (H.-S.)	6	(Linnaeus)	103
<i>angelicella</i> (Hübner)	37	<i>arcuella</i> (Clerck)	52	<i>atomaria atomaria</i>	
<i>ANGERONA</i>	100	<i>arenella</i> (D. & S.)	37	<i>f. minuta</i> Heydemann	103
<i>anglicella</i> (Stainton)	19	<i>areola</i> (Esper)	121	<i>atra</i> (Howarth)	45
<i>angulifasciella</i> (Stainton)	6	<i>argentella</i> (Clerck)	33	<i>atrata</i> (Linnaeus)	98
<i>angustana</i> (Hübner)	47	<i>argentimaculella</i>		<i>atrella</i> (D. & S.)	38
<i>angustea</i> (Curtis)	65	(Stainton)	15	<i>atricapitana</i> (Stephens)	47
<i>angustiorana</i> (Haworth)	49	<i>argiolus britanna</i> Verity	76	<i>atricapitella</i> (Haworth)	9
<i>annulatella</i> (Curtis)	26	<i>AGRIOPIS</i>	97	<i>atricollis</i> (Stainton)	6
<i>anomala</i> (Haworth)	130	<i>ARGYNNIS</i>	77	<i>atricomella</i> Stainton	32
<i>anomaella</i> (Goeze)	9	<i>argyrana</i> (Hübner)	60	<i>atriplicella</i> (Fischer von	
<i>ANTHOCHARIS</i>	72	<i>ARGYRESTHIA</i>	23	Röslerstamm)	41
<i>ANTHOPHILA</i>	22	<i>argyropiza</i> (Zeller)	6	<i>atriplicis</i> Meyrick	31
<i>anthyllidella</i> (Hübner)	42	<i>ARGYROTAENIA</i>	48	<i>atropos</i> (Linnaeus)	105
<i>ANTICHLORIS</i>	110	<i>ARISTOTELIA</i>	39	<i>atropunctana</i> (Zetterstedt)	53
<i>ANTICLEA</i>	88	<i>armigera armigera</i>		<i>augur</i> (Fabricius)	113
<i>antiopa</i> (Linnaeus)	77	(Hübner)	130	<i>aurana</i> (Fabricius)	60
<i>antiqua</i>	108	<i>artemisiella</i> (Treitschke)	41	<i>aurantiaria</i> (Hübner)	101
<i>ANTITYPE</i>	121	<i>aruncella</i> (Scopoli)	5	<i>aureatella</i> (Scopoli)	5
<i>APAMEA</i>	125	<i>asinalis</i> (Hübner)	67	<i>aurella</i> (Fabricius)	7

BOND, NASH & O'CONNOR

<i>aurinia</i> (Rottemburg)	78	Thierry-Mieg	101	<i>blanda</i> (D. & S.)	129
<i>aurinia f. hibernica</i>		<i>betulella</i> Heinemann &		<i>blandella</i> (Douglas)	42
Birchall	78	Wocke	30	<i>blandiata blandiata</i>	
<i>aurofasciana</i> (Haworth)	52	<i>betuletana</i> (Haworth)	54	(D. & S.)	92
<i>auroguttella</i> (Stephens)	18	<i>betulicola</i> (M. Hering)	18	BLASTOBASIS	44
<i>auromarginella</i>		<i>betulicola</i> (Stainton)	10	BLASTODACNA	45
(Richardson)	8	<i>biangulata</i> (Haworth)	91	BOHEMANNIA	6
<i>australis pascuea</i>		<i>bicolorata</i> (Hufnagel)	117	BOLORIA	77
(H. & W.)	120	<i>bicoloria</i> (D. & S.)	107	<i>bombycina</i> (Hufnagel)	115
AUTOGRAPHA	133	<i>bicostella</i> (Clerck)	35	<i>bonnetella</i> (Linnaeus)	24
<i>autumnaria</i> (Werneburg)	100	<i>bicruris</i> (Hufnagel)	117	BORKHAUSENIA	35
<i>autumnata</i> (Borkhausen)	92	<i>bicuspis</i> (Borkhausen)	106	BRACHYLOMIA	120
<i>aversata</i> (Linnaeus)	85	<i>bidentata</i> (Clerck)	100	<i>bractea</i> (D. & S.)	133
AXYLIA	112	<i>bifaciata</i> (Haworth)	92	<i>brassicae</i> (Linnaeus)	74
BACTRA	54	<i>bifasciana</i> (Haworth)	53	<i>brassicae</i> (Linnaeus)	116
<i>badiana</i> (D. & S.)	55	<i>bifida</i> (Brahm)	106	<i>britannica</i> (Turner)	90
<i>badiata</i> (D. & S.)	88	<i>bilineata bilineata</i>		<i>brockeella</i> (Hübner)	23
<i>badiella</i> (Hübner)	36	(Linnaeus)	87	<i>brongniardella</i> (Fabricius)	19
<i>baja</i> (D. & S.)	114	<i>bilineata hibernica</i> Tutt	88	<i>brumata</i> (Linnaeus)	92
<i>bankiana</i> (Fabricius)	131	<i>bilineata isolata</i> Kane	88	<i>brunnea</i> (D. & S.)	114
<i>basistrigalis</i> Knaggs	65	<i>bilunana</i> (Haworth)	55	<i>brunnearia scandinaviaria</i>	
BATIA	35	<i>bimaculata</i> (Fabricius)	103	Staudinger	101
<i>batis</i> (Linnaeus)	82	<i>binaevella</i> (Hübner)	70	<i>brunnearia tyronensis</i>	
BATRACHEDRA	44	<i>binderella</i> (Kollar)	28	Cockayne	102
<i>bechsteinella</i> (B. & S.)	17	<i>bipunctidactyla</i> (Scopoli)	71	<i>brunnichana</i> (Linnaeus)	56
BEDELLIA	27	<i>biren</i> (Goeze)	117	BRYOTROPHA	39
<i>bembeciformis</i> (Hübner)	22	BISELACHISTA	34	BUCCULATRIX	17
<i>berbera svenssoni</i>		<i>biselata</i> (Hufnagel)	85	<i>bucephala</i> (Linnaeus)	107
Fletcher	124	<i>bisselliella</i> (Hummel)	16	<i>buoliana</i> (D. & S.)	59
<i>berberata</i> (D. & S.)	91	BISTON	101	BUPALUS	103
<i>bergmanniana</i> (Linnaeus)	51	<i>bistortata</i> (Goeze)	103	<i>c-album</i> (Linnaeus)	77
<i>betulae</i> (Linnaeus)	75	<i>bistriatella subcognata</i>		<i>c-nigrum</i> (Linnaeus)	114
<i>betulae</i> (Stainton)	19	(Ragonot)	69	CABERA	103
<i>betularia</i> (Linnaeus)	101	<i>bistriga</i> (Haworth)	68	CACOECIMORPHA	48
<i>betularia f. carbonaria</i>		<i>bistrigella</i> (Haworth)	11	<i>caeruleocephala</i>	
Jordan	101	<i>bisulcella</i> (Duponchel)	34	(Linnaeus)	108
<i>betularia f. insularia</i>		<i>blancardella</i> (Fabricius)	19	<i>caesia mananii</i> (Gregson)	117

AN ANNOTATED CHECKLIST OF THE IRISH BUTTERFLIES AND MOTHS (LEPIDOPTERA)

<i>caesiata</i> (D. & S.)	88	<i>carmelita</i> (Esper)	107	<i>CHILODES</i>	130
<i>caesiella</i> (Hübner)	24	<i>CARPATOLECHIA</i>	40	<i>CHIONODES</i>	40
<i>caespititiella</i> Zeller	32	<i>carpinata</i> (Borkhausen)	98	<i>CHLOROCLYSTA</i>	89
<i>cagnagella</i> (Hübner)	24	<i>CARSIA</i>	97	<i>CHLOROCLYSTIS</i>	97
<i>cahorsensis</i>		<i>CARYOCOLUM</i>	42	<i>chlorosata</i> (Scopoli)	99
Traugott-Olsen	33	<i>casta</i> (Pallas)	14	<i>CHORISTONEURA</i>	48
<i>caja</i> (Linnaeus)	110	<i>castanea</i> (Esper)	114	<i>CHORTODES</i>	127
<i>CALAMIA</i>	128	<i>CATACLYSTA</i>	66	<i>christyi</i> (Allen)	91
<i>caledoniana</i> (Stephens)	51	<i>CATARHOE</i>	87	<i>chrysitis</i> (Linnaeus)	132
<i>calidella</i> (Guenée)	70	<i>catharticella</i> (Stainton)	9	<i>CHRYSODEIXIS</i>	132
<i>CALLISTEGE</i>	134	<i>CATOCALA</i>	134	<i>CHRYSOESTHIA</i>	38
<i>CALLISTO</i>	19	<i>CATOPTRIA</i>	64	<i>chrysolepidella</i> Zeller	5
<i>CALLITEARA</i>	108	<i>cautella</i> (Walker)	70	<i>chrysoprasaria</i> (Esper)	84
<i>CALLOPHRYS</i>	75	<i>CEDESTIS</i>	25	<i>CHRYSOLEUCHIA</i>	64
<i>calodactyla</i> (D. & S.)	71	<i>CELAENA</i>	129	<i>cicatricella</i> (Zetterstedt)	5
<i>CALOPTILIA</i>	17	<i>CELASTRINA</i>	76	<i>cidarella</i> (Zeller)	17
<i>calthella</i> (Linnaeus)	5	<i>celerio</i> (Linnaeus)	106	<i>CIDARIA</i>	89
<i>CALYBITES</i>	18	<i>CELYPHA</i>	52	<i>ciliella</i> (Stainton)	37
<i>cambrica</i> Curtis	98	<i>centaureata</i> (D. & S.)	94	<i>CILIX</i>	82
<i>CAMPAEA</i>	104	<i>centrago</i> (Haworth)	122	<i>cinctaria cinctaria</i>	
<i>campoliliana</i> (D. & S.)	58	<i>CEPPHIS</i>	99	(D. & S.)	102
<i>CAMPTOGRAMMA</i>	87	<i>CERAPTERYX</i>	117	<i>cinctella</i> (Clerck)	43
<i>cana</i> (Haworth)	59	<i>cerasana</i> (Hübner)	47	<i>cinerea</i> (D. & S.)	111
<i>canapennella</i> (Hübner)	32	<i>cerasi</i> (Fabricius)	118	<i>cinerella</i> (Clerck)	43
<i>caniola</i> (Hübner)	109	<i>CERASTIS</i>	115	<i>cinereopunctella</i>	
<i>caprana</i> (Fabricius)	56	<i>CERURA</i>	106	(Haworth)	34
<i>capreana</i> (Hübner)	54	<i>cespitana</i> (Hübner)	52	<i>cingulata</i> (Fabricius)	105
<i>capreolella</i> (Zeller)	37	<i>cespitis</i> (D. & S.)	117	<i>cingulata</i> (Linnaeus)	66
<i>captiuncula tincta</i>		<i>chaerophyllella</i> (Goeze)	63	<i>circellaris</i> (Hufnagel)	122
(Kane)	127	<i>chamomillae</i> (D. & S.)	119	<i>circumvoluta</i> (Geoffroy)	69
<i>CAPUA</i>	49	<i>CHARANYCA</i>	129	<i>cirsiana</i> (Zeller)	58
<i>capucina</i> (Linnaeus)	107	<i>CHARISSA</i>	104	<i>citrata citrata</i> (Linnaeus)	89
<i>CARADRINA</i>	130	<i>chenopodiata</i> (Linnaeus)	86	<i>citralis</i> (Scopoli)	35
<i>CARCINA</i>	36	<i>CHESIAS</i>	97	<i>clathrata hugginsi</i>	
<i>cardamines hibernica</i>		<i>chi</i> (Linnaeus)	121	(Baynes)	99
Williams	75	<i>CHIASMIA</i>	99	<i>clavaria</i> (Haworth)	88
<i>cardui</i> (Linnaeus)	76	<i>CHILO</i>	64	<i>CLAVIGESTA</i>	59

BOND, NASH & O'CONNOR

<i>clavipalpis</i> (Scopoli)	130	<i>confusalis</i> (H.-S.)	111	<i>CRANIOPHORA</i>	123
<i>clavis</i> (Hufnagel)	111	<i>confusella</i> (Wood)	10	<i>crassa</i> (Hübner)	112
<i>clematella</i> (Fabricius)	16	<i>coniferana</i> (Ratzeburg)	62	<i>crassalis</i> (Fabricius)	135
<i>CLEORA</i>	102	<i>conigera</i> (D. & S.)	118	<i>crassiorella</i> Braund	14
<i>CLEORODES</i>	102	<i>CONISTRA</i>	122	<i>crataegana</i> (Hübner)	48
<i>CLEPSIS</i>	49	<i>conjugella</i> Zeller	23	<i>crataegella</i> (Klimesch)	10
<i>clerkella</i> (Linnaeus)	27	<i>conjugella</i> f. <i>maculosa</i>		<i>crataegi</i> (Linnaeus)	81
<i>cloacella</i> (Haworth)	16	Tengström	23	<i>crenana</i> (Hübner)	56
<i>clorana</i> (Linnaeus)	131	<i>consimilana</i> (Hübner)	49	<i>crenata</i> (Hufnagel)	125
<i>CLOSTERA</i>	107	<i>consociella</i> (Hübner)	68	<i>crepuscularia</i> (D. & S.)	103
<i>CNEPHASIA</i>	50	<i>consonaria</i> (Hübner)	103	<i>crepusculella</i> (Zeller)	10
<i>cnicana</i> (Westwood)	47	<i>consortana</i> Stephens	62	<i>crinanensis</i> (Burrows)	128
<i>COCHYLIDIA</i>	47	<i>consortella</i> (Stainton)	35	<i>cristana</i> (D. & S.)	52
<i>COCHYLIMORPHA</i>	46	<i>conspersana</i> Douglas	50	<i>cristatella</i> Zeller	17
<i>COCHYLIS</i>	47	<i>conterminella</i> (Zeller)	37	<i>CROCALLIS</i>	100
<i>COENOBIA</i>	129	<i>contigua</i> (D. & S.)	116	<i>crocealis</i> (Hübner)	67
<i>COENOCALPE</i>	90	<i>continuella</i> (Stainton)	8	<i>croceus</i> (Geoffroy in	
<i>COENONYMPHA</i>	80	<i>convulvuli</i> (Linnaeus)	105	Fourcroy)	73
<i>cognata</i> (Thunberg)	90	<i>conwagana</i> (Fabricius)	50	<i>crocicapitella</i> (Clemens)	16
<i>COLEOPHORA</i>	27	<i>coronata</i> (Hufnagel)	67	<i>CROCIDOSEMA</i>	56
<i>COLIAS</i>	73	<i>corticella</i> (Linnaeus)	11	<i>croesella</i> (Scopoli)	12
<i>COLOCASIA</i>	132	<i>corylana</i> (Fabricius)	47	<i>cruciana</i> (Linnaeus)	56
<i>COLOSTYGIA</i>	90	<i>corylata</i> (Thunberg)	90	<i>cruda</i> (D. & S.)	118
<i>COLOTOIS</i>	100	<i>coryli</i> (Linnaeus)	132	<i>CRYPHIA</i>	123
<i>comae</i> Schmidt	84	<i>coryli</i> (Nicelli)	20	<i>cryptella</i> (Stainton)	7
<i>comariana</i> (Lienig and		<i>corylifoliella</i> (Hübner)	20	<i>CRYPTOBLABES</i>	68
Zeller)	51	<i>COSMIA</i>	125	<i>cuculata</i> (Hufnagel)	87
<i>combinella</i> (Hübner)	24	<i>COSMIOTES</i>	34	<i>cuculipennella</i> (Hübner)	17
<i>comes</i> (Hübner)	112	<i>COSMOPTERIX</i>	44	<i>CUCULLIA</i>	119
<i>comitata</i> (Linnaeus)	88	<i>COSMORHOE</i>	88	<i>culmella</i> (Linnaeus)	64
<i>comma</i> (Linnaeus)	119	<i>COSSUS</i>	13	<i>cultraria</i> (Fabricius)	82
<i>complana</i> (Linnaeus)	109	<i>cossus</i> (Linnaeus)	13	<i>CUPIDO</i>	75
<i>complana</i> f. <i>sericea</i>		<i>costaestrigalis</i>		<i>cuprella</i> (D. & S.)	12
Gregson	109	(Stephens)	135	<i>cupriacella</i> (Hübner)	12
<i>compositella</i> (Fabricius)	60	<i>costella</i> (H. & W.)	41	<i>cursoria</i> (Hufnagel)	111
<i>comptana</i> (Frölich)	55	<i>costipunctana</i> (Haworth)	58	<i>curtula</i> (Linnaeus)	107
<i>confusa</i> (Hufnagel)	117	<i>CRAMBUS</i>	64	<i>curvella</i> (Linnaeus)	23

AN ANNOTATED CHECKLIST OF THE IRISH BUTTERFLIES AND MOTHS (LEPIDOPTERA)

<i>CYBOSIA</i>	109	<i>DEPRESSARIA</i>	36	<i>dodecella</i> (Linnaeus)	39
<i>CYCLOPHORA</i>	84	<i>derivata</i> (D. & S.)	88	<i>dodonaea</i> (D. & S.)	107
<i>CYDIA</i>	61	<i>desertella</i> (Douglas)	39	<i>dodonaea</i> Stainton	10
<i>cydoniella</i> (D. & S.)	20	<i>deshaisiana</i> (Lucas)	62	<i>dodoneata</i> Guenée	96
<i>cynosbatella</i> (Linnaeus)	57	<i>designata</i> (Hufnagel)	85	<i>dolabraria</i> (Linnaeus)	99
<i>cytisella</i> (Curtis)	38	<i>despicata</i> (Scopoli)	66	<i>domestica</i> (Haworth)	39
<i>dahlii</i> (Hübner)	114	<i>devoniella</i> (Stainton)	19	<i>domestica</i> (Hufnagel)	123
<i>DANAUS</i>	80	<i>DIACHRYSLA</i>	132	<i>DONACAULA</i>	65
<i>DAPHNIS</i>	105	<i>DIACRISIA</i>	110	<i>douglasella</i> Stainton	36
<i>daplidice</i> (Linnaeus)	74	<i>DIAPHORA</i>	110	<i>DREPANA</i>	82
<i>DASYPOLIA</i>	120	<i>DIARSLA</i>	113	<i>dromedarius</i> (Linnaeus)	106
<i>DASYSTOMA</i>	36	<i>DICALLOMERA</i>	108	<i>drurella</i> (Fabricius)	38
<i>daucella</i> (D. & S.)	36	<i>DICHOMERIS</i>	43	<i>DRYADAULA</i>	15
<i>dealbana</i> (Frölich)	57	<i>DICHONIA</i>	121	<i>dryadella</i> (Hofmannn)	8
<i>deauratella</i> (H.-S.)	44	<i>DICHRORAMPHA</i>	62	<i>DRYMONIA</i>	107
<i>deauratella</i>		<i>didyma</i> (Esper)	127	<i>DRYBOTODES</i>	121
Lienig and Zeller	29	<i>didymata didymata</i>		<i>dubiella</i> Stainton	17
<i>debiliata</i> (Hübner)	97	(Linnaeus)	92	<i>dubitana</i> (Hübner)	47
<i>decimalis</i> (Poda)	118	<i>diffinis</i> (Haworth)	40	<i>dubitata</i> (Linnaeus)	91
<i>decoloraria decoloraria</i>		<i>DIGITIVALVA</i>	26	<i>duplaris</i> (Linnaeus)	83
(Esper)	86	<i>dilectella</i> Zeller	23	<i>dumetata hibernica</i>	
<i>decorella</i> (Haworth)	40	<i>DILOBA</i>	108	Forder	104
<i>defoliaria</i> (Clerck)	101	<i>dilutata</i> (D. & S.)	91	<i>DYSCIA</i>	104
<i>degeerella</i> (Linnaeus)	12	<i>dilutella</i> (D. & S.)	69	<i>EANA</i>	50
<i>DEILEPHILA</i>	106	<i>dimidiata</i> (Hufnagel)	85	<i>EARIAS</i>	131
<i>DEILEPTENIA</i>	102	<i>DIORYCTRIA</i>	69	<i>EBULEA</i>	67
<i>DELTAORNIX</i>	19	<i>DIPLEURINA</i>	65	<i>ECLIPTOPERA</i>	89
<i>DELTOTE</i>	131	<i>DIPLODOMA</i>	14	<i>ECTOEDEMA</i>	6
<i>delunella</i> (Stainton)	65	<i>DISCESTRA</i>	115	<i>ECTROPIS</i>	103
<i>demaryella</i> (Duponchel)	17	<i>discordella</i> Zeller	30	<i>EILEMA</i>	109
<i>DENISIA</i>	35	<i>dispar</i> (Haworth)	75	<i>ekebladella</i> (Bjerkander)	10
<i>denotata jasionata</i>		<i>distinctaria constrictata</i>		<i>ELACHISTA</i>	32
Crewe	95	Guenée	96	<i>ELECTROPHAES</i>	90
<i>dentaria</i> (Fabricius)	100	<i>distinctella</i> (Zeller)	41	<i>eleochariella</i> (Stainton)	34
<i>dentella</i> (Fabricius)	25	<i>ditrapezium</i> (D. & S.)	114	<i>elinguaris</i> (Linnaeus)	100
<i>denticulella</i> (Thunberg)	19	<i>DITULA</i>	49	<i>elongella</i> (Linnaeus)	18
<i>depressa</i> (Esper)	109	<i>DIURNEA</i>	36	<i>ELOPHILA</i>	66

BOND, NASH & O'CONNOR

<i>elpenor</i> (Linnaeus)	106	<i>eriphia</i> (Fabricius)	111	<i>exiguata exiguata</i>	
<i>elutella</i> (Hübner)	70	<i>erosaria</i> (D. & S.)	100	(Hübner)	93
<i>emargana</i> (Fabricius)	52	<i>ERYNNIS</i>	72	<i>EXOTELEIA</i>	39
<i>emberizaepennella</i>		<i>ESPERIA</i>	35	<i>expallidata</i> Doubleday	95
(Bouché)	21	<i>EUBLEMMA</i>	131	<i>exsoleta</i> (Linnaeus)	121
<i>EMATURGA</i>	103	<i>EUCHALCIA</i>	132	<i>fabriciana</i> (Linnaeus)	22
<i>EMMELINA</i>	72	<i>EUCHROMIUS</i>	63	<i>fagaria</i> (Thunberg)	104
<i>EMMETIA</i>	10	<i>EUCLIDIA</i>	134	<i>fagata</i> (Scharfenberg)	92
<i>ENARMONIA</i>	60	<i>EUCOSMA</i>	58	<i>fagella</i> (D. & S.)	36
<i>ENDOTHENIA</i>	54	<i>EUDEMIS</i>	55	<i>fagi</i> (Linnaeus)	108
<i>ENDROSIS</i>	35	<i>EUDONIA</i>	65	<i>fagiglandana</i> (Zeller)	62
<i>ENNOMOS</i>	100	<i>EUGNORISMA</i>	113	<i>FALCARIA</i>	82
<i>ENTEPHRIA</i>	88	<i>EULAMPROTES</i>	38	<i>falcataria falcataria</i>	
<i>ENTEUCHA</i>	10	<i>EULEIOPTILUS</i>	72	(Linnaeus)	82
<i>EPAGOGE</i>	49	<i>EULIA</i>	50	<i>falconipennella</i> (Hübner)	18
<i>EPERMENIA</i>	63	<i>EULITHIS</i>	89	<i>FALSEUNCARIA</i>	47
<i>ephemerella</i> (D. & S.)	66	<i>euphorbiae myricae</i>		<i>farinalis</i> (Linnaeus)	68
<i>EPHESTIA</i>	70	Guenée	123	<i>fascelina</i> (Linnaeus)	108
<i>EPIBLEMA</i>	57	<i>euphrosyne</i> (Linnaeus)	77	<i>fasciana</i> (Linnaeus)	60
<i>EPICHOPTERIX</i>	15	<i>EUPHYDRYAS</i>	78	<i>fasciaria</i> (Linnaeus)	104
<i>epilobiella</i> (D. & S.)	44	<i>EUPHYIA</i>	91	<i>fasciuncula</i> (Haworth)	126
<i>EPINOTIA</i>	55	<i>EUPITHECIA</i>	93	<i>ferchaultella</i> (Stephens)	14
<i>EPIONE</i>	99	<i>EUPLEXIA</i>	124	<i>ferrago</i> (Fabricius)	118
<i>epiphron mnemon</i>		<i>EUPOECILIA</i>	47	<i>ferrugalis</i> (Hübner)	67
(Haworth)	79	<i>EUPROCTIS</i>	108	<i>ferrugana</i> (D. & S.)	51
<i>EPIPHYAS</i>	49	<i>EUPSILIA</i>	122	<i>ferrugata</i> (Clerck)	86
<i>EPIRRHOE</i>	87	<i>eurema</i> (Tutt)	7	<i>ferruginea</i> (Esper)	124
<i>EPIRRITA</i>	91	<i>EUROIS</i>	115	<i>festaliella</i> (Hübner)	63
<i>epomidion</i> (Haworth)	125	<i>EURRHYPARA</i>	67	<i>festucae</i> (Linnaeus)	133
<i>ERANNIS</i>	101	<i>EUTHRIX</i>	82	<i>figulilella</i> (Gregson)	70
<i>EREBIA</i>	79	<i>EUXOA</i>	111	<i>filicivora</i> (Meyrick)	15
<i>eremita</i> (Fabricius)	121	<i>EVERGESTIS</i>	66	<i>filigrammaria</i> (H.-S.)	92
<i>ericetella</i> (Geyer)	43	<i>evonymella</i> (Linnaeus)	24	<i>filipendulae</i> (Wocke)	8
<i>ericinella</i> (Zeller)	39	<i>EXAERETIA</i>	36	<i>filipendulae stephensi</i>	
<i>ERIOCRANIA</i>	5	<i>exanthemata</i> (Scopoli)	103	Dupont	13
<i>ERIOGASTER</i>	81	<i>exclamationis</i> (Linnaeus)	111	<i>fimbriata</i> (Schreber)	113
<i>ERIOPELA</i>	58	<i>exigua</i> (Hübner)	130	<i>finitimella</i> (Zeller)	19

AN ANNOTATED CHECKLIST OF THE IRISH BUTTERFLIES AND MOTHS (LEPIDOPTERA)

<i>firmata</i> (Hübner)	90	<i>fuscata</i> (Thunberg)	90	<i>gerningana</i> (D. & S.)	49
<i>flammea</i> (D. & S.)	118	<i>fulvata</i> (Forster)	89	<i>gilvaria burrenensis</i>	
<i>flammeolaria</i> (Hufnagel)	98	<i>fulviguttella</i> (Zeller)	63	Cockayne	104
<i>flavago</i> (D. & S.)	128	<i>fulvimitrella</i> (Sodoffsky)	16	<i>glareosa</i> (Esper)	113
<i>flavescentella</i> Haworth	17	<i>fumatella</i> (Douglas)	40	<i>glaucata</i> (Scopoli)	82
<i>flavicaput</i> (Howarth)	45	<i>funebriana</i> (Treitschke)	61	<i>glaucicolella</i> Wood	31
<i>flaviciliana</i> (Westwood)	47	<i>funebriis</i> (Ström)	67	<i>glaucinella</i> Zeller	23
<i>flavicinctata flavicinctata</i>		<i>furcata</i> (Thunberg)	90	<i>glaucus</i> Linnaeus	73
(Hübner)	88	<i>FURCULA</i>	106	<i>gleichennella</i> (Fabricius)	32
<i>flavicornis galbanus</i>		<i>furcula</i> (Clerck)	106	<i>glutinosae</i> (Stainton)	10
(Tutt)	83	<i>furfurana</i> (Haworth)	54	<i>glyphica</i> (Linnaeus)	134
<i>flavipennella</i> (Duponchel)	27	<i>furuncula</i> (D. & S.)	126	<i>GLYPHIPTERIX</i>	22
<i>flavofasciata</i> (Thunberg)	92	<i>furva britannica</i>		<i>gnoma</i> (Fabricius)	106
<i>floslactata floslactata</i>		Cockayne	125	<i>GNOPHOS</i>	104
(Haworth)	85	<i>fusca</i> (Haworth)	68	<i>goedartella</i> (Linnaeus)	23
<i>floslactella</i> (Haworth)	9	<i>fuscalis</i> (D. & S.)	67	<i>GONEPTERYX</i>	74
<i>fluctuata fluctuata</i>		<i>fuscella</i> (Linnaeus)	17	<i>gonodactyla</i> (D. & S.)	71
(Linnaeus)	86	<i>fuscescens</i> (Haworth)	35	<i>goossensiata</i> Mabilie	95
<i>fluctuosa</i> (Hübner)	83	<i>fuscocuprella</i> H.-S.	28	<i>GORTYNA</i>	128
<i>follicularis</i> (Vallot)	30	<i>fusconebulosa</i> (DeGeer)	6	<i>gothica</i> (Linnaeus)	118
<i>forficalis</i> (Linnaeus)	66	<i>galiata</i> (D. & S.)	87	<i>gracilis</i> (D. & S.)	118
<i>forficella</i> (Thunberg)	65	<i>GALLERIA</i>	68	<i>graminis</i> (Linnaeus)	117
<i>formicaeformis</i> (Esper)	22	<i>gallicana</i> (Guenée)	60	<i>graminis</i> ssp. (as var.)	
<i>formosana</i> (Scopoli)	60	<i>gallii</i> (Rottemburg)	105	<i>hibernicus</i> Curtis	117
<i>forsskaleana</i> (Linnaeus)	51	<i>gamma</i> (Linnaeus)	133	<i>grandipennis</i> (Haworth)	45
<i>forsterana</i> (Fabricius)	49	<i>gemmella</i> (Linnaeus)	39	<i>granella</i> (Linnaeus)	15
<i>forsterella</i> (Fabricius)	23	<i>gangalbella</i> Zeller	34	<i>GRAPHIPHORA</i>	113
<i>francillana</i> (Fabricius)	47	<i>GELECHIA</i>	41	<i>GRAPHOLITA</i>	60
<i>frangutella</i> (Goeze)	17	<i>geminana</i> (Donovan)	55	<i>grisealis</i> (D. & S.)	135
<i>fraternana</i> (Haworth)	56	<i>geminipuncta</i> (Haworth)	129	<i>griseana</i> (Hübner)	57
<i>fraternella</i> (Douglas)	42	<i>geniculea</i> (Haworth)	64	<i>grisella</i> (Fabricius)	68
<i>fraxinella</i> (Bjerkander)	25	<i>geniculella</i> (Ragonot)	21	<i>griseola</i> (Hübner)	109
<i>fraxini</i> (Linnaeus)	134	<i>geoffrella</i> (Linnaeus)	35	<i>griseola</i> f. <i>stramineola</i>	
<i>freyerella</i> (Hübner)	34	<i>GEOMETRA</i>	84	(Doubleday)	109
<i>friesei</i> Svensson	25			<i>grossulariata</i> (Linnaeus)	98
<i>frischella</i> (Linnaeus)	28			<i>grotiana</i> (Fabricius)	49
<i>froelichiella</i> (Zeller)	21			<i>gryphipennella</i> (Hübner)	27

BOND, NASH & O'CONNOR

<i>guenéana</i> Obraztsov	63	<i>hepariella</i> Stainton	24	<i>HYSTEROPHORA</i>	46
<i>GYMNOSCELIS</i>	97	<i>HEPIALUS</i>	6	<i>ibipennella</i> Zeller	29
<i>GYNNIDOMORPHA</i>	46	<i>heracliana</i> (Linnaeus)	36	<i>icarus mariscolore</i> (Kane)	76
<i>GYPSONOMA</i>	57	<i>herminata</i> (Geoffroy)	14	<i>icterata oxydata</i>	
<i>HABROSYNE</i>	82	<i>HERMINIA</i>	135	Treitschke	96
<i>HADA</i>	115	<i>hexadactyla</i> Linnaeus	63	<i>icterata subfulvata</i>	
<i>HADENA</i>	117	<i>hilarella</i> (Zetterstedt)	20	(Haworth)	95
<i>halterata</i> (Hufnagel)	98	<i>HIPPARCHIA</i>	79	<i>icteritia</i> (Hufnagel)	122
<i>hamana</i> (Linnaeus)	46	<i>HIPPOTION</i>	106	<i>IDAEA</i>	85
<i>hammoniella</i> (Sorhagen)	12	<i>hirtaria</i> (Clerck)	101	<i>imella</i> (Hübner)	16
<i>HAPLOTINEA</i>	15	<i>HOFMANNOPHILA</i>	35	<i>imitaria</i> (Hübner)	84
<i>harrisella</i> (Linnaeus)	19	<i>hohenwartiana</i> (D. & S.)	59	<i>immaculatella</i> (Douglas)	38
<i>hastata hastata</i>		<i>hohenwartiana</i> f.		<i>immundana</i> (Fischer von	
(Linnaeus)	91	<i>fulvana</i> Stephens	59	Röslerstamm)	55
<i>hastata hastata</i> f.		<i>holmiana</i> (Linnaeus)	51	<i>immundella</i> (Zeller)	7
<i>nigrescens</i> (Prout)	91	<i>HOMOEOSOMA</i>	70	<i>immutata</i> (Linnaeus)	85
<i>hastiana</i> (Linnaeus)	52	<i>HOPLODRINA</i>	129	<i>impluviata</i> (D. & S.)	90
<i>haworthana</i> (Stephens)	23	<i>HORISME</i>	90	<i>impura</i> (Hübner)	119
<i>haworthiata</i> Doubleday	93	<i>hortulata</i> (Linnaeus)	67	<i>impura</i> f. <i>scotica</i>	
<i>haworthii</i> (Curtis)	129	<i>humidalis</i> Doubleday	135	Cockayne	119
<i>hebenstreitella</i> (Müller)	48	<i>humilis</i> Zeller	32	<i>INACHIS</i>	77
<i>HECATERA</i>	117	<i>humuli humuli</i> (Linnaeus)	6	<i>incarnatana</i> (Hübner)	58
<i>hecta</i> (Linnaeus)	6	<i>hyale</i> (Linnaeus)	73	<i>incarnatella</i> (Steudel)	26
<i>HEDYA</i>	53	<i>hybnerella</i> (Hübner)	9	<i>incerta</i> (Hufnagel)	118
<i>heegeriella</i> (Zeller)	19	<i>HYDRAECIA</i>	128	<i>incertana</i> (Treitschke)	50
<i>HELCYSTOGRAMMA</i>	43	<i>HYDRELIA</i>	98	<i>INCURVARIA</i>	11
<i>HELICOVERPA</i>	130	<i>HYDRIOMENA</i>	90	<i>indigata</i> (Hübner)	96
<i>HELIOPHOBUS</i>	116	<i>hyemana</i> (Haworth)	52	<i>INFURCITINEA</i>	15
<i>HELIOTHIS</i>	130	<i>HYLAEA</i>	104	<i>innotata</i> (Hufnagel) f.	
<i>HELIOZELA</i>	12	<i>HYLES</i>	105	<i>fraxinata</i> Crewe	96
<i>hellerella</i> (Duponchel)	45	<i>HYPATIMA</i>	43	<i>inopiana</i> (Haworth)	46
<i>helvola</i> (Linnaeus)	122	<i>HYPENA</i>	135	<i>inquinatella</i> (D. & S.)	64
<i>hemargyrella</i> (Kollar)	9	<i>HYPENODES</i>	135	<i>insectella</i> (Fabricius)	15
<i>HEMARIS</i>	105	<i>hyperantus</i> (Linnaeus)	80	<i>insignitella</i> (Zeller)	20
<i>HEMISTOLA</i>	84	<i>HYPERCALLIA</i>	35	<i>instabilella</i> (Douglas)	41
<i>HEMITHEA</i>	84	<i>HYPOMECCIS</i>	102	<i>interjecta caliginosa</i>	
<i>heparana</i> (D. & S.)	48	<i>HYPPA</i>	125	Schawerda	113

AN ANNOTATED CHECKLIST OF THE IRISH BUTTERFLIES AND MOTHS (LEPIDOPTERA)

<i>internana</i> (Guenée)	60	<i>laevigatella</i> (Heydenrich)	23	<i>leucographella</i> (Zeller)	20
<i>interpunctella</i> (Hübner)	70	<i>laevigella</i> (D. & S.)	16	LEUCOMA	108
<i>interrogationis</i>		<i>lambdella</i> (Donovan)	35	<i>leucophaearia</i> (D. & S.)	101
(Linnaeus)	133	LAMPRONIA	11	LEUCOPTERA	26
<i>intimella</i> (Zeller)	6	LAMPROPTERYX	88	<i>leucostigma leucostigma</i>	
<i>intricata hibernica</i> Mere	94	<i>lancealana</i> (Hübner)	54	(Hübner)	129
<i>io</i> (Linnaeus)	77	<i>lancealis</i> (D. & S.)	67	<i>leucotreta</i> (Meyrick)	60
IPIMORPHA	124	<i>lanestris</i> (Linnaeus)	81	<i>leuwenhoekella</i>	
<i>ippsilon</i> (Hufnagel)	111	<i>langiella</i> (Hübner)	44	(Linnaeus)	45
<i>irrorella</i> (Linnaeus)	108	LAOTHOE	105	<i>libatrix</i> (Linnaeus)	134
<i>isertana</i> (Fabricius)	57	<i>lapidata</i> (Hübner)	90	<i>lichenaria</i> (Hufnagel)	102
<i>isodactylus</i> (Zeller)	71	<i>laponica</i> (Wocke)	10	<i>lichenea lichenea</i>	
ISSORIA	77	LARENTIA	88	(Hübner)	121
<i>jacobaeae</i> (Linnaeus)	110	<i>laricana</i> (Heinemann)	59	<i>lienigiella</i> Lienig and	
<i>janthe</i> (Borkhausen)	113	<i>laricella</i> (Hübner)	29	Zeller	45
<i>janthinana</i> (Duponchel)	61	<i>lariciata</i> (Freyer)	97	LIGDIA	98
JODIS	84	LASIOCAMPA	81	<i>lignea</i> Walsingham	44
<i>josephinae</i> (Toll)	36	LASIOMMATA	78	<i>ligula</i> (Esper)	122
<i>jota</i> (Linnaeus)	133	<i>lassella</i> Staudinger	30	<i>ligustri</i> (D. & S.)	123
<i>jubata</i> (Thunberg)	102	<i>laterana</i> (Fabricius)	51	LIMNAECIA	45
<i>juncicolella</i> Stainton	28	<i>lathonia</i> (Linnaeus)	77	<i>linariata</i> (D. & S.)	93
<i>jungiella</i> (Clerck)	61	<i>lathoniellus</i> (Zincken)	64	<i>linearia</i> (Hübner)	84
<i>juniperata juniperata</i>		LATHRONYMPHA	60	<i>lineola</i> (Curtis)	65
(Linnaeus)	90	<i>lathyrifoliella</i>		<i>lipsiella</i> (D. & S.)	36
<i>juniperata</i> ssp.unnamed	90	(Stainton) f. <i>orobi</i>	27	<i>literana</i> (Linnaeus)	52
<i>jurtina iernes</i> Graves	80	<i>latistria</i> (Haworth)	64	<i>literosa</i> (Haworth)	127
<i>kaekeritziana</i> (Linnaeus)	37	<i>latruncula</i> (D. & S.)	126	<i>lithargyrinella</i> Zeller	29
KESSLERIA	24	<i>lautella</i> (Zeller)	21	<i>lithodactyla</i> (Treitschke)	72
<i>kilmunella</i> Stainton	32	<i>lecheana</i> (Linnaeus)	49	<i>lithoxylaea</i> (D. & S.)	125
<i>kleemannella</i> (Fabricius)	21	<i>legatella</i> (D. & S.)	97	LITHOPHANE	120
<i>kuehniella</i> Zeller	70	<i>lemnata</i> (Linnaeus)	66	LITHOSIA	109
<i>laburnella</i> (Stainton)	26	<i>lemniscella</i> (Zeller)	8	<i>litoralis</i> (Curtis)	119
LACANOBIA	116	<i>leporina</i> (Linnaeus)	123	<i>littoralis</i> (H. & W.)	54
<i>lacertinaria</i> (Linnaeus)	82	LEPTIDEA	73	<i>litura</i> (Linnaeus)	122
<i>lactearia</i> (Linnaeus)	84	<i>leucapennella</i> (Stephens)	18	<i>liturata</i> (Clerck)	99
<i>lacunana</i> (D. & S.)	52	<i>leucodactyla</i> (D. & S.)	71	<i>liturosa</i> (Haworth)	37
<i>lacustrata</i> (Panzer)	65	LEUCODONTA	107	<i>livornica</i> (Esper)	105

BOND, NASH & O'CONNOR

<i>lixella</i> Zeller	29	<i>lusciniapennella</i>		<i>MANIOLA</i>	79
<i>ljungiana</i> (Thunberg)	48	(Treitschke)	28	<i>manniana</i> (Fischer von	
<i>LOBESIA</i>	54	<i>lutarea</i> (Haworth)	25	Röslerstamm)	46
<i>LOBOPHORA</i>	98	<i>luteago barrettii</i>		<i>mansuetella</i> Zeller	5
<i>locupletella</i> (D. & S.)	44	(Doubleday)	117	<i>MARASMARCHA</i>	71
<i>loeflingiana</i> (Linnaeus)	51	<i>lutealis</i> (Hübner)	67	<i>margaritata</i> (Linnaeus)	104
<i>loganella</i> (Stainton)	18	<i>luteella</i> (Stainton)	10	<i>margaritella</i> (D. & S.)	64
<i>LOMASPILIS</i>	95	<i>luteolata</i> (Linnaeus)	99	<i>marginana</i> (Haworth)	54
<i>LOMOGRAPHA</i>	103	<i>luteum</i> (Hufnagel)	110	<i>marginaria</i> (Fabricius)	101
<i>longana</i> (Haworth)	48	<i>luticomella</i> (Zeller)	32	<i>marginata</i> (Linnaeus)	98
<i>loniceræ insularis</i>		<i>lutipennella</i> (Zeller)	27	<i>marginea</i> (Haworth)	11
Tremewan	13	<i>lutosa</i> (Hübner)	129	<i>marginella</i> (Fabricius)	43
<i>lophyrella</i> (Douglas)	45	<i>lutulentella</i> (Zeller)	38	<i>marginepunctata</i> (Goeze)	84
<i>loreyi</i> (Duponchel)	119	<i>luzella</i> (Hübner)	11	<i>maritima</i> Stainton	17
<i>lota</i> (Clerck)	122	<i>LYCAENA</i>	75	<i>maritima</i> (Tengström)	70
<i>lotella</i> (Hübner)	68	<i>lychnidis</i> (D. & S.)	122	<i>maritimella</i> Newman	32
<i>lotella</i> (Stainton)	27	<i>LYCIA</i>	100	<i>maritimus</i> (Tauscher)	130
<i>LOZOTAENIA</i>	49	<i>LYCOPHOTIA</i>	113	<i>marmorea</i> (Haworth)	68
<i>lubricipeda</i> (Linnaeus)	110	<i>LYMANTRIA</i>	108	<i>marmoreum</i> (Haworth)	42
<i>lucens</i> (Freyer)	128	<i>LYONETIA</i>	27	<i>masculella</i> (D. & S.)	11
<i>lucerna</i> (Linnaeus)	112	<i>MACARIA</i>	98	<i>matura</i> (Hufnagel)	124
<i>lucidella</i> (Stephens)	38	<i>machaon</i> Linnaeus	73	<i>maura</i> (Linnaeus)	124
<i>lucipara</i> (Linnaeus)	124	<i>macilenta</i> (Hübner)	122	<i>mayrella</i> (Hübner)	29
<i>lueneburgensis</i> (Freyer)	120	<i>MACROGLOSSUM</i>	105	<i>MECYNA</i>	67
<i>LUFFIA</i>	14	<i>MACROTHYLACIA</i>	81	<i>megacephala</i> (D. & S.)	122
<i>lunaedactyla</i> (Haworth)	71	<i>maculana</i> (Fabricius)	56	<i>megea</i> (Linnaeus)	78
<i>lunana</i> (Thunberg)	49	<i>macularia</i> (Linnaeus)	99	<i>megerlella</i> (Hübner)	33
<i>lunaris</i> (D. & S.)	134	<i>maculicerusella</i> Bruand	32	<i>MELANCHRA</i>	116
<i>lunosa</i> (Haworth)	122	<i>maculosana</i> (Haworth)	46	<i>MELITAEA</i>	78
<i>lunulana</i> (D. & S.)	61	<i>maestingella</i> (Müller)	20	<i>mellinata</i> (Fabricius)	89
<i>lunularia</i> (Hübner)	100	<i>magdalenae</i> (Klimesch)	10	<i>mellonella</i> (Linnaeus)	68
<i>LUPERINA</i>	127	<i>magna</i> (Zeller)	12	<i>mendica</i> (Clerck)	110
<i>lupulinus</i> (Linnaeus)	6	<i>MALACOSOMA</i>	81	<i>mendica mendica</i>	
<i>luridata plumbaria</i>		<i>malella</i> (Stainton)	9	(Fabricius)	113
(Fabricius)	87	<i>malifoliella</i> (Costa)	27	<i>MENOPHRA</i>	101
<i>lurideola</i> (Zincken)	109	<i>malinellus</i> Zeller	24	<i>menyanthidis menyanthidis</i>	
		<i>MAMESTRA</i>	116	(Esper)	123

AN ANNOTATED CHECKLIST OF THE IRISH BUTTERFLIES AND MOTHS (LEPIDOPTERA)

<i>mercurella</i> (Linnaeus)	65	<i>MIRIFICARMA</i>	41	<i>mygindiana</i> (D. & S.)	53
<i>mercuriana</i> (Frölich)	56	<i>mitterbacheriana</i>		<i>myllerana</i> (Fabricius)	22
<i>MERRIFIELDIA</i>	71	(D. & S.)	55	<i>myrtillana</i> (H. & W.)	57
<i>MESAPAMEA</i>	127	<i>MNIOTYPE</i>	121	<i>myrtillana</i> (Treitschke)	55
<i>MESOLEUCA</i>	88	<i>molesta</i> (Busck)	61	<i>myrtillella</i> (Stainton)	8
<i>MESOLIGIA</i>	126	<i>MOMPHA</i>	44	<i>mytilli</i> (Linnaeus)	115
<i>mesomella</i> (Linnaeus)	109	<i>monacha</i> (Linnaeus)	108	<i>MYTHIMNA</i>	118
<i>mespilella</i> (Hübner)	19	<i>moneta</i> (Fabricius)	132	<i>NAENIA</i>	115
<i>messaniella</i> (Zeller)	19	<i>MONOCHROA</i>	38	<i>naevana</i> (Hübner)	57
<i>metaxella</i> (Hübner)	12	<i>monodactyla</i> (Linnaeus)	72	<i>nana</i> (Haworth)	47
<i>METENDOTHENIA</i>	53	<i>monoglypha</i> (Hufnagel)	125	<i>nanana</i> (Treitschke)	56
<i>meticulosa</i>	124	<i>MONOPIS</i>	16	<i>nanata</i> (Hübner)	96
<i>METZNERIA</i>	38	<i>montanana</i> (Duponchel)	63	<i>nanatella</i> (Stainton)	37
<i>metzneriella</i> (Stainton)	38	<i>montanata montanata</i>		<i>napi britannica</i> Müller &	
<i>mi</i> (Clerck)	134	(D. & S.)	86	Kautz	74
<i>miata</i> (Linnaeus)	89	<i>MORMO</i>	124	<i>NEBULA</i>	88
<i>micacea</i> (Esper)	128	<i>morpheus</i> (Hufnagel)	130	<i>nebulella</i> (D. & S.)	70
<i>micalis</i> (Mann)	22	<i>mouffetella</i> (Linnaeus)	39	<i>nebulosa</i> (Hufnagel)	116
<i>microdactyla</i> (Hübner)	72	<i>mucronata scotica</i>		<i>NEMAPOGON</i>	15
<i>microgrammana</i> (Guenée)	61	(Cockayne)	87	<i>NEMATOPOGON</i>	11
<i>MICROPTERIX</i>	5	<i>mucronata umbrifera</i>		<i>NEMOPHORA</i>	12
<i>microtheriella</i> (Stainton)	10	(Heydemann)	86	<i>nemorella</i> (Linnaeus)	25
<i>millieridactyla</i> (Bruand)	71	<i>mucronella</i> (Scopoli)	25	<i>nemorivaga</i> (Tengström)	56
<i>MILTOCHRISTA</i>	108	<i>mucronellus</i> (D. & S.)	65	<i>NEOFACULTA</i>	43
<i>milvipennis</i> Zeller	28	<i>mulinella</i> (Zeller)	41	<i>NEOZEPHYRUS</i>	75
<i>miniata</i> (Forster)	109	<i>multistrigaria</i> (Haworth)	90	<i>nerii</i> (Linnaeus)	105
<i>minima</i> (Haworth)	127	<i>munda</i> (D. & S.)	118	<i>nervosa</i> (Haworth)	37
<i>minimana</i> (Caradja)	46	<i>mundana</i> (Linnaeus)	109	<i>neustria</i> (Linnaeus)	81
<i>minimella</i> (D. & S.)	12	<i>muralis muralis</i> (Forster)	123	<i>ni</i> (Hübner)	132
<i>minimella</i> (Zetterstedt)	7	<i>muralis f. westropi</i>		<i>nicelli</i> (Stainton)	21
<i>minimus</i> (Fuessly)	75	C. & W.	124	<i>nickerlii knilli</i> Boursin	127
<i>miniosa</i> (D. & S.)	118	<i>muricata</i> (Hufnagel)	85	<i>NIDITINEA</i>	16
<i>ministrana</i> (Linnaeus)	50	<i>murinella</i> (Duponchel)	42	<i>nigra</i> (Haworth)	120
<i>minorata ericetata</i>		<i>muscaeformis</i> (Esper)	22	<i>nigrescentella</i> (Logan)	20
(Stephens)	92	<i>musculana musculana</i>		<i>nigricana</i> (Fabricius)	62
<i>MINUCIA</i>	134	(Hübner)	48	<i>nigricans</i> (Linnaeus)	111
<i>minutella</i> (Linnaeus)	35	<i>MYELOIS</i>	69	<i>nigricomella</i> (Zeller)	17

BOND, NASH & O'CONNOR

<i>nimbella</i> (Duponchel)	70	<i>occulta</i> (Linnaeus)	115	<i>or hibernica</i> (Turner)	82
<i>nisella</i> (Clerck)	55	<i>occultella</i> (Linnaeus)	7	<i>orbitella</i> Zeller	28
<i>nitentella</i> (Fuchs)	41	<i>ocellana</i> (Fabricius)	37	<i>ORGYIA</i>	108
<i>nitidana</i> (Fabricius)	60	<i>ocellana</i> (D. & S.)	59	<i>orichalcea</i> (Fabricius)	132
<i>NOCTUA</i>	112	<i>ocellata</i> (Linnaeus)	88	<i>orichalcea</i> Stainton	44
<i>noctuella</i> (D. & S.)	67	<i>ocellata</i> (Linnaeus)	105	<i>ornatella</i> (D. & S.)	69
<i>NOLA</i>	111	<i>ocellatella</i> (Boyd)	41	<i>ornitopus lactipennis</i>	
<i>NOMOPHILA</i>	67	<i>ocellea</i> (Haworth)	63	(Dadd)	120
<i>NONAGRIA</i>	129	<i>ochraceella</i> (Curtis)	44	<i>ORTHONAMA</i>	85
<i>notata</i> (Linnaeus)	98	<i>ochroleucana</i> (Frölich)	53	<i>ORTHOSIA</i>	118
<i>notatella</i> (Hübner)	40	<i>OCHROPACHA</i>	83	<i>ORTHOTAELIA</i>	23
<i>NOTODONTA</i>	106	<i>OCHROPLEURA</i>	112	<i>ORTHOTAENIA</i>	53
<i>nubiferana</i> (Haworth)	53	<i>OCHSENHEIMERIA</i>	25	<i>osseana</i> (Scopoli)	50
<i>nubilalis</i> (Hübner)	66	<i>OCNEROSTOMA</i>	25	<i>ostrina</i> (Hübner)	131
<i>NUDARIA</i>	109	<i>oculea</i> (Linnaeus)	128	<i>ostrinalis</i> (Hübner)	66
<i>nupta</i> (Linnaeus)	134	<i>ODEZIA</i>	98	<i>OSTRINIA</i>	66
<i>NYCTEOLA</i>	131	<i>ODONTOGNOPHOS</i>	104	<i>otidipennella</i> (Hübner)	31
<i>nylandriella</i> (Tengström)	9	<i>ODONTOPERA</i>	100	<i>OURAPTERYX</i>	100
<i>nymphaeata</i> (Linnaeus)	66	<i>ODONTOSIA</i>	107	<i>oxyacanthae</i> (Frey)	19
<i>NYMPHULA</i>	66	<i>OEGOCONIA</i>	44	<i>oxyacanthae</i> (Linnaeus)	121
<i>obelisca grisea</i> (Tutt)	111	<i>oehlmanniella</i> (Hübner)	11	<i>oxyacanthella</i> (Stainton)	9
<i>obeliscata</i> (Hübner)	90	<i>OIDAEMATOPHORUS</i>	72	<i>OXYPTILUS</i>	71
<i>obfuscatus</i> (D. & S.)	104	<i>OINOPHILA</i>	17	<i>pactolia</i> Meyrick	15
<i>obliquella</i> (Heinemann)	8	<i>oleracea</i> (Linnaeus)	116	<i>padella</i> (Linnaeus)	24
<i>oblitella</i> (Zeller)	69	<i>OLETHREUTES</i>	52	<i>paleana</i> (Hübner)	48
<i>oblonga</i> (Haworth)	125	<i>OLIGIA</i>	126	<i>pallens</i> (Linnaeus)	119
<i>obscenella</i> H.-S.	30	<i>OLINDIA</i>	52	<i>pallescentella</i> Stainton	17
<i>obscurata</i> (D. & S.)	104	<i>olivalis</i> (D. & S.)	67	<i>pallida</i> (Curtis)	65
<i>obscurepunctella</i>		<i>olivana</i> (Treitschke)	53	<i>pallidactyla</i> (Haworth)	71
(Stainton)	32	<i>olivata</i> (D. & S.)	90	<i>pallidana</i> Zeller	47
<i>obsitalis</i> (Hübner)	135	<i>OMPHALOSCELIS</i>	122	<i>pallidiata</i> (Hufnagel)	66
<i>obsoletella</i> (Fischer von		<i>OPEROPHTERA</i>	92	<i>pallorella</i> (Zeller)	37
Röslerstamm)	41	<i>ophiogramma</i> (Esper)	126	<i>palpina</i> (Clerck)	107
<i>obstipata</i> (Fabricius)	85	<i>opima</i> (Hübner)	118	<i>PALPITA</i>	68
<i>obtusana</i> (Haworth)	55	<i>OPISTHOGRAPTIS</i>	99	<i>palumbella</i> (D. & S.)	68
<i>obumbratana</i> (Lienig and		<i>OPOSTEGA</i>	10	<i>palustrana</i> (Lienig and	
Zeller)	59	<i>OPSIBOTYS</i>	67	Zeller)	53

AN ANNOTATED CHECKLIST OF THE IRISH BUTTERFLIES AND MOTHS (LEPIDOPTERA)

<i>PAMMENE</i>	60	<i>pellionella</i> Linnaeus	17	<i>phlaeas hibernica</i>	
<i>pamphilus pamphilus</i>		<i>peltigera</i> (D. & S.)	130	Goodson	75
(Linnaeus)	80	<i>PELURGA</i>	88	<i>PHLOGOPHORA</i>	124
<i>PANCALIA</i>	45	<i>PEMPELIA</i>	68	<i>PHLYCTAENIA</i>	67
<i>pandalis</i> (Hübner)	66	<i>PEMPELIELLA</i>	69	<i>phoeniceata</i> (Rambur)	97
<i>PANDEMIS</i>	47	<i>pennaria</i> (Linnaeus)	100	<i>PHOTEDES</i>	127
<i>PANEMERIA</i>	130	<i>pentadactyla</i> (Linnaeus)	72	<i>PHRAGMATOBIA</i>	110
<i>PANOLIS</i>	118	<i>penziana bellana</i> (Curtis)	50	<i>phragmitella</i> (Hübner)	64
<i>PAPESTRA</i>	116	<i>penziana colquhounana</i>		<i>phragmitella</i> Stainton	45
<i>paphia</i> (Linnaeus)	78	(Barrett)	50	<i>PHTHEOCHROA</i>	45
<i>PAPILIO</i>	73	<i>PERCONIA</i>	104	<i>PHYCITA</i>	69
<i>papilionaria</i> (Linnaeus)	84	<i>PERIBATODES</i>	101	<i>PHYCITODES</i>	70
<i>pappiferella</i> Hofmann	31	<i>peribenanderi</i> Toll	30	<i>PHYLLOCNISTIS</i>	21
<i>PARADARISA</i>	103	<i>PERIDROMA</i>	113	<i>PHYLLONORYCTER</i>	19
<i>paradoxa</i> (Frey)	9	<i>PERINEPHELA</i>	67	<i>PHYLLOPORIA</i>	11
<i>PARADRINA</i>	130	<i>PERITTIA</i>	32	<i>PHYTOMETRA</i>	134
<i>PARAPOYNX</i>	66	<i>PERIZOMA</i>	92	<i>picaepennis</i> (Haworth)	45
<i>PARARGE</i>	78	<i>perlella</i> (Scopoli)	64	<i>piercei</i> Obraztsov	46
<i>PARASEMIA</i>	109	<i>permixtana</i> (D. & S.)	46	<i>PIERIS</i>	74
<i>PARASTICHTIS</i>	124	<i>permutana</i> (Duponchel)	52	<i>pigra</i> (Hufnagel)	107
<i>PARASWAMMERDAMIA</i>	24	<i>perplexa capsophila</i>		<i>pilosaria</i> (D. & S.)	100
<i>PARATALANTA</i>	66	(Duponchel)	117	<i>pimpinellata</i> (Hübner)	96
<i>parenthesella</i> (Linnaeus)	25	<i>perpygmaeella</i>		<i>pinella</i> (Linnaeus)	64
<i>PAREULYPE</i>	91	(Doubleday)	9	<i>pinguinalis</i> (Linnaeus)	68
<i>paripennella</i> Zeller	30	<i>persicariae</i> (Linnaeus)	116	<i>pinaria</i> (Linnaeus)	103
<i>paripunctella</i> (Thunberg)	39	<i>petiverella</i> (Linnaeus)	62	<i>pinariella</i> Zeller	25
<i>PARORNIX</i>	18	<i>PETROPHORA</i>	99	<i>PINIPHILA</i>	53
<i>parva</i> (Hübner)	131	<i>PHALERA</i>	107	<i>pinivorana</i> (Lienig and Zeller)	59
<i>parvidactylus</i> (Haworth)	71	<i>PHALONIDIA</i>	46	<i>pisi</i> (Linnaeus)	116
<i>pascuella</i> (Linnaeus)	64	<i>phasianipennella</i>		<i>plagiata plagiata</i>	
<i>PASIPHILA</i>	97	(Hübner)	18	(Linnaeus)	97
<i>pastinacella</i> (Duponchel)	36	<i>PHAULERNIS</i>	63	<i>plagicolella</i> (Stainton)	8
<i>paupella</i> (Zeller)	39	<i>PHEOSIA</i>	106	<i>PLAGODIS</i>	99
<i>pavonia</i> (Linnaeus)	82	<i>PHIGALIA</i>	100	<i>plantaginis plantaginis</i>	
<i>PECHIPOGO</i>	135	<i>PHILEDONE</i>	49	(Linnaeus)	110
<i>pectinataria</i> (Knoch)	90	<i>PHILEDONIDES</i>	49	<i>PLATYPTILIA</i>	71
<i>pectinea</i> Haworth	11	<i>PHILEREME</i>	91		

BOND, NASH & O'CONNOR

<i>PLATYTES</i>	65	<i>posticana</i> (Zetterstedt)	59	<i>pseudospretella</i> (Stainton)	35
<i>plebeja</i> (Linnaeus)	115	<i>postvittana</i> (Walker)	49	<i>PSEUDOSWAMMER-</i>	
<i>plebejana</i> Zeller	56	<i>potatoria</i> (Linnaeus)	82	<i>DAMIA</i>	24
<i>plecta</i> (Linnaeus)	112	<i>potentillae</i> Elisha	28	<i>PSEUDOTELPHUSA</i>	39
<i>PLEMYRIA</i>	89	<i>poterii</i> f. <i>serella</i>		<i>PSEUDOTERPNA</i>	83
<i>PLEUROPTYA</i>	67	(Stainton)	8	<i>psi</i> (Linnaeus)	123
<i>PLEUROTA</i>	35	<i>praeangusta</i> (Haworth)	44	<i>PSYCHE</i>	14
<i>plexippus</i> (Linnaeus)	80	<i>praecox</i> (Linnaeus)	112	<i>PSYCHOIDES</i>	15
<i>PLODIA</i>	70	<i>praelatella</i> (D. & S.)	11	<i>PTERAPHERAPTERYX</i>	98
<i>plumbagana</i> (Treitschke)	62	<i>prasina</i> (D. & S.)	115	<i>pterodactyla</i> (Linnaeus)	71
<i>plumbana</i> (Scopoli)	63	<i>prasinana britannica</i>		<i>PETROPHORA</i>	96
<i>plumbella</i> (D. & S.)	24	Warren	131	<i>PTEROPHORUS</i>	72
<i>plumbeolata</i> (Haworth)	93	<i>PRAYS</i>	25	<i>PTEROSTOMA</i>	107
<i>plumella</i> (D. & S.)	15	<i>primaria</i> (Haworth)	104	<i>PTILODON</i>	107
<i>PLUSIA</i>	133	<i>proboscidalis</i> (Linnaeus)	135	<i>PTOCHEUUSA</i>	39
<i>PLUTELLA</i>	26	<i>PROCHOREUTIS</i>	22	<i>PTYCHOLOMA</i>	49
<i>poae</i> Stainton	32	<i>profundana</i> (D. & S.)	55	<i>pubicornis</i> (Haworth)	11
<i>podana</i> (Scopoli)	48	<i>PROLITA</i>	41	<i>pudibunda</i> (Linnaeus)	108
<i>POECILOCAMPA</i>	81	<i>pronuba</i> (Linnaeus)	112	<i>pudorina</i> (D. & S.)	119
<i>POLIA</i>	115	<i>pronubana</i> (Hübner)	48	<i>pulchella</i> (Linnaeus)	109
<i>politella</i> (Stainton)	39	<i>propinquella</i> (Stainton)	44	<i>pulchellata hebudium</i>	
<i>POLYCHRYSLA</i>	132	<i>propinquella</i> (Treitschke)	37	Sheldon	93
<i>POLYGONIA</i>	77	<i>PROTODELTOTE</i>	131	<i>pulchellata pulchellata</i>	
<i>POLYMIXIS</i>	121	<i>proximella</i> (Hübner)	40	Stephens	93
<i>POLYOMMATUS</i>	76	<i>pruinata atropunctaria</i>		<i>pulcherrimella</i> Stainton	36
<i>pomonella</i> (Linnaeus)	62	(Walker)	83	<i>pulchrina</i> (Haworth)	133
<i>PONTIA</i>	74	<i>prunalis</i> (D. & S.)	67	<i>pulicariae</i> (Klimesch)	26
<i>populana</i> (Fabricius)	60	<i>prunaria</i> (Linnaeus)	100	<i>pulveraria</i> (Linnaeus)	99
<i>populata</i> (Linnaeus)	89	<i>prunata</i> (Linnaeus)	89	<i>pulverosella</i> (Stainton)	6
<i>populella</i> (Clerck)	43	<i>pruniana</i> (Hübner)	53	<i>punctaria</i> (Linnaeus)	84
<i>populeti</i>	118	<i>pruniella</i> (Clerck)	23	<i>punctidactyla</i> (Haworth)	71
<i>populetorum</i> (Zeller)	18	<i>PSEUDARGYROTOZA</i>	50	<i>punctinalis</i> (Scopoli)	102
<i>populi</i> (Linnaeus)	81	<i>PSEUDATEMELIA</i>	36	<i>punctulata</i> (D. & S.)	103
<i>populi</i> (Linnaeus)	105	<i>PSEUDOCOCCYX</i>	59	<i>puppillaria</i> (Hübner)	84
<i>porcellus</i> (Linnaeus)	106	<i>PSEUDOIPS</i>	131	<i>purpuralis</i> (Linnaeus)	66
<i>porphyrea</i> (D. & S.)	113	<i>PSEUDOPANTHERA</i>	99	<i>purpuralis sabulosa</i>	
<i>porrectella</i> (Linnaeus)	26	<i>PSEUDOPOSTEGA</i>	10	Tremewan	14

AN ANNOTATED CHECKLIST OF THE IRISH BUTTERFLIES AND MOTHS (LEPIDOPTERA)

<i>purpurea</i> (Haworth)	37	<i>quinqueguttella</i>	<i>RHYACIONIA</i>	59
<i>pusaria</i> (Linnaeus)	103	(Stainton)	<i>ribeata</i> (Clerck)	102
<i>pusillata pusillata</i>		<i>rajella</i> (Linnaeus)	<i>ripae</i> (Hübner)	112
(D. & S.)	96	<i>ramella</i> (Linnaeus)	<i>RIVULA</i>	135
<i>puta puta</i> (Hübner)	112	<i>ramosella</i> Zeller	<i>rivulana</i> (Scopoli)	52
<i>putnami gracilis</i>		<i>rapae</i> (Linnaeus)	<i>rivularis</i> (Fabricius)	117
(Lempke)	133	<i>raschkiella</i> (Zeller)	<i>roborana</i> (D. & S.)	58
<i>putris</i> (Linnaeus)	112	<i>ratzeburgiana</i>	<i>roborella</i> (D. & S.)	69
<i>pygarga</i> (Hufnagel)	131	(Ratzeburg)	<i>roboris</i> (Zeller)	19
<i>pygmaeata</i> (Hübner)	94	<i>reali</i> Reissinger	<i>robusta</i> Walker	134
<i>pygmaeella</i> (D. & S.)	23	<i>reaumurella</i> (Linnaeus)	<i>robustana</i> (Christoph)	54
<i>pygmina</i> (Haworth)	127	<i>rectangulata</i> (Linnaeus)	<i>robustella</i> Jäckh	18
<i>PYLA</i>	68	<i>rectilinea</i> (Esper)	<i>rosaceana</i> (Schläger)	52
<i>pyralella</i> (D. & S.)	65	<i>regiana</i> (Zeller)	<i>rosaecolana</i> (Doubleday)	58
<i>pyraliata</i> (D. & S.)	89	<i>regificella</i> Sircom	<i>rosana</i> (Linnaeus)	48
<i>PYRALIS</i>	68	<i>reliquana</i> (Hübner)	<i>rotundella</i> (Douglas)	37
<i>pyramidea</i> (Linnaeus)	124	<i>remissa</i> (Hübner)	<i>ruberata</i> (Freyer)	90
<i>PYRAUSTA</i>	66	<i>repandaria</i> (Hufnagel)	<i>rubi</i> (Linnaeus)	75
<i>pyrella</i> (Villers)	24	<i>repandata repandata</i> f.	<i>rubi</i> (Linnaeus)	81
<i>pyrina</i> (Linnaeus)	13	<i>muraria</i> Curtis	<i>rubi</i> (Vieweg)	114
<i>pyritoides</i> (Hufnagel)	82	<i>resplendella</i> (Stainton)	<i>rubigana</i> (Treitschke)	47
<i>PYRONIA</i>	79	<i>reticulata hibernica</i>	<i>rubiginata rubiginata</i>	
<i>PYRRHIA</i>	130	Cockayne	(D. & S.)	89
<i>pyrrhulipennella</i> Zeller	30	<i>retinella</i> Zeller	<i>rubiginosana</i> (H.-S.)	56
<i>quadra</i> (Linnaeus)	109	<i>revayana</i> (Scopoli)	<i>rubivora</i> (Wocke)	6
<i>quadrana</i> (Hübner)	58	<i>rhamni gravesi</i> Huggins	<i>rubricollis</i> (Linnaeus)	109
<i>quadrimalaculana</i>		<i>rhediella</i> (Clerck)	<i>rubricosa</i> (D. & S.)	115
(Haworth)	54	<i>RHEUMAPTERA</i>	<i>rufa</i> (Haworth)	129
<i>quadrimalaculella</i>		<i>RHIGOGNOSTIS</i>	<i>rufana</i> (D. & S.)	52
(Boheman)	6	<i>RHIZEDRA</i>	<i>rufescens</i> (Haworth)	43
<i>quadripuncta</i> (Haworth)	44	<i>RHODOMETRA</i>	<i>ruficapitella</i> (Haworth)	9
<i>quercana</i> (Fabricius)	36	<i>rhombana</i> (D. & S.)	<i>ruficiliana</i> (Haworth)	47
<i>quercifoliella</i> (Zeller)	19	<i>rhombella</i> (D. & S.)	<i>ruficornis</i> (Hufnagel)	107
<i>quercinaria</i> (Hufnagel)	100	<i>rhomboidaria</i> (D. & S.)	<i>rufifasciata</i> (Haworth)	97
<i>quercus</i> (Linnaeus)	75	<i>rhomboidella</i> (Linnaeus)	<i>rufimitrella</i> (Scopoli)	12
<i>quercus</i> f. <i>callunae</i>		<i>RHOPOBOTA</i>	<i>rufocinerea</i> (Haworth)	32
Palmer	81	<i>RHYACIA</i>	<i>rumicis</i> (Linnaeus)	123

BOND, NASH & O'CONNOR

<i>rupicola</i> (Curtis)	47	<i>SCHRECKENSTEINIA</i>	63	<i>septembrella</i> (Stainton)	7
<i>ruralis</i> (Scopoli)	67	<i>schulziana</i> (Fabricius)	53	<i>sericealis</i> (Scopoli)	135
<i>ruricolella</i> (Stainton)	16	<i>schumacherana</i>		<i>sericiella</i> (Haworth)	12
<i>urinana</i> (Linnaeus)	49	(Fabricius)	52	<i>serratella</i> (Linnaeus)	27
<i>RUSINA</i>	124	<i>schwarzella</i> (Fabricius)	45	<i>serricornis</i> (Stainton)	34
<i>sacraria</i> (Linnaeus)	85	<i>schwarziellus</i> Zeller	11	<i>SESIA</i>	21
<i>salaciella</i> (Treitschke)	10	<i>scirpi</i> (Stainton)	34	<i>SETINA</i>	108
<i>salicata latentaria</i>		<i>scoliaeformis</i>		<i>sexalata</i> (Retzius)	98
(Curtis)	89	(Borkhausen)	22	<i>sexguttella</i> (Thunberg)	38
<i>salicella</i> (Hübner)	36	<i>SCOLIOPTERYX</i>	134	<i>sexpunctella</i> (Fabricius)	41
<i>salicicolella</i> (Sircom)	20	<i>scolopacina</i> (Esper)	126	<i>sexstrigata</i> (Haworth)	114
<i>salicis</i> (Linnaeus)	108	<i>SCOPARIA</i>	65	<i>SHARGACUCULLIA</i>	120
<i>salicis</i> (Stainton)	8	<i>scopariella</i> (Zeller)	20	<i>siccifolia</i> Stainton	28
<i>salicitella viminiella</i>		<i>SCOPULA</i>	84	<i>SIDERIDIS</i>	116
(Sircom)	20	<i>scoticella</i> (Stainton)	19	<i>signatana</i> (Douglas)	56
<i>salicorniae</i> (H. & W.)	32	<i>SCOTOPTERYX</i>	86	<i>silaceata</i> (D. & S.)	89
<i>salopiella</i> (Stainton)	5	<i>SCROBIPALPA</i>	41	<i>similella</i> (Hübner)	35
<i>samadensis plantaginella</i>		<i>scutosa</i> (D. & S.)	131	<i>similis</i> (Fuessly)	108
(Stainton)	41	<i>scutulana</i> (D. & S.)	58	<i>similis</i> (Stainton)	39
<i>sambucaria</i> (Linnaeus)	100	<i>SCYTHRIS</i>	45	<i>simpliciana</i> (Haworth)	63
<i>sangiella</i> (Stainton)	42	<i>secalis</i> (Linnaeus)	127	<i>simpliciata</i> (Haworth)	96
<i>sangii</i> (Wood)	5	<i>segetum</i> (D. & S.)	111	<i>simpliciella</i> (Stephens)	22
<i>sanguinalis</i> (Linnaeus)	66	<i>sehestediana</i> (Fabricius)	22	<i>simulans</i> (Hufnagel)	112
<i>sannio</i> (Linnaeus)	110	<i>selasella</i> (Hübner)	64	<i>sinapis</i> (Linnaeus)	73
<i>sarcitrella</i> (Linnaeus)	35	<i>SELENIA</i>	100	<i>sinapis juvernica</i>	
<i>SATURNIA</i>	82	<i>SELIDOSOMA</i>	101	Williams	73
<i>satyrata callunaria</i>		<i>semele clarensis</i> de Lattin	79	<i>sinuella</i> (Fabricius)	70
Doubleday	94	<i>semele hibernica</i> Howarth	79	<i>siterata</i> (Hufnagel)	89
<i>saucia</i> (Hübner)	113	<i>semifasciana</i> (Haworth)	54	<i>SMERINTHUS</i>	105
<i>saxicola</i> (Vaughan)	70	<i>semifulvella</i> Haworth	17	<i>socia</i> (Hufnagel)	120
<i>saxicolella</i> (Duponchel)	30	<i>semifusca</i> (Haworth)	23	<i>sociana</i> (Haworth)	57
<i>saxifragae</i> (Stainton)	24	<i>semipurpurella</i> (Stephens)	5	<i>sociella</i> (Linnaeus)	68
<i>scabrella</i> (Linnaeus)	25	<i>semitestacella</i> (Curtis)	24	<i>sodaliana</i> (Haworth)	46
<i>schalleriana</i> (Linnaeus)	51	<i>senecionana</i> (Hübner)	49	<i>solandriana</i> (Linnaeus)	56
<i>SCHINIA</i>	131	<i>senectella</i> (Zeller)	39	<i>somnulentella</i> (Zeller)	27
<i>schoenicoella</i> Boyd	22	<i>senex</i> (Hübner)	108	<i>sorbi</i> (Frey)	19
<i>SCHRANKIA</i>	135	<i>senilella</i> (Zetterstedt)	26	<i>sorbi</i> (Stainton)	8

AN ANNOTATED CHECKLIST OF THE IRISH BUTTERFLIES AND MOTHS (LEPIDOPTERA)

<i>sorbiella</i> (Treitschke)	23	<i>stephensiana</i> (Doubleday)	50	(Stainton)	37
<i>sordens</i> (Hufnagel)	126	<i>stephensiana</i> f.		<i>subpurpurella</i> (Haworth)	5
<i>sordidana</i> (Hübner)	56	<i>octomaculana</i> Curtis	50	<i>subsequana</i> (Haworth)	55
SORHAGENIA	45	<i>sternipennella</i>		<i>subsericeata</i> (Haworth)	85
<i>sororculana</i> (Zetterstedt)	54	(Zetterstedt)	31	<i>subtusa</i> (D. & S.)	124
<i>sororculella</i> (Hübner)	41	<i>sticticana</i> (Fabricius)	58	<i>subumbrata</i> (D. & S.)	96
<i>sororiata anglica</i> Prout	97	<i>stigmatella</i> (Fabricius)	18	<i>succedana</i> (D. & S.)	61
<i>spadicearia</i> (D. & S.)	86	STIGMELLA	7	<i>succenturiata</i> (Linnaeus)	96
<i>sparganella</i> (Thunberg)	23	STILBIA	130	<i>suffumata</i> (D. & S.)	88
<i>sparganii</i> (Esper)	129	<i>straminata</i> (Borkhausen)	85	<i>suffusella</i> (Douglas)	38
<i>sparrmannella</i> (Bosc)	5	<i>straminea</i> (Haworth)	46	<i>sulphurella</i> (Fabricius)	35
<i>sparsana</i> (D. & S.)	51	<i>straminea</i> (Treitschke)	119	<i>suspecta</i> (Hübner)	124
<i>spartiella</i> (Schrank)	43	<i>straminella</i> (D. & S.)	64	<i>svenssoni</i> (Johansson)	9
<i>spartifoliella</i> (Hübner)	26	<i>strataria</i> (Hufnagel)	101	<i>swammerdamella</i>	
<i>spectrana</i> (Treitschke)	49	<i>stratitota</i> (Linnaeus)	66	(Linnaeus)	11
<i>sphinx</i> (Hufnagel)	120	<i>striana</i> (D. & S.)	52	SWAMMERDAMIA	24
SPIILONOTA	59	<i>striatipennella</i> Nylander	30	<i>sylvata</i> (D. & S.)	98
SPILOSOMA	110	<i>strigana</i> (Fabricius)	60	<i>sylvata</i> (Scopoli)	98
<i>spinella</i> (Schrank)	27	<i>strigilata</i> (Linnaeus)	135	<i>sylvaticella</i> Wood	31
<i>spiniana</i> (Duponchel)	60	<i>strigilis</i> (Linnaeus)	126	<i>sylvestrana</i> (Curtis)	59
<i>spinicolella</i> (Zeller)	20	<i>strigillaria</i> (Hübner)	104	SYNANSPHECIA	22
<i>spinoseella</i> Stainton	23	STROPHEDRA	60	SYNANTHEDON	22
<i>spinosissimae</i> (Waters)	9	<i>suasa</i> (D. & S.)	116	SYNCOPACMA	42
<i>splendana</i> (Hübner)	62	<i>subalbidella</i> Schläger	34	SYNDEMIS	48
<i>splendidissimella</i> (H.-S.)	7	<i>subarcuana</i> (Douglas)	55	SYNGRAPHA	133
<i>splendidulana</i> (Guenée)	60	<i>subbimaculella</i> (Haworth)	7	<i>syringaria</i> (Linnaeus)	99
SPODOPTERA	130	<i>subbistrigella</i> (Haworth)	44	<i>syringella</i> (Fabricius)	18
SPULERIA	45	<i>subdecurtella</i> (Stainton)	39	<i>taenialis</i> (Hübner)	135
<i>stagnana</i> (D. & S.)	57	<i>subfasciella</i> (Stephens)	25	<i>taeniata</i> (Stephens)	92
<i>stagnata</i> (Donovan)	66	<i>subfusca</i> Haworth	65	<i>taeniipennella</i> H.-S.	31
STANDFUSSIANA	112	<i>subfuscata</i> (Haworth)	95	<i>taeniolella</i> (Zeller)	43
<i>statices</i> (Linnaeus)	13	<i>sublustris</i> (Esper)	125	<i>tages baynesi</i> Huggins	72
STAUROPUS	107	<i>subnigrella</i> Douglas	32	<i>tages tages</i> (Linnaeus)	72
<i>steinbachi</i> Rothschild	110	<i>subnitidella</i> (Duponchel)	7	<i>tamesis</i> Waters	31
<i>stellatarum</i> (Linnaeus)	105	<i>subocellana</i> (Donovan)	55	<i>tantillaria</i> Boisduval	97
STENOLECHIA	39	<i>subocellea</i> (Stephens)	33	<i>tapetzella</i> (Linnaeus)	16
STENOPTILIA	71	<i>subpropinquella</i>		<i>tarsipennalis</i> (Treitschke)	135

<i>taurella</i> (D. & S.)	25	<i>THUMATHA</i>	108	<i>trifasciella</i> (Haworth)	21
<i>TEBENNA</i>	22	<i>THYATIRA</i>	82	<i>trifoliana</i> (H.-S.)	54
<i>tedella</i> (Clerck)	56	<i>THYSANOPLUSIA</i>	132	<i>trifolii</i> (Curtis)	28
<i>TELEIODES</i>	40	<i>TIMANDRA</i>	84	<i>trifolii</i> (Hufnagel)	115
<i>TELEIOPSIS</i>	40	<i>TINEA</i>	17	<i>TRIFURCULA</i>	7
<i>temerata</i> (D. & S.)	103	<i>TINEOLA</i>	16	<i>trigonella</i> (Linnaeus)	56
<i>temerella</i>		<i>tipuliformis</i> (Clerck)	22	<i>trigrammica</i> (Hufnagel)	129
(Lienig & Zeller)	43	<i>TISCHERIA</i>	10	<i>trimaculana</i> (Haworth)	58
<i>templi</i> (Thunberg)	120	<i>tithonus britanniae</i>		<i>trimaculella</i> (Haworth)	9
<i>tenebrata</i> (Scopoli)	130	(Verity)	79	<i>tringipennella</i> (Zeller)	18
<i>tenebrella</i> (Hübner)	38	<i>tityrella</i> (Stainton)	9	<i>trinotella</i> Thunberg	17
<i>tenebrosana</i> (Duponchel)	61	<i>tityus</i> (Linnaeus)	105	<i>tripartita</i> (Hufnagel)	133
<i>tenerana</i> (D. & S.)	55	<i>togata</i> (Esper)	122	<i>TRIPHOSA</i>	91
<i>tenuiata</i> (Hübner)	93	<i>torquillella</i> (Zeller)	19	<i>triplasia</i> (Linnaeus)	133
<i>tephradactyla</i> (Hübner)	72	<i>TORTRICODES</i>	50	<i>tripunctaria</i> H.-S.	95
<i>terminella</i> (H. & W.)	44	<i>TORTRIX</i>	51	<i>trisignaria</i> H.-S.	94
<i>ternata</i> Schrank	85	<i>TRACHYCERA</i>	68	<i>tristata</i> (Linnaeus)	87
<i>terrella</i> (D. & S.)	39	<i>tragopoginis</i> (Clerck)	124	<i>tristella</i> (D. & S.)	64
<i>tersata</i> (D. & S.)	91	<i>transversa</i> (Hufnagel)	122	<i>tristrigella</i> (Haworth)	21
<i>tesseradactyla</i> (Linnaeus)	71	<i>transversata britannica</i>		<i>tritici</i> (Linnaeus)	111
<i>testacea</i> (D. & S.)	127	Lempke	91	<i>trochilella</i> (Duponchel)	30
<i>testata</i> (Linnaeus)	89	<i>trapeziella</i> (Stainton)	34	<i>truncata</i> (Hufnagel)	89
<i>TETHEA</i>	82	<i>trapezina</i> (Linnaeus)	125	<i>truncicolella</i> (Stainton)	65
<i>TETHEELLA</i>	83	<i>tremula</i> (Clerck)	107	<i>trux lunigera</i> Stephens	111
<i>tetragonana</i> (Stephens)	58	<i>triangulum</i> (Hufnagel)	114	<i>tullia polydama</i>	
<i>tetrapunctella</i> (Thunberg)	39	<i>triatomea</i> (Haworth)	33	(Howarth)	80
<i>tetraquetrana</i> (Haworth)	55	<i>TRIAXOMERA</i>	16	<i>turbidana</i> Hübner	54
<i>thalassina</i> (Hufnagel)	116	<i>TRICHIURA</i>	81	<i>turbidana</i> (Treitschke)	58
<i>THALPOPHILA</i>	124	<i>TRICHOPHAGA</i>	16	<i>typhae</i> (Thunberg)	129
<i>THAUMATOTIBIA</i>	60	<i>TRICHOPLUSIA</i>	132	<i>typica</i> (Linnaeus)	115
<i>THECLA</i>	75	<i>TRICHOPTERYX</i>	98	<i>TYRIA</i>	110
<i>THERA</i>	90	<i>tricolorella</i> (Haworth)	42	<i>uddmanniana</i> (Linnaeus)	58
<i>THERIA</i>	104	<i>tridactyla phillipsi</i>		<i>UDEA</i>	67
<i>therinella</i> Tengström	30	Huggins	72	<i>uliginosellus</i> Zeller	64
<i>THOLERA</i>	117	<i>tridens</i> (D. & S.)	123	<i>ulmariae</i> (Wocke)	8
<i>thrasonella</i> (Scopoli)	23	<i>tridens occidentalis</i>		<i>ulmella</i> Zeller	17
<i>THRIA</i>	134	Cockayne	128	<i>ulmifoliella</i> (Hübner)	21

AN ANNOTATED CHECKLIST OF THE IRISH BUTTERFLIES AND MOTHS (LEPIDOPTERA)

<i>ulmivora</i> (Fologne)	9	<i>VENUSIA</i>	98	<i>xanthomista statices</i>	
<i>ultimella</i> Stainton	36	<i>verbasci</i> (Linnaeus)	120	(Gregson)	121
<i>umbellana</i> (Fabricius)	37	<i>verhuella</i> Bruand	15	<i>XANTHORHOE</i>	85
<i>umbra</i> (Hufnagel)	130	<i>versicolor</i> (Borkhausen)	126	<i>XENOLECHIA</i>	39
<i>umbratica</i> (Linnaeus)	119	<i>versurella</i> Zeller	31	<i>XESTIA</i>	114
<i>umbrosella</i> (Zeller)	39	<i>vestigialis</i> (Hufnagel)	111	<i>XYLENA</i>	121
<i>unangulata</i> (Haworth)	91	<i>vetulata</i> (D. & S.)	91	<i>XYLOCAMPA</i>	121
<i>unanimis</i> (Hübner)	125	<i>vetusta</i> (Hübner)	121	<i>xylosteanae</i> (Linnaeus)	48
<i>uncella</i> (D. & S.)	55	<i>viburnana</i> (D. & S.)	48	<i>xylostella</i> (Linnaeus)	26
<i>uncula</i> (Clerck)	131	<i>vicinella</i> (Douglas)	42	<i>yeatiana</i> (Fabricius)	37
<i>undulana</i> (D. & S.)	54	<i>viminalis</i> (Fabricius)	120	<i>YPONOMEUTA</i>	24
<i>undulata</i> (Linnaeus)	91	<i>viminetorum</i> (Stainton)	20	<i>ypsillon</i> (D. & S.)	124
<i>unguicella</i> (Linnaeus)	55	<i>vinula</i> (Linnaeus)	106	<i>YPSOLOPHA</i>	25
<i>unicolorella</i> (Duponchel)	38	<i>viretata</i> (Hübner)	98	<i>ZANCLOGNATHA</i>	135
<i>unimaculella</i> (Zetterstedt)	5	<i>virgaureata</i> Doubleday	96	<i>ZEIRAPHERA</i>	57
<i>unipuncta</i> (Haworth)	119	<i>virginiensis</i> (Drury)	76	<i>ZELLERIA</i>	24
<i>unipunctella</i> (Stephens)	21	<i>viridana</i> (Linnaeus)	51	<i>zelleriella</i> (Snellen)	8
<i>unitana</i> (Hübner)	49	<i>viridaria</i> (Clerck)	134	<i>ZEUZERA</i>	13
<i>urella</i> Fischer von Röslerstamm	26	<i>viscariella</i> (Stainton)	42	<i>ziczac</i> (Linnaeus)	106
<i>urticae</i> (Linnaeus)	76	<i>vitalbata</i> (D. & S.)	90	<i>zoegana</i> (Linnaeus)	46
<i>ustella</i> (Clerck)	25	<i>vitellina</i> (Hübner)	119	<i>zonaria britannica</i>	
<i>UTETHEISA</i>	109	<i>vitrealis</i> (Rossi)	68	(Harrison)	101
<i>utonella</i> (Frey)	34	<i>vittata</i> (Borkhausen)	85	<i>zophodactylus</i>	
<i>v-ata</i> (Haworth)	97	<i>vittella</i> (Linnaeus)	25	(Duponchel)	71
<i>v-flava</i> (Haworth)	17	<i>vulgana</i> (Frölich)	49	<i>ZYGAENA</i>	13
<i>vaccinii</i> (Linnaeus)	122	<i>vulgata clarensis</i> Huggins	95		
<i>valerianata</i> (Hübner)	93	<i>vulgata scotica</i> Cockayne	95		
<i>VANESSA</i>	76	<i>vulgella</i> (D. & S.)	40		
<i>variabilis</i> (P. & M.)	132	<i>wagae</i> (Nowicki)	40		
<i>variegana</i> (D. & S.)	51	<i>WATSONALLA</i>	82		
<i>vectisana</i> (H. & W.)	46	<i>wauaria</i> (Linnaeus)	99		
<i>venosata plumbea</i>		<i>weaverella</i> (Scott)	16		
Huggins	94	<i>wilkella</i> (Linnaeus)	38		
<i>venosata venosata</i>		<i>XANTHIA</i>	122		
(Fabricius)	94	<i>xanthographa</i> (D. & S.)	114		

INDEX OF COMMON NAMES IN ENGLISH AND IRISH

Ailleánn	76	Barred chestnut	114	Bleachtfhéileacán	81
Ailleánn meiriceánach	76	Barred fruit-tree tortrix	47	Blood-vein	84
Aimiréal dearg	76	Barred hook-tip	82	Blossom underwing	118
Alder kitten	106	Barred red	104	Bloxworth snout	135
Alder moth	123	Barred rivulet	92	Blue-bordered carpet	89
American painted lady	76	Barred straw	89	Blue butterflies	75
American wainscot	119	Barred umber	99	Bordered beauty	99
Angle shades	124	Barred yellow	89	Bordered gothic	116
Annulet	104	Barrett's marbled		Bordered grey	102
Antler moth	117	coronet	117	Bordered pearl	66
Apple and plum		Bath white	74	Bordered pug	96
case-bearer	27	Bé na fallainge	77	Bordered sallow	130
Apple ermine	24	Beaded chestnut	118	Bordered straw	130
Apple fruit moth	23	Beautiful brocade	116	Bordered white	103
Apple leaf miner	27	Beautiful carpet	88	Bramble shoot moth	58
Apple pith moth	45	Beautiful china-mark	66	Breacfhéileacán coille	78
Apple pygmy	9	Beautiful golden y	133	Breacóg	98
Archer's dart	111	Beautiful snout	135	Bright-line brown-eye	116
Argent and sable	91	Beautiful yellow		Brimstone moth	99
Ash bud moth	25	underwing	115	Brindled beauty	101
Ash pug	96	Bedstraw hawk-moth	105	Brindled green	121
August thorn	100	Bee moth	68	Brindled ochre	120
Autumn green carpet	89	Beech-green carpet	90	Brindled pug	96
Autumnal moth	92	Beet moth	41	Bristle-legged moths	63
Autumnal rustic	113	Belted beauty	101	Broad-barred white	117
Bagworm moths	14	Bilberry pug	97	Broad-bordered yellow	
Banana stowaway	111	Bilberry tortrix	48	underwing	113
Bánóg bhath	74	Birch mocha	84	Brocóg	101
Bánóg bheag	74	Bird-cherry ermine	24	Broken-barred carpet	90
Bánóg choille	73	Black arches	108	Broom moth	116
Bánóg mhór	74	Black-banded	121	Brown china-mark	66
Bánóg rinnbhuí	75	Black rustic	120	Brown-dotted clothes	
Bánóg uaine	74	Blair's mocha	84	moth	17
Barberry carpet	91	Blaskets' yellow shell	88	Brown hairstreak	75
barred carpet	92	Bleached pug	95	Brown house-moth	35

AN ANNOTATED CHECKLIST OF THE IRISH BUTTERFLIES AND MOTHS (LEPIDOPTERA)

Brown-line bright-eye	118	Cherry fruit moth	24	Common wainscot	119
Brown oak tortrix	48	Chestnut-coloured carpet	90	Common wave	103
Brown rustic	124	Chimney sweeper	98	Common white wave	103
Brown scallop	91	Chinese character	82	Conach eilifinteach	106
Brown silver-line	99	Chocolate-tip	107	Conach foluana	105
Brown-spot pinion	122	Clare grayling	79	Conach na cealtrach	105
Brush-footed butterflies	76	Clay triple-lines	84	Conach poibleoige	105
Brussels lace	102	Clearwing moths	21	Concealer moths	35
Bud moth	59	Clifden nonpareil	134	Convolvulus hawk-moth	105
Buff arches	82	Cloaked carpet	91	Copper underwing	124
Buff ermine	110	Cloaked minor	126	Copróg bheag	75
Buff footman	109	Cloaked pug	93	Copróg mhór	75
Buff-tip	107	Clouded border	98	Cork moth	16
Buíóg chróch	73	Clouded-bordered		Corn moth	15
Buíóg liath	73	brindle	125	Cosmet moths	44
Buíóg ruibheach	74	Clouded brindle	125	Coxcomb prominent	107
Buirnéad sébhallach	13	Clouded buff	110	Cream-bordered green	
Bulrush wainscot	129	Clouded drab	118	pea	131
Burnet companion	134	Clouded magpie	98	Cream wave	85
Burnet moths	13	Clouded silver	103	Crescent dart	111
Burnished brass	132	Clouded yellow	73	Crescent striped	125
Burren pug	95	Coast dart	111	Crimson speckled	109
Burren tawny speckled		Cockayne's lead belle	87	Crinan ear	128
pug	96	Cocksfoot moth	22	Croí-is-dairt	111
Cabbage moth	116	Codling moth	62	Currant clearwing	22
Cacao moth	70	Comma	77	Currant pug	95
Camberwell beauty	77	Common carpet	87	Cyclamen tortrix	48
Canary-shouldered thorn	100	Common clothes moth	16	Cypress pug	97
Carnation tortrix	48	Common emerald	84	Dark arches	125
Carpenter moths	13	Common fan-foot	135	Dark-barred twin-spot	
Casebearer moths	27	Common footman	109	carpet	86
Case-bearing clothes moth	17	Common heath	103	Dark brocade	121
Centre-barred sallow	122	Common lutestring	83	Dark dagger	123
Chamomile shark	119	Common marbled carpet	89	Dark fruit-tree tortrix	48
Chequered fruit-tree		Common quaker	118	Dark green fritillary	77
tortrix	47	Common rustic	127	Dark marbled carpet	89
Cherry bark tortrix	60	Common swift	6	Dark spectacle	133

BOND, NASH & O'CONNOR

Dark spinach	88	Eye-cap moths	10	Garden dart	111
Dark sword-grass	112	Eyed hawk-moth	105	Garden pebble	66
Dark tussock	108	Fáinneog	80	Garden rose tortrix	51
Dark umber	91	Fáinneog shléibhe	79	Garden tiger	110
Death's-head hawk-moth	105	False codling moth	60	Geatóir	79
December moth	81	Feathered brindle	120	Geometers	83
Dew moth	108	Feathered gothic	118	Ghost moth	6
Diamond-back moth	26	Feathered ranunculus	121	Ghost moths	6
Diamondback moths	23	Feathered thorn	100	Giant silkworm moths	82
Dingy footman	109	Fern	91	Glasán	79
Dingy shears	124	Fig moth	70	Glaucous shears	117
Dingy skipper	72	Figure of eight	108	Goat moth	13
Dog's tooth	116	Flame carpet	85	Gold spot	133
Donnán	72	Flame shoulder	112	Gold swift	6
Donnóg aille	79	Flax tortrix	50	Golden plusia	132
Donnóg an bhalla	78	Flounced chestnut	122	Golden-rod pug	96
Donnóg fhéir	80	Flounced rustic	127	Gormán beag	76
Dotted border	101	Flower moths	45	Gormán coiteann	76
Dotted carpet	102	Fo-eite bhuí mhór	112	Gormán cuilinn	76
Dotted clay	114	Four-dotted footman	109	Grass emerald	83
Dotted rustic	112	Four-spotted footman	109	Grass miner moths	32
Double dart	113	Fox moth	81	Grass rivulet	92
Double square-spot	114	Foxglove pug	93	Grass wave	105
Double-striped pug	97	Fraochán beag	80	Great brocade	115
Dried currant moth	70	Fraochán mór	80	Great dart	112
Dried fruit moth	70	Fringe-tufted moths	63	Green arches	115
Dusky brocade	125	Fritileán dúghlas	77	Green-brindled crescent	121
Dwarf pug	97	Fritileán geal	78	Green carpet	90
Early grey	121	Fritileán niamhrach	77	Green hairstreak	75
Early moth	104	Fritileán péarlach	77	Green oak tortrix	51
Early thorn	100	Fritileán reisc	78	Green pug	97
Early tooth-striped	98	Frog casebearer moths	44	Green silver lines	131
Eirmín bán	110	Frosted orange	128	Grey arches	116
Eirmín buí	110	Fruitlet mining tortrix	60	Grey birch	103
Elephant hawk-moth	106	Fungus moths	15	Grey dagger	123
Emperor moth	82	Galium carpet	87	Grey mountain carpet	88
European corn-borer	66	Garden carpet	86	Grey pine carpet	90

AN ANNOTATED CHECKLIST OF THE IRISH BUTTERFLIES AND MOTHS (LEPIDOPTERA)

Grey pug	95	Irish orange tip	75	Lead-coloured pug	93
Grey scalloped bar	104	Irish poplar lutestring	82	Leafcutter moths	11
Grey shoulder-knot	120	Irish sandhill rustic	127	Leafminer moths	17
Grey tortrix	50	Irish small copper	75	Leafroller moths	45
Hawkmoths	105	Irish straw belle	104	Leaf skeletonizer moths	26
Haworth's minor	129	Irish wood white	73	Leamhan éadaigh an cháis	17
Haworth's pug	93	Irish yellow shell	88	Leamhan flanndearg	110
Heart and club	111	Iron prominent	106	Leamhan puisíneach	106
Heart and dart	111	Jasione pug	95	Leamhan ruibheach	99
Heath fritillary	78	July belle	87	Leamhan taipéise	16
Heath rivulet	92	July highflyer	90	Leamhan tí ceannbhán	35
Heath rustic	115	Jumping bean moth	62	Leamhan tí donn	35
Hebrew character	118	Juniper carpet	90	Leamhan tíograch garraí	110
Hebridian foxglove pug	93	Juniper pug	96	Least black arches	111
Hedge brown	79	Juniper webber	43	Least yellow underwing	113
Hedge rustic	118	Kane's least minor	127	Lempke's gold spot	133
Hoary footman	106	Knot grass	119	Leopard moth	13
Holly blue	76	Laburnum leaf miner	26	Lesser broad-bordered	
Holly tortrix	57	Ladhróg	100	yellow underwing	113
Honeysuckle moth	25	Lappet moths	81	Lesser common rustic	127
Hook-tip moths	82	Larch case-bearer	29	Lesser cream wave	85
Hornet moth	21	Larch pug	97	Lesser-spotted pinion	125
Humming-bird		Larch tortrix	57	Lesser swallow	
hawk-moth	105	Large copper	75	prominent	107
Imleog dhorcha	98	Large ear	128	Lesser wax moth	68
Impire	82	Large emerald	84	Lesser yellow	
Indian meal moth	70	Large fruit-tree tortrix	48	underwing	112
Ingrailed clay	113	Large heath	80	Light arches	125
Irish annulet	104	Large nutmeg	125	Light-brown apple moth	49
Irish brimstone	74	Large pale clothes moth	17	Light emerald	104
Irish common blue	76	Large tabby	68	Light feathered rustic	111
Irish dingy skipper	72	Large thorn	100	Light grey tortrix	50
Irish grayling	79	Large wainscot	129	Light knot grass	123
Irish green-veined white	74	Large white	74	Lilac beauty	100
Irish latticed heath	99	Large yellow underwing	112	Lime-speck pug	94
Irish marsh fritillary	78	Lead belle	86	Ling pug	95
Irish meadow brown	80	Lead-coloured drab	118	Little emerald	84

BOND, NASH & O'CONNOR

Little thorn	99	Mottled beauty	102	Oleander hawk-moth	105
Lobster moth	108	Mottled grey	90	Orange moth	100
Longhorned fairy moths	11	Mottled pug	93	Orchard ermine	24
Lunar double-stripe	134	Mottled rustic	130	Oriental fruit moth	61
Lunar hornet moth	22	Mottled umber	101	Painted lady	76
Lunar marbled brown	107	Mouse moth	124	Pale brindled beauty	100
Lunar thorn	100	Mullein wave	84	Pale clouded yellow	73
Lunar underwing	122	Muslin footman	109	Pale eggar	81
Maiden's blush	84	Muslin moth	110	Pale mottled willow	130
Manchester treble-bar	97	Narrow-bordered bee		Pale november moth	91
Mandibulate archaic		hawk-moth	105	Pale oak beauty	102
moths	5	Narrow-bordered		Pale pinion	120
Many-plumed moths	63	five-spot burnet	13	Pale prominent	107
Map-winged swift	6	Narrow-winged pug	96	Pale shining brown	115
Marbled beauty	123	Netted pug	94	Pale-shouldered brocade	116
Marbled brown	107	Noctuid moths	111	Pale tussock	108
Marbled coronet	117	Nolid moths	111	Parsnip moth	36
Marbled green	123	Northern dart	114	Pea moth	62
Marbled minor	126	Northern deep-brown		Peach blossom	82
Marbled orchard tortrix	53	dart	120	Peacock	77
Marbled white spot	131	Northern drab	118	Peacock moth	98
Marsh fritillary	78	Northern eggar	81	Péacóg	77
Marsh oblique-barred	135	Northern footman	109	Pear leaf blister moth	27
Marsh pug	94	Northern rustic	112	Pearl-bordered fritillary	77
May highflyer	90	Northern spinach	89	Pearly underwing	113
Meal moth	68	Northern winter moth	92	Pebble hook-tip	82
Measuring worms	83	November moth	91	Pebble prominent	106
Mediterranean flour moth	70	Nut bud moth	55	Peppered moth	101
Mere's pug	94	Nut leaf blister moth	20	Pigmy moths	6
Merveille du jour	121	Nut-tree tussock	132	Pimpinel pug	96
Metalmark moths	22	Oak beauty	101	Pine beauty	118
Middle-barred minor	126	Oak nycteoline	132	Pine carpet	90
Minor shoulder-knot	120	Oak-tree pug	96	Pine shoot moth	59
Mompha moths	44	Oblique carpet	85	Pinion-streaked snout	135
Monarch	78	Ochreous pug	96	Pink-barred sallow	122
Mother of pearl	68	Odhróg choiteann	127	Pink-spotted hawk-moth	105
Mother shipton	134	Old world bollworm	130	Pistol case-bearer	29

AN ANNOTATED CHECKLIST OF THE IRISH BUTTERFLIES AND MOTHS (LEPIDOPTERA)

Plain golden y	133	Rhomboid tortrix	51	Scarce umber	98
Plain pug	96	Riband wave	85	Scáth uilleach	124
Plain wave	85	Ribbed-cocoon		Scavenger moths	43, 44
Plum fruit moth	61	maker moths	17	Scorched carpet	98
Plum tortrix	53	Ringed carpet	102	Scorched umber	101
Plume moths	70	Rinnbhuí	107	Scorched wing	99
Pod lover	117	Rinncham scolbach	82	Scotch annulet	104
Poplar grey	122	Rose leaf miner	9	Scottish common pug	95
Poplar hawk-moth	105	Rose tortrix	48	Sedge moths	22
Poplar kitten	106	Rosy footman	109	September thorn	100
Portland moth	112	Rosy minor	127	Setaceous hebrew	
Powdered quaker	118	Rosy rustic	128	character	114
Prásach	132	Round-winged muslin	108	Shaded broad-bar	86
Pretty pinion	92	Royal mantle	87	Shaded pug	96
Purple bar	88	Ruán beag	77	Sharp-angled carpet	91
Purple-bordered gold	85	Ruby tiger	110	Sharp-angled peacock	99
Purple clay	114	Ruddy highflyer	90	Shieldbearer moths	12
Purple hairstreak	75	Rufous minor	126	Shore wainscot	119
Purple marbled	131	Rush veneer	67	Shoulder stripe	88
Purple-shaded gem	132	Rush wainscot	129	Shoulder-striped	
Puss moth	106	Rustic shoulder-knot	126	wainscot	119
Queen of spain fritillary	77	Sallow kitten	106	Shuttle-shaped dart	112
Raisin moth	70	Saltern ear	128	Silky wainscot	130
Raspberry moth	11	Sand dart	112	Silver barred	131
Real's wood white	73	Sandy carpet	92	Silver-ground carpet	86
Red admiral	76	Satin beauty	102	Silver hook	131
Red-barred tortrix	49	Satin lutestring	83	Silver-striped hawk-moth	106
Red carpet	86	Satin wave	85	Silver y	133
Red chestnut	115	Satyr pug	94	Silver-washed fritillary	78
Reddish light arches	125	Scallop shell	91	Single-dotted wave	85
Red-green carpet	89	Scalloped hazel	100	Six-spot burnet	13
Red-line quaker	122	Scalloped hook-tip	82	Six-striped rustic	114
Red-necked footman	109	Scalloped oak	100	Skin moth	16
Red sword-grass	121	Scarce bordered straw	130	Skipper butterflies	72
Red-tipped clearwing	22	Scarce footman	109	Slender brindle	126
Red twin-spot carpet	86	Scarce prominent	107	Slender burnished brass	132
Red underwing	134	Scarce silver y	133	Slender pug	93

BOND, NASH & O'CONNOR

Slender-striped rufous	90	Smaragaid mhór	84	Tawny marbled minor	126
Small angle shades	124	Smoky wainscot	119	Tawny speckled pug	95
Small argent & sable	87	Smoky wave	85	Tent caterpillars	81
Small autumnal moth	92	Snout moths	63	The anomalous	130
Small blood-vein	85	Southern wainscot	119	The brick	122
Small blue	76	Sparkling archaic		The Burren green	128
Small china-mark	66	sun moths	5	The champion	117
Small chocolate-tip	107	Speckled wood	78	The chestnut	122
Small clouded brindle	125	Speckled yellow	99	The chevron	89
Small dotted buff	127	Spindle ermine	24	The cinnabar	110
Small eggar	81	Spotted clover	131	The clay	118
Small elephant		Spotted shoot moth	59	The confused	125
hawk-moth	106	Spring usher	101	The coronet	123
Small emerald	84	Spruce bud moth	57	The cosmopolitan	119
Small engrailed	103	Spruce carpet	90	The crescent	129
Small fan-foot	135	Square spot	103	The dark chestnut	118
Small fan-footed wave	85	Square-spot dart	111	The delicate	119
Small heath	80	Square-spot rustic	114	The dot	116
Small magpie	67	Starraicín iarainn	106	The double lobed	126
Small marbled	131	Stiallach corcra	75	The drinker	82
Small mottled willow	130	Stiallach donn	75	The dun-bar	125
Small mountain ringlet	79	Stiallach uaine	75	The ear moth	128
Small phoenix	89	Straw underwing	124	The engrailed	103
Small purple-barred	135	Strawberry tortrix	51	The fan-foot	135
Small quaker	118	Striped hawk-moth	106	The flame	112
Small rivulet	92	Striped twin-spot carpet	89	The forester	13
Small rufous	129	Striped wainscot	119	The gatekeeper	79
Small seraphim	98	Stuabhúí	82	The gem	85
Small square-spot	114	Svensson's copper		The gold spangle	133
Small tortoiseshell	76	underwing	124	The gothic	115
Small wainscot	127	Swallow prominent	107	The grey	117
Small waved umber	90	Swallowtail	73	The grey chi	121
Small white	74	Swallowtail butterflies	73	The herald	134
Small white wave	98	Swallow-tailed moth	100	The lackey	81
Small yellow underwing	130	Sweet gale moth	123	The lychnis	117
Small yellow wave	98	Tapestry moth	16	The magpie	98
Smaragaid ghlas	83	Tawny-barred angle	99	The mallow	88

AN ANNOTATED CHECKLIST OF THE IRISH BUTTERFLIES AND MOTHS (LEPIDOPTERA)

The march moth	83	Thrift clearwing	22	Webb's wainscot	129
The miller	123	Thyme moth	42	Welsh clearwing	22
The mouse	124	Thyme pug	96	Welsh wave	98
The mullein	120	Tiger moths	108	Western netted pug	94
The neglected rustic	114	Tiger swallowtail	73	Westropp's marbled	
The ni moth	132	Timothy tortrix	48	green	124
The nutmeg	115	Toadflax pug	93	White butterflies	73
The old lady	124	Tortrix ermine	69	White colon	116
The olive	124	Transparent burnet	14	White ermine	110
The phoenix	89	Treble-bar	97	White-line dart	111
The prominents	106	Treble lines	129	White-line snout	135
The ringlet	80	Triple-spotted clay	114	White-pinion spotted	103
The rivulet	92	Triple-spotted pug	94	White plume moth	72
The rustic	129	True lover's knot	113	White-point	118
The sallow	122	Trumpet leafminer		White prominent	107
The satellite	122	moths	10	White satin moth	108
The saxon	125	Tunbridge wells gem	132	White-shouldered	
The seraphim	98	Turnip moth	111	house-moth	35
The shark	120	Tussock moths	108	White-speck	116
The shears	115	Twenty-plume moth	63	White-spotted pug	95
The snout	135	Twin-spot carpet	92	Willow beauty	101
The spectacle	133	Twin-spotted quaker	118	Willow tortrix	56
The spinach	89	Twin-spotted wainscot	129	Winter moth	92
The sprawler	120	Twirler moths	38	Wood tiger	110
The straw dot	135	Tyrone bordered grey	102	Wood white	73
The streak	97	Ubhóg thuaisceartach	81	Wormwood pug	95
The streamer	88	V-pug	97	Yellow-barred brindle	98
The suspected	124	Valerian pug	94	Yellow horned	83
The sword-grass	121	Variiegated golden tortrix	48	Yellow-line quaker	122
The sycamore	123	Vine's rustic	130	Yellow-ringed carpet	88
The tissue	91	Wall	78	Yellow shell	87
The uncertain	129	Wasp moths	110	Yellow-tail	108
The v-moth	99	Water carpet	88	Yellow v-moth	17
The vapourer	108	Water veneer	66	Yucca moths	11
The vestal	85	Waved carpet	98		
The wormwood	116	Waved umber	101		
Thistle ermine	69	Wax moth	68		

ADDITIONS, DELETIONS AND CORRECTIONS TO AN ANNOTATED CHECKLIST OF THE IRISH BUTTERFLIES AND MOTHS (LEPIDOPTERA) WITH A CONCISE CHECKLIST OF IRISH SPECIES AND *ELACHISTA BIATOMELLA* (STAINTON, 1848) NEW TO IRELAND

K. G. M. Bond¹ and J. P. O'Connor²

¹*Department of Zoology and Animal Ecology, School of BEES, University College Cork, Distillery Fields, North Mall, Cork, Ireland.*

e-mail: <k.bond@ucc.ie>

²*Emeritus Entomologist, National Museum of Ireland, Kildare Street, Dublin 2, Ireland.*

Abstract

Additions, deletions and corrections are made to the Irish checklist of butterflies and moths (Lepidoptera). *Elachista biatomella* (Stainton, 1848) is added to the Irish list. The total number of confirmed Irish species of Lepidoptera now stands at 1480.

Key words: Lepidoptera, additions, deletions, corrections, Irish list, *Elachista biatomella*

Introduction

Bond, Nash and O'Connor (2006) provided a checklist of the Irish Lepidoptera. Since its publication, many new discoveries have been made and are reported here. In addition, several deletions have been made. A concise and updated checklist is provided. The following abbreviations are used in the text: BM(NH) – The Natural History Museum, London; NMINH – National Museum of Ireland, Natural History, Dublin. The total number of confirmed Irish species now stands at 1480, an addition of 68 since Bond *et al.* (2006).

Taxonomic arrangement

As a result of recent systematic research, it has been necessary to replace the arrangement familiar to British and Irish Lepidopterists by the Fauna Europaea [FE] system used by Karsholt

and Razowski, which is widely used in continental Europe. While the FE species numbering system is also adopted in this checklist, in order to assist those familiar with the Bradley and Fletcher numbering system, the FE species numbers are followed, in square brackets, by the Bradley and Fletcher numbers. The FE sequence is strictly followed throughout, except in a few cases where newer generic combinations would have meant splitting families or genera, e.g. in the families Oecophoridae and Elachistidae. The former families Lymantridae and Arctiidae have been combined into the Erebidae, which follows the Noctuidae and the Nolidae respectively, the latter of these including some species previously placed in the Noctuidae.

Species added to the Irish Lepidoptera list since Bond *et al.* (2006)

293 [39]. *Ectoedemia heringi* (Toll, 1934)

Ectoedemia heringi was recorded from St John's Wood, Co. Roscommon, by the senior author on 12 October 2010, and reported as new to Ireland in Langmaid and Young (2011). There is, however, an earlier overlooked record: Heal (unpublished) in his "Miscellaneous notes and observations on the Microlepidoptera of Ireland", writes on p. 81 of finding mines, some tenanted, of this species (as *E. quercifoliae* (Toll, 1943) and *E. subbimaculella* (Haworth, 1828)) at Dixon Park, near Dunmurry, Co. Antrim, in November 1979, and provides a distinguishing feature (larval head colour) for the two species.

1111 [285]. *Caloptilia azaleella* (Brants, 1913)

The Azalea Leaf Miner *Caloptilia azaleella* was recorded in south Belfast, Co. Antrim, on 1 June 2002 (Higgott and Mackie, 2003; Langmaid and Young, 2003).

1129 [284]. *Caloptilia rufipennella* (Hübner, 1796)

Caloptilia rufipennella was recorded from Belfast, Co. Down, on 17 July 2003 by J. B. Higgott (Langmaid and Young, 2006). More recent records are: Gormanston, Co. Meath, 25 August 2007 and 25 July 2001 (E. O'Donnell); Tramore, Co. Waterford, 25 October 2005 (Bryant); Dublin City (National Botanic Gardens), 15 August 2009 and Cork City, 11 August 2011 (the last two by the senior author).

1403 [439]. *Swammerdamia compunctella* Herrich-Schäffer, 1855

Swammerdamia compunctella was recorded in south Belfast, Co. Antrim, on 2 June 2002, as the first Irish record (Higgott and Mackie, 2003; Langmaid and Young, 2003). Older records have, however, been found in collections: a female specimen under “*Swammerdamia caesiella*” labelled “Armagh 27/6/[18]89” was found by the senior author in the Johnson collection in NMINH, and its identity determined by dissection; a 1980 specimen from Loughgall, Co. Armagh has been found in the Faulkner collection; specimens from Brackagh and Aughinlig, both also Co. Armagh, dated 1998 and 1999 respectively, have been found in the Murphy collection (male dissected by the senior author). More recently the senior author took a specimen at Lullymore, Co. Kildare on 8 July 2006.

1442 [409a]. *Argyresthia trifasciata* Staudinger, 1871

This species was taken at Maynooth, Co. Kildare, on 1 June 2006, and has subsequently been taken there annually from mid May until the end of June (Strickland, pers. comm.). Elsewhere, it has been taken in 2010 at Finaghy, Co. Antrim (Mellon, pers. comm.); Dundalk, Co. Louth in 2010, May 2011 and in 2012 by D. Hodgers <<http://pets.groups.yahoo.com/group/MothsIreland/message/7320>>; Sallins, Co. Kildare, May 2011, G. de Jong <<http://pets.groups.yahoo.com/group/MothsIreland/message/05858>>; near Maghera, Co. Derry in late May, 2012 (C. Bertrand, pers. comm.) <<<http://pets.groups.yahoo.com/group/MothsIreland/message/8977>>>, and by the senior author in Cork City on 15 May 2012.

1447a [409b]. *Argyresthia cupressella* Walsingham, 1890

Argyresthia cupressella was recorded from Belfast, Co. Antrim, by J. B. Higgott, on 16 July 2003 (Langmaid and Young, 2004; Bond, 2009). More recently it has also been recorded from Maynooth, Co. Kildare (Strickland, pers. comm.).

1572 [476]. *Acrolepia autumnitella* Curtis, 1838

Adults of *Acrolepia autumnitella* were reported from Maynooth, Co. Kildare, in May and July 2009. Subsequently blotch mines belonging to the species were found on bittersweet nightshade, *Solanum dulcamara*, in Cork City in August 2009 (Langmaid and Young, 2010;

Strickland and Bond, 2011). The species was also recorded by E. O'Donnell at Stamullen, Co. Meath on 16 April 2011.

1668 [666]. *Semioscopis avellanella* (Hübner, [1793])

Semioscopis avellanella was recorded from Cratloe Wood, Co. Clare, by K. Hannan on 18 March 2008. The identity of the specimen, a female, was confirmed by dissection by the senior author. The specimen is in the NMINH collections (Reg. No. NMINH 2008: 255). This record is shown on a map by Tyner (2011a). Kane (1901) lists a record from Wicklow by G. V. Hart, but Beirne (1941) considered this record to be unreliable, citing “the foodplant *Tilia parvifolia* is non-indigenous”. *S. avellanella* is now known to feed on a variety of deciduous tree species.

1670 [667]. *Semioscopis steinkellneriana* ([Denis and Schiffermüller], 1775)

Semioscopis steinkellneriana was recorded from Ballynahone Bog and Drumlamph Wood, Co. Derry, in 2010 (Leonard, 2011; Langmaid and Young, 2011).

1874 [595]. *Elachista biatomella* (Stainton, 1848)

New to Ireland

A male specimen in the BM(NH) Collections taken by Bradley at Glengarriff, West Cork in June 1952 has recently been identified as *Elachista biatomella* following dissection by the senior author.

2048 [903]. *Chrysoclista linneella* (Clerck, 1759)

A specimen was photographed at Marina, Cork City, May 2011 by John O'Sullivan. This species was recorded from Holywood, Co. Down (Hogan, 1855), and was also listed from an unstated locality in Haliday's unpublished manuscript, but the records were considered doubtful by Beirne (1941), and the species was omitted in Bond (1995) and Bond *et al.* (2006).

2049 [902]. *Chrysoclista lathamella* T. Fletcher, 1936

Chrysoclista lathamella was recorded from Cronykeery, Co. Wicklow, by A. Tyner on 18 June 2005 (Langmaid and Young, 2006).

2883 [885]. *Mompha conturbatella* (Hübner, [1819])

A female *Mompha conturbatella* was taken at Peatlands Park, Co. Armagh, by K. Murphy on 9 July 2001, det. by the senior author (Bond, 2009). Further recent records include: two sites in Co. Louth: four specimens at Mullaghatin, Cooley Mountains, 28 June to 6 July 2011, and

one at Stormanstown Bog, Ardee on 10 July 2012 (D. Hodgers); Girley Bog, Co. Meath on 27 June 2012 (E. O'Donnell), and Lullymore West and Maynooth, both Co. Kildare, July 2011 (P. Strickland).

2885 [887]. *Mompha lacteella* (Stephens, 1834)

A male was taken at Rathgar, Dublin City on 26 June 1971 by M. Jeffares. The specimen has recently been dissected by the senior author. A 19th century record, possibly from Belfast, referred to by Hogan (1855) was considered doubtful by Beirne (1941).

2904a [874]. *Blastobasis lacticolella* Rebel, 1940

Blastobasis lacticolella was recorded from Cronykeery, Co. Wicklow and Tyrella, Co. Down (as *Blastbasis decolorella* (Wollaston)) (Langmaid and Young, 2003). This spreading species is currently known from a number of sites in eastern Ireland, extending from Co. Antrim southwards to Co. Waterford.

3095 [908]. *Sorhagenia rhamniella* (Zeller, 1839)

Sorhagenia rhamniella was recorded from Coolorta, Co. Clare, on 5 August 2006 (Clancy, 2007a). The record is also given in Langmaid and Young (2007). Records of *Sorhagenia* were previously considered to belong to one species, *S. lophyrella* (Douglas). This species complex was later shown to consist of three species. Bradley's records as "*lophyrella*" are indeed of that species. In addition, a much earlier (1888) specimen of *S. lophyrella* labelled: "Athlone 28-VII-88" was recently found by the senior author in the JJFX King Collection in Glasgow. King's notes indicate that the specimen was taken at Yewpoint, Co. Roscommon, about 7km NNW of Athlone.

3327 [737]. *Monochroa palustrellus* (Douglas, 1850)

Monochroa palustrellus was recorded from Leagh South near Kinvarra, Co. Galway, on 5 August 2006 (Clancy, 2007a). The record is also given in Langmaid and Young (2007).

3400 [758]. *Recurvaria leucatella* (Clerck, 1759)

A female of this species was taken by E. O'Donnell on 23 July 2011 at Monaleen, in the Burren, Co. Clare. The specimen has been deposited in the NMINH collections (Reg. No. 2011.39.1).

3419 [774]. *Teleiodes luculella* (Hübner, [1813])

A male *Teleiodes luculella* was recorded from Cronykeery, Co. Wicklow, by A. Tyner on 10 July 2003 (Langmaid and Young, 2004). The specimen is in the NMINH collections (Reg. No. NMINH 2003: 77). Further specimens have been recorded from this site in 2007, 2010 and 2012. The species has also been recorded from Killarney National Park, North Kerry in 2009 (P. Chapman), and from Killoughrum, Co. Wexford in 2010 and 2012 (M. O'Donnell).

3648 [825]. *Phthorimaea operculella* (Zeller, 1873)

The Potato Tuber Moth, *Phthorimaea operculella*, was recorded from Tramore, Co. Waterford, at a light-trap, on 28 September 2006 (Bryant, 2009b; Langmaid and Young, 2009b). The determination of the specimen, a female, was confirmed by the senior author by dissection. The specimen is in the NMINH collections (Reg. No. NMINH 2008: 25).

3795 [850]. *Syncopacma polychromella* (Rebel, 1902)

This migrant species was recorded from Tramore, Co. Waterford, by T. Bryant on 30 May 2009 (Bryant, 2009c; Bryant and Walsh, 2010; Clancy, 2012). The specimen, a male, is in the NMINH collections (Reg. No. NMINH 2009: 54).

4380 [1059]. *Acleris abietana* (Hübner, 1822)

This species was found on 16 and 20 April 2010, and 30 April 2011 at Mountstewart, Co. Down, by David McCormick. The last of these, a female, was dissected by the senior author.

4385a [1062a]. *Acleris effractana* (Hübner, [1799])

Acleris effractana was recorded from the west of Ireland by Karsholt *et al.* (2005). Their record was based on two specimens, found by the senior author in the Sheldon Collection in BM(NH) labelled "Co. Clare Aug 1929 WGS". Prior to Karsholt *et al.* (2009), this species had been confused with the widespread *A. emargana* (Fabricius). There is also a recent record of a male taken by the senior author at Einagh, in the west of Co. Clare, 2 August 2005. The identity of this specimen was confirmed by dissection.

4482 [1018]. *Cnephasia communana* (Herrich-Schäffer, 1851)

Cnephasia communana was recorded from Copeland Island, Co. Down, by K. Murphy on 16 June 2003 (Bond, 2009). The specimen, a female, was dissected and identified by J. Clifton.

4660 [1112a]. *Bactra venosana* (Zeller, 1847)

A male of this migrant species, which has not been recorded from Great Britain, was taken at Tramore, Co. Waterford on 22 September 2006 (dissected by the senior author) (Bryant and Bond, 2008; Langmaid and Young, 2007a; Clancy, 2008a). The specimen has been deposited in NMINH (Reg. No. 2008.21).

4669 [1101]. *Endothenia ustulana* (Haworth, 1811)

Three specimens taken at Cappoquin, Co. Waterford, were found by the senior author in the J. J. F. X. King collection, Hunterian Museum, Glasgow. They are dated July to August 1902 (Langmaid and Young, 2010).

4793 [1108]. *Lobesia abscisana* (Doubleday, 1849)

Lobesia abscisana was recorded from Stamullen, Co. Meath, by E. O'Donnell on 21 July 2009 (Langmaid and Young, 2009b). There have been several subsequent records: Dundalk, Co. Louth, 2010 and 2011 (D. Hodgers); Cronykeery, Co. Wicklow, 2010, 2011 and 2012 (A. Tyner), and Kilmichael Point, Co. Wexford, 2012 (M. O'Donnell).

4866 [1130]. *Epinotia pygmaeana* (Hübner, [1799])

A specimen of *Epinotia pygmaeana* was taken in a coniferous plantation at Ballyguyroe North in the Ballyhoura Mountains, Co. Cork, on 13 April 2009 (Bond, 2010). A further specimen was taken there by the senior author in April 2011.

4948 [1193]. *Eucosma tripoliana* (Barrett, 1880)

Eucosma tripoliana was recorded from Tramore saltmarsh, Co. Waterford, by T. Bryant on 18 August 2006 (Langmaid and Young, 2009b). A specimen was also taken by K. Murphy in 2005, probably at Mill Bay, Co. Down, but the site of capture remains uncertain. More recent records include Dundalk, Co. Louth in 2011 (D. Hodgers), and Little Island, Co. Cork, 26 July 2012 (the senior author). Specimens from all four locations have been dissected by the senior author.

5042 [1207]. *Clavigesta purdeyi* (Durrant, 1911)

The Pine Leaf-Mining Moth, *Clavigesta purdeyi*, was recorded from Tramore, Co. Waterford, on 4 August 2004 (Bryant, 2007b). A record from Barnland, Co. Wexford, by M.

O'Donnell on 5 August 2006 is given as "New to Ireland" by Langmaid and Young (2007).

5066 [1119a]. *Ancylis diminutana* (Haworth, 1811)

A female of this species, dissected by the senior author, was taken at St John's Wood, Co. Roscommon, by the senior author on 18 June 2010 (Langmaid and Young, 2011).

5154 [1262]. *Cydia amplana* (Hübner, [1800])

The first published Irish record of this species is of a specimen taken at Ashford, Co. Wicklow, by Angus Tyner on 11 August 2004 (Clancy, 2007b). Subsequently, a slightly earlier record was published by Clancy (2008a), Langmaid and Young (2009a) and Bryant (2010a). This referred to a male taken at Tramore, Co. Waterford, on 4 August 2004 by T. Bryant. This specimen was dissected by the senior author, and is in the NMINH collections (Reg. No. NMINH 2009: 55).

5181 [1227]. *Pammene giganteana* (Peyerimhoff, 1863)

A female of this gall-feeding species was taken on 7 April 2011 at Gortnamona, near Ballingeary, West Cork by J. Seawright. The specimen was dissected by the senior author.

5184 [1229]. *Pammene albuginana* (Guenée, 1845)

A male was reared "from decaying beech wood with moss" (Heal card index) on 28 May 1976 (dissected by the senior author) (Bond, 2009). This is the specimen that was referred to as possibly being *Pammene herrichiana* in Bond (1995).

5186 [1225]. *Pammene obscurana* (Stephens, 1834)

This species was recorded from Barnland, Co. Wexford on 11 June 2010 by M. O'Donnell. The identity of the specimen, a male, was determined by dissection by the senior author. A further record is: Lullymore, Co. Kildare, 7 May 2011 (P. Strickland).

5200 [1239]. *Pammene oxsenheimeriana* (Lienig and Zeller, 1846)

A male was taken at Rathescar Wood (O028869), Co. Louth, on 1 June 2011 by D. Hodgers. The identity was confirmed by the senior author following dissection; the specimen is held in NMINH (Reg. No. 2011.23.1).

5205 [1237]. *Pammene germmana* (Hübner, [1799])

Pammene germmana was recorded from Aughinlig, Co. Armagh, on 19 June 2009

(Langmaid and Young, 2010). A further specimen, a female dissected by the senior author, was taken by M. O'Donnell, at Killoughrim Forest, Co. Wexford on 26 June 2010; the species was again recorded there in 2011.

5302 [484]. *Epermenia aequidentellus* (E. Hofmann, 1867)

Epermenia aequidentellus was recorded from Tramore Burrow, Co. Waterford, on 16 July 2006 (Bryant, 2009a; Langmaid and Young, 2009b). The specimen, a female, is in the NMINH collections (Reg. No. 2008: 21).

5305 [481]. *Epermenia falciformis* (Haworth, 1828)

A specimen of *Epermenia falciformis* was taken at Brackagh, Co. Armagh, on 19 June 1998 by Kenny Murphy. More recently it has been taken by the same recorder at several other sites in Co. Armagh, and at Derryvore, Co. Fermanagh, 9 July 2005 (Bond, 2009). The species was also recorded at Lullymore, Co. Kildare on 7 July 2006 by M. O'Donnell.

5454 [1492]. *Crombrugghia laetus* (Zeller, 1847)

Crombrugghia laetus was recorded from Tramore, Co. Waterford, on 27 June 2006 (Bryant and Bond, 2010; Clancy, 2011). The record is given under *Oxyptilus laetus* by Langmaid and Young (2010). A second specimen, a female, was recorded by M. O'Donnell at Kilpatrick, Co. Wexford on 27 June 2011. Both specimens were dissected by the senior author.

5459 [1494]. *Capperia britanniodactyla* (Gregson, 1867)

A specimen was taken on 1 July 2007 at Murlough, Co. Down by K. Murphy (det. J. Clifton). Prior to this the only known Irish specimens were about a dozen labelled "Derry" in the BM(NH) (Shaffer, 1971; Hart, 2011). The species was omitted by Bond (1995) and Bond *et al.* (2006).

5652 [1413]. *Hypsopygia costalis* (Fabricius, 1775)

Two specimens of the Gold Triangle, *Hypsopygia costalis*, were recorded from Cronykeery, Ashford, Co. Wicklow, by A. Tyner, 25 and 28 September 2006 (Langmaid and Young, 2007; Walsh *et al.*, 2009). A further specimen was taken by E. Rolston at Murlough NNR, Co. Down on 13 July 2008.

5658 [1415]. *Hypsopygia glaucinalis* (Linnaeus, 1758)

This species was recorded from Murlough NNR, Co. Down, in August 2012 by A. Croy (per E. Rolston). There are old unconfirmed records of this species from Co. Wicklow (Birchall, 1873; Sinclair, 1879), and from Belfast (Watts, 1894).

***5751 [1441]. *Oncocera semirubella* (Scopoli, 1763)**

This species was recorded (as *Ilythya semirubella*) from Dursey Island, West Cork by Kane (1901). The record was considered in need of confirmation by Beirne (1941) but is included in Sterling and Parsons (2012).

5848 [1465]. *Nephoterix angustella* (Hübner, 1796)

Nephoterix angustella was recorded from Tramore, Co. Waterford, by T. Bryant on 3 September 2010 (Bryant, 2010b; Langmaid and Young, 2011).

6246 [1298]. *Crambus ericella* (Hübner, [1813])

Crambus ericella was recorded from Glennasheevar (then referred to as Braade), Co. Fermanagh, by M. R. Young in the period 12-14 July 2002 (Langmaid and Young, 2003).

6314 [1316]. *Catoptria falsella* ([Denis and Schiffermüller], 1775)

A male *Catoptria falsella* was taken at Cronykeery, Co. Wicklow, by A. Tyner on 9 July 2005 (Davis, 2006). The specimen is in the NMINH collections (Reg. No. NMINH 2007: 5). Subsequently a number of further specimens have been recorded at this site, and one was recorded at Blackditch, Co. Wicklow on 22 July 2008 (A. Tyner, pers. comm.).

6367 [1324]. *Pediasia aridella* (Thunberg, 1788)

Pediasia aridella was recorded from Tramore, Co Waterford, in June and July 2007 (Bryant, 2009a; Langmaid and Young, 2010). A male taken at actinic light-trap on 8 June 2007 is in the NMINH collections (Reg. No. NMINH 2008: 21). In addition, two specimens were recorded at Kilmichael Point, Co. Wexford on 26 June 2009 by M. O'Donnell.

6499 [1357]. *Evergestis extimalis* (Scopoli, 1763)

Evergestis extimalis was recorded at Cronykeery, Co. Wicklow, by A. Tyner on 24 July 2003 (Clancy and Skinner, 2007). The specimen is in the NMINH collections (Reg. No. NMINH 2003: 78).

6521 [1360]. *Hellula undalis* (Fabricius, 1781)

The Old World Webworm, *Hellula undalis*, was recorded from Tramore, Co. Waterford, on 24 September 2006 (Bryant, 2009b; Langmaid and Young, 2009b). The specimen, a male, is in the NMINH collections (Reg. No. NMINH 2008: 25).

6550 [1393]. *Udea uliginosalis* (Stephens, 1834)

Udea uliginosalis was recorded from close to the summit of Corslieve in the Nephin Beg range, Co. Mayo, at a height of about 550m by J. Cromie on 17 July 2004 (Langmaid and Young, 2007). The specimen was not taken, but a photo is available.

6619 [1369]. *Uresiphita gilvata* (Fabricius, 1794)

Uresiphita gilvata was recorded from Tramore, Co. Waterford, on 18 October 2006 (Langmaid and Young, 2009b); the record is also given in Bryant (2010a). The specimen, a male, was dissected by the senior author, and is now in the NMINH collections (Reg. No. NMINH 2009: 56). Four specimens were recorded from Cape Clear Island, Co. Cork 10-13 October 2010 by E. O'Donnell and P. J. O'Keeffe; one of these, a male, is in NMINH (Reg. No. NMINH 2011:1).

6686 [1403a]. *Duponchelia fovealis* Zeller, 1847

This species was found indoors at Lucan, Co. Dublin on 11 January 2010 by P. Strickland <<http://pets.groups.yahoo.com/group/MothsIreland/message/5287>>. A further specimen was taken at a garden light-trap on 1 September 2012 at Finaghy, South Belfast (Co. Antrim) by H. Mellon <<http://pets.groups.yahoo.com/group/MothsIreland/message/9383>>.

6704 [1400]. *Antigastra catalaunalis* (Duponchel, 1833)

Antigastra catalaunalis was recorded from Barnland, Co. Wexford, by M. O'Donnell on 14 October 2005 (Langmaid and Young, 2006). A further specimen was recorded at Cronykeery, Co. Wicklow on 18 October 2005 by A. Tyner. The species was again seen at Barnland, and also at Tramore, Co. Waterford, both on 24 September 2006 (Clancy, 2008).

6819 [1979]. *Mimas tiliae* (Linnaeus, 1758)

The first confirmed Irish record the Lime-hawk Moth is of a specimen recorded from his garden in Drumcondra, Dublin City, on 19 May 2010 by S. Aylward. There are several old,

unconfirmed Irish records in the literature. Note: the species is listed as Irish in Karsholt and Razowski (1996).

6923 [1527]. *Thymelicus lineola* (Ochsenheimer, 1808)

The Essex Skipper, *Thymelicus lineola*, was recorded from Fardystown, Co. Wexford, in August 2006. It has subsequently spread outside the original discovery site (Wilson, Goodwin and Bond, 2009). Originally, it was misidentified as the Small Skipper *Thymelicus sylvestris* (Poda) (Wilson, Goodwin and Bond, 2007).

6924 [1526]. *Thymelicus sylvestris* (Poda, 1761)

The Small Skipper was recorded breeding at a site in Co. Kildare in 2005 (Harding, 2008; Harding and Jacob, in press).

7503 [1646]. *Watsonalla binaria* (Hufnagel, 1767)

The Oak Hook-tip *Watsonalla binaria* was recorded from Carrigmore, Co. Wicklow, by C. Osthoff on 28 July 2008 (Clancy, 2011; Walsh *et al.*, 2011).

7635 [1914]. *Ennomos fuscantaria* (Haworth, 1809)

A specimen of the Dusky Thorn *Ennomos fuscantaria* was taken at light at Cobh, Co. Cork on 30 September 2009 by J. Wilson. An image is available at <<http://www.flickr.com/photos/wilsonjim/3968598649/in/set-72157622240561909>>.

8072 [1691]. *Scopula emutaria* (Hübner, 1809)

Seven examples of the Rosy Wave *Scopula emutaria* were recorded on 12 July 2005 at a Robinson light-trap at Ballinoulart, Co. Wexford, and the species was subsequently found at other sites on the Wexford coast (O'Donnell, 2007). Five specimens were taken on 5 July 2006 at a 15W actinic light-trap at Tramore Burrow, Co. Waterford by T. Bryant (Bryant and Walsh, 2007).

8610 [1865]. *Chesias rufata* (Fabricius, 1775)

The Broom-tip, *Chesias rufata*, was recorded from Glenealy, Co. Wicklow on 24 May 2003, and from Carrigmore, Co. Wicklow on 5 and 12 July 2003 (M. O'Donnell). Further records are as follows: Rathdrum, Co. Wicklow, May 2004 (D. Dennison and L. Taylor); Lackan Wood, Co. Wexford, 2005, 2006 and 2007 and Barnland, Co. Wexford, 2007 (M. O'Donnell);

Carrigmore, Co. Wicklow, 2006, 2007 and 2008 (C. Osthoff).

8654 [1874]. *Euchoeca nebulata* (Scopoli, 1763)

A specimen of the Dingy Shell *Euchoeca nebulata* was recorded from Blackditch, near Newcastle, Co. Wicklow, by A. Tyner on 26 July 2008 (Clancy, 2011; Walsh *et al.*, 2011). This specimen is in the NMINH collections (Reg. No. NMINH 2009: 57). A further specimen was netted by K. Leonard at Ballysallagh, Co. Down on 29 June 2009, and the species was taken at light at three other sites in the north of Co. Down in 2012 (T. Rolston, pers. comm.). In addition, two specimens were trapped at The Raven, Co. Wexford on 30 June 2009 (Tyner, pers. comm.).

8783 [2287]. *Acronicta auricoma* ([Denis and Schiffermüller], 1775)

Clifton (2007) refers to a Cork record of the Scarce Dagger reported in Skinner (2009): Mizen Head (Co. Cork) 30 May 1937.

9368 [2404]. *Heliothis nubigera* (Herrich-Schäffer, 1851)

The Eastern Bordered Straw *Heliothis nubigera* was recorded from Tarmon, Mullet Peninsula, Co. Mayo, by D. Suddaby on 4 June 2006 (Walsh *et al.*, 2009).

9461 [2386c]. *Spodoptera cilium* Guenée, 1852

The Dark Mottled Willow *Spodoptera cilium* was recorded from Brownstown Head, Co. Waterford, on 13 September 2008 (Walsh and Bond, 2009; Clancy, 2011).

9531 [2313]. *Enargia paleacea* (Esper, 1788)

The Angle-striped Sallow, *Enargia paleacea*, was recorded from Legatillida, Co. Fermanagh, by V. McLoughlin on 7 August 2002 (Clancy and Skinner, 2006; Thompson and Nelson, 2006).

9562 [2271]. *Tiliacea citrigo* (Linnaeus, 1758)

The Orange Sallow was recorded from Cronykeery, Ashford, Co. Wicklow, by A. Tyner on 28 September 2002 and 3 October 2004 (Bond and Gittings, 2008). A specimen was found at light-trap at Finaghy, Co. Antrim on 28 September 2009 by C. Mellon <<http://pets.groups.yahoo.com/group/MothsIreland/message/5082>>. The larva was recorded from Donabate, Co. Dublin, on 9 May 2012, and from the Phoenix Park, Co. Dublin on 18 May 2012

(A. Tyner).

9657 [2235]. *Lithophane semibrunnea* (Haworth, 1809)

A single specimen was trapped near Ashford, Co. Wicklow by A. Tyner on 8 April 2004 <<http://www.mothsireland.com/specieslist.htm>>.

9664 [2240]. *Lithophane leautieri* (Boisduval, 1829)

Blair's Shoulder-knot *Lithophane leautieri* was recorded from near Wicklow town, Co. Wicklow, on 5 October 2002 (O'Donnell, 2003). It was also taken at Cronykeery, Co. Wicklow on 4 November 2002. Since then the species has spread considerably and it is now known from many other sites in eastern Ireland. The subspecies is given as *hesperica* Boursin in Clancy and Skinner (2003).

9866 [2371]. *Archanara dissoluta* (Treitschke, 1825)

The Brown-veined Wainscot *Archanara dissoluta* was recorded from Cronykeery, Co. Wicklow in 2003-2005 and 2012 by A. Tyner, and from Portumna Forest Park, Co. Galway, in August 2006 by D. Allen *et al.* (Walsh *et al.*, 2009). It was recorded from Belle Lake, Co. Waterford on 6 August 2007 by P. M. Walsh, and from Kyleneamelly, Lough Derg, Co. Galway on 3 August 2010 (P. Strickland). Recently it has been recorded from Tramore, Co. Waterford, 10 August 2012 (T. Bryant), and from Ballinamorrhagh, Co. Wexford, 19 August 2012 (C. J. Wilson).

9999 [2191]. *Mythimna turca* (Linnaeus, 1761)

The Double Line *Mythimna turca* was recorded from The Raven, Co. Wexford, by Philip Strickland on 25 June 2010 (Tyner, 2011a).

10022 [2202]. *Mythimna l-album* (Linnaeus, 1767)

The L-album Wainscot *Mythimna l-album* was recorded from Cape Clear Island, Co. Cork, by E. O'Donnell on 11 October 2010 (O'Donnell, 2011). A further specimen was recorded, by M. O'Donnell, from Kilpatrick Dunes, Co. Wexford on 1 October 2011.

10376 [2034]. *Lymantria dispar* (Linnaeus, 1758)

The Gypsy Moth was recorded from Rathdrum, Co. Wicklow, by D. Dennison and L. Taylor on 8 August 2004 (Clancy, 2007b).

10499 [2043]. *Eilema sororcula* (Hufnagel, 1766)

The Orange Footman *Eilema sororcula* was recorded from Cronykeery, Co. Wicklow, by A. Tyner on 9 May 2008 (Clancy, 2011; Walsh, 2011).

Notes on some species

162 [57] *Stigmella filipendulae* (Wocke, 1871)

Emmet (1981) recorded *Stigmella ulmariae* (Wocke, 1879) from leaf-mines on *Filipendula ulmaria* at Ballynahinch, while Bond recorded leaf-mines under the same name from Ballynafagh Bog, Co. Kildare, in 1997 (Langmaid and Young, 1999). According to van Nieukerken (unpublished), *S. ulmariae* is a junior synonym of *S. filipendulae* (see *Fauna Europaea*; Sterling and Parsons, 2012).

1236 [327]. *Phyllonorycter cydoniella* (Denis and Schiffermüller, 1775)

Irish records of this species refer to *Ph. hostis* Triberti, 2007 (*q.v.*). The separation of the two species and the corrected synonymy of these and closely related *Phyllonorycter* species are given by Triberti (2007). Irish specimens have been bred from crab apple *Malus sylvestris* by the senior author, and from unspecified *Malus* by Heal (NMINH collection).

1269 [332a]. *Phyllonorycter leucographella* (Zeller, 1850)

The leaf-mines of the Firethorn Leaf Miner *Phyllonorycter leucographella* were recorded in Trinity College Dublin and Terenure, both in Dublin City, in January 2005 (Bond and Ashe, 2005; Langmaid and Young, 2006). Since then, it has been reported from Cos Antrim, Armagh, Cork (East and Mid), Galway (West), Meath and Tipperary (South) (Bond, 2007; Walsh *et al.*, 2011).

1852 [622]. *Elachista adscitella* Stainton, 1851

The distribution map in Bland (1996) shows records of this species from five Irish vice-counties, but the only record found by the senior author is that of larvae found at Glengarriff, Co. Cork (West) in 1994 by Emmet and Langmaid (Agassiz *et al.*, 1996). The Irish distribution shown is identical to that of the following species, *E. bisulcella*, in Bland (1996), suggesting that the wrong distribution data were used.

2498 [516]. *Coleophora trifolii* (Curtis, 1832)

A female of this species was taken at Mercury-vapour light at Little Island, Co. Cork (East) on 17 July 2012. Identification was determined by dissection. Previous Irish records are either based on doubtfully Irish material, or are based on misidentifications, or refer to other species as a result of confusing changes in taxonomy. This should therefore be considered the only fully validated Irish record of the species.

2878 [881]. *Mompha terminella* (Humphreys and Westwood, 1845)

Mompha terminella was recorded from St John's Wood, Co. Roscommon by Emmet and Langmaid (1997). The senior author found leaf-mines of the species at the same site in Co. Roscommon, and also near Killavullen in Cork (East), both in 2011. Leaf-mines were observed by C. and B. Picton at Cultra, Co. Down on 2 October 2012, det. D. Grundy (J. McClean, pers. comm.).

3389 [779]. *Bryotropha affinis* (Haworth, 1828)

As indicated in Bland *et al.* (2002), earlier Irish records of this species were based on misdeterminations. The accompanying distribution map, however, shows records from Dublin and Sligo, these being based on older unconfirmed records or misidentifications. Based on this distribution map, the species was erroneously added to the Irish list in Bond *et al.* (2006). Since then, a number of validated Irish records have been obtained in the field or from museum collections. An authentic specimen was recorded from Tramore, Co. Waterford on 15 July 2005 (Bryant, 2007a; Langmaid and Young, 2007, 2009a). Recently, the species has been recorded from further localities: Traad Point, Co. Derry, 25 May 2010 (K. Leonard) (Langmaid and Young, 2011); Dundalk, Co. Louth, 28 June 2011 (det. confirmed by the senior author). In addition, a specimen from Clare has recently been found in the Bradley collection in BM(NH) labelled “. . . Burren: Ballynalacken area 4-22.vii.1960” (det. K. Sattler, 2011). There is also a specimen, without an abdomen, from the Russ Collection labelled “Sligo” (det. O. Karsholt) in NMINH, but it is not certain that this is of Irish origin.

4479 [1022]. *Cnephasia pasiuana* (Hübner, [1799])

This species is listed as Irish by Beirne (1941) and Bond (1995), but omitted by Bond *et al.*

(2006). It is considered that there is insufficient evidence to include this species as Irish. There is one specimen under this name in the Russ collection, labelled “Sligo”, in NMINH, possibly not of Irish origin, while an earlier record from Co. Dublin cannot be confirmed.

4632 [998]. *Epiphyas postvittana* (Walker, 1863)

The Light Brown Apple Moth *Epiphyas postvittana* was first recorded from Rosslare, Co. Wexford by Bond (1998). The species is now widespread and common in much of the north, east and south of Ireland.

4842 [1155]. *Epinotia brunnichana* (Linnaeus, 1767)

A number of specimens of *Epinotia brunnichana* from a wide range of mainly western locations have been found in several museum collections. All these were placed under *E. solandriana* (Linnaeus), but dissections confirm that they are *E. brunnichana*. *E. brunnichiana* has also been found in a wide range of mainly western Irish localities in recent years. There is, however, one male *E. solandriana* in the NMINH collections, labelled “Sligo E.W. Brown VII.[18]94”. Its identity was confirmed by the senior author by dissection. There are many further undissected Irish specimens under the name “*solandriana*” in various museum collections.

5020 [1180]. *Notocelia tetragonana* (Stephens, 1834)

Sterling and Parsons (2012) indicate records of this species from Co. Dublin and West Mayo, in addition to Clare. The only confirmed Irish record found by the senior author is a male from Ballyeighter Wood, Co. Clare, 20 June 1970 (J. D. Bradley) (specimen and genitalia slide checked in BM(NH)).

5101 [1253]. *Grapholita orobana* (Treitschke, 1830)

Grapholita lunulana (Denis and Schiffermüller) was recorded from Tramore Burrow, Co. Waterford, by T. Bryant on 12 May 2006 and 1 June 2006 (Langmaid and Young, 2009b). The specimens, two males, were later tentatively determined as *G. orobana* (Treitschke), and published as such, and as “new to Ireland” in Langmaid and Young (2011). Subsequent examination has confirmed that the specimens are indeed *G. lunulana*; *G. orobana* should not be placed therefore on the Irish list.

5426 [1507]. *Stenoptilia zophodactylus* (Duponchel, 1840)

Since Bond (2001), *Stenoptilia zophodactylus* has also been recorded from Graig Upper, East Cork, and Killoteran, Co. Waterford. Specimens from the new sites have been dissected.

6967 [...]. *Leptidea reali* Reissinger, 1989

Recent research (Dincă *et al.*, 2011) has shown that Irish specimens of the Cryptic Wood White previously determined as *L. reali* Reissinger are in fact *Leptidea juvernica* Williams, 1946, a taxon recently found to be specifically distinct by study of the molecular genetics.

7505 [1647]. *Watsonalla cultraria* (Fabricius, 1775)

Since its discovery in Co. Down in 1999, the Barred Hook-tip has been found at a number of additional sites in Cos Down, Galway, Clare, Limerick, and on several occasions in Co. Waterford, at Carriganore, Killoteran, west of Waterford city.

[...] 1831. *Eupithecia goossensiata* Mabille, 1869

Eupithecia goossensiata is now considered to be an ecological form of *E. absinthiata* (Clerck, 1859) (Mironov, 2003).

8660 [1867]. *Hydrelia flammeolaria* (Hufnagel, 1767)

In addition to the original single site in Co. Antrim (Belfast) and two in Co. Down, the Small Yellow Wave has been found at Barnland, Co. Wexford, 11 June 2006 (M. O'Donnell). It also continued to be reported on a number of occasions up to 2011 from Belfast, Co. Antrim, and other sites in North Down, and from Lisburn, Co. Antrim.

7540 [1890]. *Macaria alternata* ([Denis and Schiffermüller], 1775)

In addition to its first Irish location at Ardamine, Co. Wexford, the Sharp-angled Peacock has now been recorded from Kilpatrick and Barnland (M. O'Donnell) and Kilmuckridge (P. Strickland) in the same county; from Cronykeery (A. Tyner) and Avonmore riverside park (D. Dennison and L. Taylor) in Co. Wicklow; and from Tramore, Co. Waterford (T. Bryant). On 13 August 2012 a male was taken at Cloddagh, on Sherkin Island, Co. Cork by G. Hedges (dissected by the senior author).

7693 [1932]. *Agriopsis leucophaearia* ([Denis and Schiffermüller], 1775)

The Spring Usher, previously known from only single records from Enniskillen, Co.

Fermanagh and Bray, Co. Wicklow, has been found at a number of widely distributed localities since 2000, mainly in Co. Wicklow (A. Tyner, M. O' Donnell, C. Osthoff, C. Flynn), but also at Cratloe Wood, Co. Clare (K. Hannan); Glendaloughin, Co. Waterford (S. MacAmhalghaidh), and at Belvoir Park, Belfast (Co. Down) (D. Allen).

7796 [1947] *Ectropis bistortata* (Goeze, 1781)

This is now treated as a synonym of *E. crepuscularia* ([Denis and Schiffermüller], 1775) in *Fauna Europaea*.

8137 [1705] *Idaea fuscovenosa* (Goeze, 1781)

This is indicated as an Irish species in Karsholt and Razowski (1996); but the authors have been unable to find a source to justify this.

8736 [2012]. *Leucodonta bicoloria* ([Denis and Schiffermüller], 1775)

The White Prominent, unrecorded from Ireland since 1938, was rediscovered at Lough Carra, Co. Kerry in 2008 (Allen *et al.*, 2008). The species has also been recorded, sometimes in numbers, at or near this locality in the years 2009 to 2012.

9454 [2384]. *Hoplodrina ambigua* ([Denis and Schiffermüller], 1775)

In addition to the two records quoted in Bond *et al.* (2006), Vine's Rustic, has been recorded from Rathlin Island, Co. Antrim, 28 August 2001 (M. Hughes *et al.*, det P. Waring), while a male taken on Cape Clear Island, Co. Cork on 11 October 2010 by E. O'Donnell was dissected by the senior author.

8874 [2452]. *Catocala nupta* (Linnaeus, 1767)

Previously known only from a 1906 record from Co. Cork; the Red Underwing was recorded singly on four occasions in Co. Louth in the period 2006 to 2011 (D. Hodgers, S. McKeever, C. Honan).

9790 [2343a]. *Mesapamea secalella* Remm, 1983

Recent taxonomic studies (Zilli *et al.*, 2005) have shown that the name *didyma* Esper is a junior synonym of *secalis* Linnaeus, 1758. The name used for the Lesser Common Rustic therefore reverts to *Mesapamea secalella* Remm, 1983.

Other species

An Irish distribution is indicated for six species indicated below in Sterling and Parsons (2012); but either the records upon which this is based are erroneous, as indicated in Bond (1995), viz. *Glyphipterix equitella*, *Epinotia demarniana*, *Crambus pratella* and *C. hamella*, or, as in the case of *Eana incanana* and *Merrifieldia baliodactylus*, it cannot be substantiated by the senior author.

Species removed from the Irish Lepidoptera list

142 [71]. *Stigmella zelleriella* (Snellen, 1875)

Further examination of the genitalia slide of the specimen from Bull Island, Co. Dublin and reference to the illustrations in Bengtson (2008), indicate that it is a male *Stigmella salicis* (Stainton, 1854). *S. zelleriella* should therefore be removed from the Irish list.

1322 [356]. *Phyllonorycter tristrigella* (Haworth, 1828)

Bradley's record of *Phyllonorycter tristrigella* from South Kerry is erroneous (Mere *et al.*, 1964). The specimen, which is in the BM(NH) collection, has been re-examined, dissected, and determined as a male *Ph. nicellii* (Stainton) by the senior author.

2716 [562]. *Coleophora asteris* Mühlig, 1864

The record of this species from Co. Meath in Emmet *et al.* (1996), repeated in Bond *et al.* (2006), is erroneous, being based on a misidentification of *Coleophora virgaureae* (see Emmet and Langmaid, 1997: 150).

2721 [566]. *Coleophora sternipennella* (Zetterstedt, 1839)

Bond (2005) and Langmaid and Young (2005) reported *Coleophora sternipennella* from Clare Island, Co. Mayo. This record is erroneous, being based on a misidentification of a female of *C. saxicolella* (Duponchel).

2939 [871] *Oegoconia deauratella* (Herrich-Schäffer, 1854)

The indication of the occurrence of this species in Ireland in Bland (2002) and Bond *et al.* (2006) is incorrect. The records mentioned in Bland (2002) refer to *O. quadripuncta* (Haworth, 1828), and the associated vice-county distribution shown there should be combined with that for

O. quadripuncta.

3231 [751]. *Aristotelia subdecurtella* (Stainton, 1859)

The map showing the Irish distribution of *Aristotelia subdecurtella* in Bland *et al.* (2002) and the inclusion of this species in Bond *et al.* (2006) are erroneous. As implied in the accompanying text in Bland *et al.* (2002), this species has not been recorded in Ireland. The map in question indicates the Irish distribution of *Metzneria aestivella* (Zeller, 1839).

3242 [746]. *Chrysoesthia drurella* (Fabricius, 1775)

The inclusion of this species in Bond *et al.* (2006) is incorrect, probably arising through confusion with the taxonomy. The record indicated there refers to *Cosmopterix orichalea* Stainton, 1861 (= *C. druryella* Zeller, 1850 misidentification).

4493 [1016]. *Cnephasia longana* (Haworth, 1811)

Although earlier records were accepted by Beirne (1941), Bond (1995) and Bond *et al.* (2006), the inclusion of this species on the Irish list seems unjustified. There are two specimens under this name in the Russ collection, one labelled “Sligo”, in NMINH, but it is possible that they are not of Irish origin.

4721 [1065]. *Celypha rufana* (Scopoli, 1763)

The Greer record of *Celypha rufana* was accepted by Beirne (1942), but Huggins (1950) gives reasons for rejecting it. The species was not listed in Bond *et al.* (2006).

4945 [1194]. *Eucosma aemulana* (Schläger, 1849)

The record in Beirne (1945), repeated in Bond *et al.* (2006) is based on a misidentification (E. Hancock, pers. comm.) and the species should be deleted from the Irish list.

6082 [1482]. *Homoeosoma nimbella* (Duponchel, 1836)

There are no proven Irish specimens in NMINH. The earliest Irish record by Shield (1853) refers to larvae in seeds of “wild chamomile”, but the reported foodplant of this species is sheep’s-bit, *Jasione montana* (Sterling and Parsons, 2012), suggesting the species involved may have been the superficially similar *Phycitodes saxicola*.

7021 [1543]. *Colias hyale* (Linnaeus, 1758)

There are no confirmed Irish records of this species (Nash *et al.*, 2012).

7724 [1936]. *Menophra abruptaria* (Thunberg, 1792)

This was considered doubtfully Irish by Baynes (1964), and there have no more recent records of this species.

8698 [2019]. *Clostera curtula* (Linnaeus, 1758)

According to Baynes (1964) “further evidence of the existence of this species in Ireland is desirable”, although he does mention that larvae had been reported “from time to time”, but no moths were bred. Although the species was included in Bond *et al.* (2006), the Irish status of the species should be considered unconfirmed.

8778 [2279]. *Acronicta aceris* (Linnaeus, 1758)

This species was included as Irish without comment in Bond *et al.* (2006), although the Irish records were considered unconfirmed by Baynes (1964). As there have been no subsequent records, the status remains unconfirmed.

Acknowledgements

The senior author is greatly indebted to the staff of the Department of Entomology at the Natural History Museum, London, in particular to Kevin Tuck and Martin Honey for considerable assistance; also to Jeff Hancock at the Hunterian Museum and Art Gallery, University of Glasgow, Glasgow and Keith Bland at National Museums of Scotland, Edinburgh, for making available the respective collections of Microlepidoptera. The visits to the various entomological collections were jointly funded by National Biodiversity Data Centre and the National Museum of Ireland, as part of the compilation of the Database of Irish Microlepidoptera. We are grateful to Angus Tyner for his helpful comments on the manuscript.

References

- Agassiz, D., Heckford, R. and Langmaid, J. (1996) Microlepidoptera review of the year 1994. *Entomologist's Record* **108**: 177-193.
- Allen, D., Mellon, C., Hughes, M., Telfer, M. and Waring, P. (2009) The rediscovery of the White Prominent *Leucodonta bicoloria* in Ireland in 2008. *Atropos* **35**: 3-8.

- Baynes, E. S. A. (1964) *A revised catalogue of the Irish Macrolepidoptera (Butterflies and Moths)*. E. W. Classey Ltd, Hampton.
- Beirne, B. P. (1941) A list of the Microlepidoptera of Ireland. *Proceedings of the Royal Irish Academy* **47B**: 53-147.
- Beirne, B. P. (1942) "A list of the Microlepidoptera of Ireland", additions and corrections. *Irish Naturalists' Journal* **8**: 16-17.
- Beirne, B. P. (1944) New records for Irish Lepidoptera. *Irish Naturalists' Journal* **8**: 147-149.
- Beirne, B. P. (1945) Irish Lepidoptera collecting in 1944. *Entomologist's Record and Journal of Variation* **57**: 51-52; 63-66; 86-89.
- Bengtson, B. Å. (2008) Nepticulidae. Pp 93-276. In *Nationalnyckeln till Sveriges flora och fauna*. Fjärilar: Käkmalar-säckspinnare. Lepidoptera: Micropterigidae-Psychidae. ArtDatabanken SLU, Uppsala.
- Birchall, E. (1866) Catalogue of the Lepidoptera of Ireland. *Proceedings of the Natural History Society of Dublin* **5**: 57-85.
- Birchall, E. (1873) The Lepidoptera of Ireland. *Entomologist's Monthly Magazine* **10**: 153-156.
- Bland, K. P. (1996) Elachistidae. Pp 339-410. In Emmet, A. M. and Langmaid, J. R. (eds) – Yponomeutidae – Elachistidae. *The moths and butterflies of Great Britain and Ireland* **3**. Harley Books, Colchester.
- Bland, K. P. (2002) Autostichidae. Pp 188-195. In Emmet, A. M. and Langmaid, J. R. (eds) Oecophoridae - Scythrididae. *The moths and butterflies of Great Britain and Ireland* **4(1)**. Harley Books, Colchester.
- Bland, K. P., Corley, M. F. V., Emmet, A. M., Heckford, R. J., Huemer, P., Langmaid, J. R., Palmer, S. M., Parsons, M. S., Pitkin, L. M., Rutten, T., Sattler, K., Simpson, A. N. B. and Sterling, P. H. (2002) Gelechiidae. Pp 10-251, plates 1-6. In Emmet, A. M. and Langmaid, J. R. (eds) *Gelechiidae. The moths and butterflies of Great Britain and Ireland* **4(2)**. Harley Books, Colchester.
- Bond, K. G. M. (1995) Irish Microlepidoptera check-list. *Bulletin of the Irish Biogeographical Society* **18**: 176-262.

- Bond, K. G. M. (1998) *Epiphyas postvittana* (Walker) (Lep.: Tortricidae) new to Ireland. *Entomologist's Record and Journal of Variation* **110**: 250.
- Bond, K. G. M. (2001) *Phyllocnistis unipunctella* (Stepens, 1834) (Lepidoptera: Gracillariidae, Phyllocnistinae) and *Coleophora salicorniae* Heinemann & Wocke, 1876 (Lepidoptera: Coleophoridae) new to Ireland and first confirmed Irish record of *Stenoptilia zophodactylus* (Duponchel, 1840) (Lepidoptera: Pterophoridae). *Entomologist's Gazette* **52**: 208.
- Bond, K. G. M. (2005) *Coleophora sternipennella* (Zetterstedt, 1839) (Lepidoptera: Coleophoridae) new to Ireland. *Entomologist's Gazette* **56**: 65.
- Bond, K. G. M. (2007) Recent extension of the range of *Phyllonorycter leucographella* (Zeller, 1850) (Lepidoptera: Gracillariidae) in Ireland. *Irish Naturalists' Journal* **28**: 521-522.
- Bond, K. G. M. (2009) *Microlepidoptera of Northern Ireland check-list*. Northern Ireland Environment Agency Research and Development Series No. 09/02.
- Bond, K. G. M. (2010) *Epinotia pygmaeana* (Hübner, 1799) (Lepidoptera: Tortricidae) in County Cork – the first Irish record. *Entomologist's Gazette* **61**: 104.
- Bond, K. G. M. and Ashe, P. (2005) *Phyllonorycter leucographella* (Zeller, 1850) (Lepidoptera: Gracillariidae) new to Ireland. *Entomologist's Gazette* **56**: 80.
- Bond, K. G. M. and Gittings, T. (2008) Database of Irish Lepidoptera. 1 - Macrohabitats, microsites and traits of Noctuidae and butterflies. *Irish Wildlife Manuals* No. 35. National Parks and Wildlife, Service, Department of the Environment, Heritage and Local Government, Dublin, Ireland.
- Bond, K. G. M., Nash, R. and O'Connor, J. P. (2006) *An annotated checklist of the Irish butterflies and moths (Lepidoptera)*. The Irish Biogeographical Society in association with The National Museum of Ireland, Dublin.
- Bradley, J. D. (2000) *Checklist of Lepidoptera recorded from the British Isles*. Second edition (revised). Published privately. D. J. and M. J. Bradley, Fordingbridge.
- Bryant, T. (2007a) *Bryotropha affinis* (Haworth) (Lepidoptera: Gelechiidae), first confirmed Irish record in Co Waterford (H6). *Irish Naturalists' Journal* **28** (2006): 341.

- Bryant, T. (2007b) Pine leaf-mining moth *Clavigesta purdeyi* (Durrant) (Lepidoptera: Tortricidae), new to Ireland in Co Waterford (H6). *Irish Naturalists' Journal* **28** (2006): 342.
- Bryant, T. (2009a) *Pediasia aridella* (Thunberg, 1788) (Lepidoptera: Pyralidae) and *Epermenia aequidentellus* (Hofmann, 1967) (Lepidoptera: Epermeniidae) new to Ireland in Co. Waterford (H6). *Irish Naturalists' Journal* **30**: 64.
- Bryant, T. (2009b) Potato tuber moth (*Phthorimaea operculella* (Zeller, 1873)) (Lepidoptera: Gelechiidae) and old world webworm (*Hellula undalis* (Fabricius, 1781) (Lepidoptera: Pyralidae) migrants new to Ireland in Co. Waterford (H6). *Irish Naturalists' Journal* **30**: 64-65.
- Bryant, T. (2009c) *Syncopacma polychromella* (Rebel) (Lep: Gelechiidae) new to Ireland. *Entomologist's Record and Journal of Variation* **121**: 263.
- Bryant, T. (2010a) *Cydia amplana* (Hübner, 1799) (Lepidoptera: Tortricidae) and *Uresiphita gilvata* (Fabricius, 1794) (Lepidoptera: Crambidae), migrants new to Ireland in Co. Waterford (H6). *Irish Naturalists' Journal* **30** (2009): 141-142.
- Bryant, T. (2010b) *Nephoterix angustella* (Hb.) (Lepidoptera: Pyralidae) new to Ireland. *Entomologist's Record and Journal of Variation* **122**: 266.
- Bryant, T. and Bond, K. G. M. (2008) *Bactra venosana* (Zeller, 1847) (Lep: Tortricidae) new to the British Isles from Ireland. *Entomologist's Record and Journal of Variation* **120**: 97-99.
- Bryant, T. and Bond, K. G. M. (2010) *Crombrugghia laetus* (Zell.) (Lep.: Pterophoridae) new to Ireland. *Entomologist's Record and Journal of Variation* **122**: 34.
- Bryant, T. and Walsh, P. (2007) Reports from coastal stations – 2006. Tramore Bay, Co. Waterford. *Atropos* **30**: 84-85.
- Bryant, T. and Walsh, P. (2010) Reports from coastal stations – 2009. Tramore Bay, Co. Waterford. *Atropos* **39**: 66-67.
- Clancy, S. P. (2007a) Two Lepidoptera species new to Ireland in 2006. *Entomologist's Gazette* **58**: 202.

- Clancy, S. (2007b) The immigration of Lepidoptera to the British Isles in 2004. *Entomologist's Record and Journal of Variation* **119**: 145-184
- Clancy, S. P. (2008a) The immigration of Lepidoptera to the British Isles in 2005. *Entomologist's Record and Journal of Variation* **120**: 49-84.
- Clancy, S. P. (2008b) The immigration of Lepidoptera to the British Isles in 2006. *Entomologist's Record and Journal of Variation* **120**: 209-276.
- Clancy, S. P. (2011) The immigration of Lepidoptera to the British Isles in 2008. *Entomologist's Record and Journal of Variation* **123**: 13-44.
- Clancy, S. P. (2012) The immigration of Lepidoptera to the British Isles in 2009. *Entomologist's Record and Journal of Variation* **124**: 105-139.
- Clancy, S. and Skinner, B. (2006) The immigration of Lepidoptera to the British Isles in 2002. *Entomologist's Record and Journal of Variation* **118**: 145-177.
- Clancy, S. and Skinner, B. (2007) The immigration of Lepidoptera to the British Isles in 2003. *Entomologist's Record and Journal of Variation* **119**: 1-41.
- Clifton, J. (2007) The separation of knot grass *Acrionicta rumicis* (Linn.) and scarce dagger *A. auricoma* (D. & S.). *Atropos* **31**: 22-23.
- Davis, T. (2006) National moth night results: 9 July 2005. *Atropos* **29**: 20-32.
- Dincă, V., Lukhtanov, V. A., Talavera, G. and Vila, R. (2011) Unexpected layers of cryptic diversity in wood white *Leptidea* butterflies. *Nature Communications* **2**: 324 doi: 10.1038/ncomms1329 (2011).
- Emmet, A. M. (1975) A preliminary list of the Nepticulidae of Ireland. *Proceedings and Transactions of the British Entomological and Natural History Society* **8**: 31-38.
- Emmet, A. M. (1981) Records of Nepticulidae in Ireland since 1975). *Irish Naturalists' Journal* **20**: 186-188.
- Emmet, A. M. and Langmaid, J. R. (1997) Microlepidoptera in Ireland, September, 1995. *Entomologist's Gazette* **48**: 147-155.
- Emmet, A. M., Langmaid, J. R., Bland, K. P., Corley, M. F. V. and Razowski, J. (1996) Coleophoridae. Pp 126-338. In Emmet, A. M. (ed.) *Yponomeutidae-Elachistidae. The*

moths and butterflies of Great Britain and Ireland 3. Harley Books, Colchester.

Harding, J. M. (2008) *Discovering Irish butterflies and their habitats*. Published privately.

Harding, J. M. and Jacob, M. (in press) Addition of Small Skipper Butterfly *Thymelicus sylvestris* (Poda, 1761) [Lepidoptera: Hesperiiidae] to the Irish List and notes on the Essex Skipper *Thymelicus lineola* (Ochsenheimer 1808) [Lepidoptera: Hesperiiidae]. *Irish Naturalists' Journal*.

Hart, C. (2011) *British plume moths. A guide to their identification and biology*. British Entomological and Natural History Society.

Higgott, J. B. and Mackie, C. A. (2003) Two new Irish moths. *Entomologist's Record and Journal of Variation* 115: 130.

Hogan, A. R. (1855) Catalogue of Irish Microlepidoptera. *Natural History Review* 2: 109-115.

Huggins, H. C. (1950) *Orthotaenia rufana*, Scopoli, as an Irish insect. *Entomologist* 83: 117-118.

Kane, W. F. de V. (1901) *A catalogue of the Lepidoptera of Ireland*. West, Newman and Co., London.

Karsholt, O. and Razowski, J. (eds) (1996) *The Lepidoptera of Europe. A distributional checklist*. Apollo Books, Stenstrup.

Karsholt, O., Aarvik, L., Agassiz, D., Huemer, P. and Tuck, K. (2005) *Acleris effractana* (Hübner, 1799) – a Holarctic tortricid. *Nota lepidopterologica* 28: 93-102.

Langmaid, J. R. and Young, M. R. (1999) Microlepidoptera review of 1997. *Entomologist's Record and Journal of Variation* 111: 105-119.

Langmaid, J. R. and Young, M. R. (2004) Microlepidoptera review of 2003. *Entomologist's Record and Journal of Variation* 116: 193-214.

Langmaid, J. R. and Young, M. R. (2005) Microlepidoptera review of 2004. *Entomologist's Record and Journal of Variation* 117: 231-251.

Langmaid, J. R. and Young, M. R. (2006) Microlepidoptera review of 2005. *Entomologist's Record and Journal of Variation* 118: 241-265.

Langmaid, J. R. and Young, M. R. (2007) Microlepidoptera review of 2006. *Entomologist's*

- Record and Journal of Variation* **119**: 241-266.
- Langmaid, J. R. and Young, M. R. (2009a) Microlepidoptera review of 2007. *Entomologist's Record and Journal of Variation* **121**:13-32.
- Langmaid, J. R. and Young, M. R. (2009b) Microlepidoptera review of 2008. *Entomologist's Record and Journal of Variation* **121**: 265-287.
- Langmaid, J. R. and Young, M. R. (2010) Microlepidoptera review of 2009. *Entomologist's Record and Journal of Variation* **122**: 233-253.
- Langmaid, J. R. and Young, M. R. (2011) Microlepidoptera review of 2010. *Entomologist's Record and Journal of Variation* **123**: 249-277.
- Lennon, N., Hardiman, D., Nash, D. and Smith, F. (in prep.) Confirmation of the presence of Small Skipper butterfly (*Thymelicus sylvestris* (Poda, 1761)) (Lepidoptera: Hesperiiidae) in Ireland. *Irish Naturalists' Journal*.
- Leonard, K. (2011) Putting dots on the map for moths. One page in *Butterfly conservation in Northern Ireland 2011*. Butterfly Conservation N. Ireland.
<http://www.butterfly-conservation.org/uploads/newsletter_2011_web.pdf>.
- Mere, R. M., Bradley, J. D. and Pelham-Clinton, E. C. (1964) Lepidoptera in Ireland, May-June, 1962. *Entomologist's Gazette* **15**: 66-92.
- Mironov, V. (2003) *The geometrid moths of Europe*. **4** (Larentiinae: Perizomini and Eupitheciini). Apollo Books, Stenstrup.
- Nash, D, Boyd, T, R. and Hardiman, D. (2012) *Ireland's butterflies. A review*. Dublin Naturalists' Field Club, Dublin.
- O'Donnell, E. (2011) As good as it gets. *Atropos* **42**: 18-22.
- O'Donnell, M. (2003) Blair's Shoulder-knot *Lithophane leautieri* in Co. Wicklow – a species new to Ireland. *Atropos* **19**: 69-70.
- O'Donnell, M. (2007) Rosy Wave moth, *Scopula Emutaria* Study. Heritage Council Wildlife Grant **No. 15553**.
- Shaffer, M. (1971) An historical review of the British species of *Cappéria* (Tutt) (Lep., Pterophoridae: Platyptiliinae), with lectotype designations. *Entomologist's Gazette* **22**:

205-225.

Shield, R. (1853) List of Microlepidoptera taken in the vicinity of Dublin during the year 1853.

Zoologist **11**: 41-52.

Sinclair, F. W. (1879) Notes on Irish Lepidoptera. *Scientific Proceedings, Royal Dublin Society*

2: 237-242.

Skinner, B. (2009) *Colour identification guide to moths of the British Isles*. Apollo Books, Stenstrup.

Sterling, P. and Parsons, M. (2012) *Field Guide to the micromoths of the Great Britain and Ireland*. British Wildlife Publishing, Milton on Stour, Dorset.

Strickland, P. and Bond, K. G. M. (2011) *Acrolepia autumnitella* Curtis, 1838 (Lepidoptera: Yponomeutidae), new to Ireland. *Irish Naturalists' Journal* **31**: 138.

Thompson, R. and Nelson, B. (2006) *The butterflies and moths of Northern Ireland*. Publication No. 018. National Museums Northern Ireland, Belfast.

Triberti, P. (2007) The *Phyllonorycter* species from Palaearctic Region feeding on Rosaceae (Lepidoptera, Gracillariidae). *Bollettino del Museo Civico di Storia Naturale di Verona* **31** (Botanica Zoologica): 147-221.

Tyner, A. (2011a) MothsIreland. Micromoths.

<<http://www.mothsireland.com/micromoth.htm>>.

Tyner, A. (2011b) MothsIreland. Macro Moths.

<<http://www.mothsireland.com/specieslist.htm>>.

Walsh, P. M. and Bond, K. G. M. (2009) Dark mottled willow *Spodoptera ciliium* (Boisd.) in Co. Waterford in 2008 – new to Ireland. *Atropos* **36**: 10-11.

Walsh, P. M., Boyd, T., Nash, D. W., Rolston, E. and Tyner, A. (2009) Report on migrant and notable Lepidoptera in Ireland, 2006. *Irish Naturalists' Journal* **30**: 40-50.

Walsh, P. M., Boyd, T., Nash, D. W., Rolston, E. and Tyner, A. (2011) Report on migrant and notable Lepidoptera in Ireland, 2007. *Irish Naturalists' Journal* **31** (2010): 23-32.

Watts, C.W. (1894) Lepidoptera taken in the Belfast district. *Proceedings of the Belfast Naturalists' Field Club*. Appendix Vol. II, No. 4: 115-131.

Wilson, C. J., Goodwin, J. and Bond, K. (2007) New Irish record of the small skipper butterfly *Thymelicus sylvestris* (Poda) (Lepidoptera: Hesperiiidae). *Irish Naturalists' Journal* **28**: 385-386.

Wilson, C. J., Goodwin, J. and Bond, K. (2009) Addition of Essex skipper butterfly (*Thymelicus lineola* (Ochsenheimer, 1808) (Lepidoptera: Hesperiiidae), to the Irish list and deletion of previously reported occurrence of small skipper butterfly *Thymelicus sylvestris* (Poda, 1761) in Ireland. *Irish Naturalists' Journal* **29** (2008): 133-134.

Zilli, A., Ronkay, L. and Fibiger, M. (2005) *Noctuidae Europaea* **8**: 1-323.

Appendix

A concise and updated checklist of the Irish Lepidoptera is provided, based on Bond, Nash and O'Connor (2006) and information contained in the present paper. The Fauna Europaea species number is used, followed by the number used in Bradley (2000) in square brackets. Binomial names are given but Irish subspecies are indicated where considered relevant. Deleted species are in square brackets []. Additions since Bond *et al.* (2006) are indicated by an asterisk*.

SYSTEMATIC LIST

An "A" preceding the species number indicates that the species is considered an adventive, or accidental introduction, incapable of breeding in Ireland.

MICROPTERIGIDAE

7 [4]. *Micropterix aruncella* (Scopoli, 1763)

8 [3]. *Micropterix aureatella* (Scopoli, 1763)

10 [5]. *Micropterix calthella* (Linnaeus, 1761)

28 [2]. *Micropterix mansuetella* Zeller, 1844

ERIOCRANIIDAE

48 [6]. *Dyseriocrania subpurpurella* (Haworth, 1828)

Synonym *Eriocrania subpurpurella* (Haworth, 1828)

49 [7]. *Paracrania chrysolepidella* (Zeller, 1851)

Synonym *Eriocrania chrysolepidella* (Zeller, 1851)

50 [8]. *Heringocrania unimaculella* (Zetterstedt, 1839)

Synonym *Eriocrania unimaculella* (Zetterstedt, 1839)

51 [9]. *Eriocrania sparrmannella* (Bosc, 1791)

52 [10]. *Eriocrania salopiella* (Stainton, 1854)

53 [11]. *Eriocrania cicatricella* (Zetterstedt, 1839)

55 [12]. *Eriocrania sangii* (Wood, 1891)

56 [13]. *Eriocrania semipurpurella* (Stephens, 1835)

HEPIALIDAE

67 [17]. *Pharmacis lupulina* (Linnaeus, 1758)

Synonym *Hepialus lupulina* (Linnaeus, 1758)

COMMON SWIFT

69 [18]. *Pharmacis fusconebulosa* (DeGeer, 1778)

Synonym *Hepialus fusconebulosa* (DeGeer, 1778)

MAP-WINGED SWIFT

78 [16]. *Phymatopus hecta* (Linnaeus, 1758)

Synonym *Hepialus hecta* (Linnaeus, 1758)

GOLD SWIFT

80 [14]. *Hepialus humuli* (Linnaeus, 1758)

GHOST MOTH

NEPTICULIDAE

86 [118]. *Enteucha acetosae* (Stainton, 1854)

89 [116]. *Stigmella lapponica* (Wocke, 1862)

90 [117]. *Stigmella confusella* (Wood and Walsingham, 1894)

96 [110]. *Stigmella betulicola* (Stainton, 1856)

99 [112]. *Stigmella luteella* (Stainton, 1857)

100 [114]. *Stigmella glutinosae* (Stainton, 1858)

101 [115]. *Stigmella alnetella* (Stainton, 1856)

102 [111]. *Stigmella microtheriella* (Stainton, 1854)

105 [97]. *Stigmella malella* (Stainton, 1854)

APPLE PYGMY

109 [98]. *Stigmella catharticella* (Stainton, 1853)

110 [92]. *Stigmella anomalella* (Goeze, 1783)

ROSE LEAF MINER

111 [94]. *Stigmella spinosissima* (Waters, 1928)

113 [80]. *Stigmella ulmivora* (Fologne, 1860)

120 [82]. *Stigmella paradoxa* (Frey, 1858)

126 [108]. *Stigmella crataegella* (Klimesch, 1936)

128 [104]. *Stigmella magdalena* (Klimesch, 1950)

129 [103]. *Stigmella nylandriella* (Tengström, 1848)

130 [100]. *Stigmella oxyacanthella* (Stainton, 1854)

134 [99]. *Stigmella hybnerella* (Hübner, 1796)

136 [75]. *Stigmella floslactella* (Haworth, 1828)

138 [77]. *Stigmella tityrella* (Stainton, 1854)

139 [68]. *Stigmella salicis* (Stainton, 1854)

141 [72]. *Stigmella myrtillella* (Stainton, 1857)

[142 [71]. *Stigmella zelleriella* (Snellen, 1875)]

144 [70]. *Stigmella obliquella* (Heinemann, 1862)

146 [73]. *Stigmella trimaculella* (Haworth, 1828)

148 [66]. *Stigmella sorbi* (Stainton, 1861)

149 [67]. *Stigmella plagicolella* (Stainton, 1854)

150 [63]. *Stigmella lemniscella* (Zeller, 1839)

151 [64]. *Stigmella continuella* (Stainton, 1856)

152 [50]. *Stigmella aurella* (Fabricius, 1775)

153 [54]. *Stigmella auromarginella* (Richardson, 1890)

154 [53]. *Stigmella splendidissima* (Herrich-Schäffer, 1855)

- 157 [55]. *Stigmella aeneofasciella* (Herrich-Schäffer, 1855)
160 [56]. *Stigmella dryadella* (O. Hofmann, 1868)
161 [59]. *Stigmella poterii* (Stainton, 1857)
162 [57]. *Stigmella filipendulae* (Wocke, 1871)
 Synonym *Stigmella ulmariae* (Wocke, 1879)
166 [79]. *Stigmella perpygmaeella* (Doubleday, 1859)
169 [81]. *Stigmella hemargyrella* (Kollar, 1832)
174 [87]. *Stigmella svenssoni* (Johansson, 1971)
179 [84]. *Stigmella ruficapitella* (Haworth, 1828)
180 [83]. *Stigmella atricapitella* (Haworth, 1828)
207 [48]. *Trifurcula cryptella* (Stainton, 1856)
208 [49]. *Trifurcula eurema* (Tutt, 1899)
217 [45]. *Trifurcula subnitidella* (Duponchel, 1843)
222 [46]. *Trifurcula immundella* (Zeller, 1839)
239 [40]. *Bohemannia pulverosella* (Stainton, 1849)
240 [19]. *Bohemannia quadrimaculella* (Boheman, 1853)
254 [42]. *Ectoedemia septembrella* (Stainton, 1849)
268 [25]. *Ectoedemia intimella* (Zeller, 1848)
273 [23]. *Ectoedemia argyropeza* (Zeller, 1839)
288 [37]. *Ectoedemia albifasciella* (Heinemann, 1871)
292 [38]. *Ectoedemia subbimaculella* (Haworth, 1828)
*293 [39]. *Ectoedemia heringi* (Toll, 1934)
301 [28]. *Ectoedemia angulifasciella* (Stainton, 1849)
302 [29]. *Ectoedemia atricollis* (Stainton, 1857)
303 [30]. *Ectoedemia arcuatella* (Herrich-Schäffer, 1855)
304 [31]. *Ectoedemia rubivora* (Wocke, 1860)
307 [34]. *Ectoedemia occultella* (Linnaeus, 1767)
308 [35]. *Ectoedemia minimella* (Zetterstedt, 1839)

OPOSTEGIDAE

315 [119]. *Opostega salaciella* (Treitschke, 1833)

319 [121]. *Pseudopostega crepusculella* (Zeller, 1839)

HELIOZELIDAE

329 [154]. *Heliozela sericiella* (Haworth, 1828)

330 [156]. *Heliozela resplendella* (Stainton, 1851)

331 [157]. *Heliozela hammoniella* Sorhagen, 1885

ADELIDAE

338 [148]. *Nemophora degeerella* (Linnaeus, 1758)

349 [146]. *Nemophora cupriacella* (Hübner, [1819])

356 [145]. *Nemophora minimella* ([Denis and Schiffermüller], 1775)

365 [150]. *Adela reaumurella* (Linnaeus, 1758)

366 [149]. *Adela cuprella* ([Denis and Schiffermüller], 1775)

371 [151]. *Adela croesella* (Scopoli, 1763)

382 [152]. *Cauchas rufimitrella* (Scopoli, 1763)

Synonym *Adela rufimitrella* (Scopoli, 1763)

387 [141]. *Nematopogon schwarziellus* Zeller, 1839

388 [143a]. *Nematopogon magna* (Zeller, 1878)

390 [143]. *Nematopogon metaxella* (Hübner, [1813])

391 [140]. *Nematopogon swammerdamella* (Linnaeus, 1758)

Nematopogon pilella misidentification

INCURVARIIDAE

423 [129]. *Incurvaria pectinea* Haworth, 1828

424 [130]. *Incurvaria masculella* ([Denis and Schiffermüller], 1775)

429 [131]. *Incurvaria oehmanniella* (Hübner, 1796)

430 [132]. *Incurvaria praelatella* ([Denis and Schiffermüller], 1775)

433 [128]. *Phylloporia bistrigella* (Haworth, 1828)

PRODOXIDAE

398 [135]. *Lampronia luzella* (Hübner, [1817])

399 [136]. *Lampronia corticella* (Linnaeus, 1758)

RASPBERRY MOTH

409 [139]. *Lampronia pubicornis* (Haworth, 1828)

TISCHERIIDAE

440 [123]. *Tischeria ekebladella* (Bjerkander, 1795)

441 [124]. *Tischeria dodonaea* Stainton, 1858

444 [125]. *Coptotriche marginea* (Haworth, 1828)

Synonym *Emmetia marginea* (Haworth, 1828)

TINEIDAE

476 [212]. *Haplotinea insectella* (Fabricius, 1794)

565 [204]. *Infurcitinea albicomella* (Stainton, 1851)

572 [203]. *Infurcitinea argentimaculella* (Stainton, 1849)

600 [198]. *Dryadaula pactolia* Meyrick, 1902

613 [225]. *Triaxomera fulvimitrella* (Sodoffsky, 1830)

623 [215]. *Nemapogon granella* (Linnaeus, 1758)

CORN MOTH

624 [216]. *Nemapogon cloacella* (Haworth, 1828)

CORK MOTH

630 [219]. *Nemapogon ruricolella* (Stainton, 1849)

641 [220]. *Nemapogon clematella* (Fabricius, 1781)

661 [234]. *Trichophaga tapetzella* (Linnaeus, 1758)

TAPESTRY MOTH

669 [236]. *Tineola bisselliella* (Hummel, 1823)

COMMON CLOTHES MOTH

671 [240]. *Tinea pellionella* Linnaeus, 1758

CASE-BEARING CLOTHES MOTH

675 [243]. *Tinea dubiella* Stainton, 1859

676 [244]. *Tinea flavescentella* Haworth, 1828

680 [245]. *Tinea pallescentella* Stainton, 1851

LARGE PALE CLOTHES MOTH

686 [246]. *Tinea semifulvella* Haworth, 1828

687 [247]. *Tinea trinotella* Thunberg, 1794

689 [237]. *Niditinea fuscella* (Linnaeus, 1758)

BROWN-DOTTED CLOTHES MOTH

700 [227]. *Monopis laevigella* ([Denis and Schiffermüller], 1775)

SKIN MOTH

701 [228]. *Monopis weaverella* (Scott, 1858)

705 [230]. *Monopis crocicapitella* (Clemens, 1859)

707 [231]. *Monopis imella* (Hübner, [1813])

721 [277]. *Oinophila v-flava* (Haworth, 1828)

YELLOW V MOTH

728 [199]. *Psychoides verhuella* Bruand, 1853

729 [200]. *Psychoides filicivora* (Meyrick, 1937)

PSYCHIDAE

747 [180]. *Diplodoma laichartingella* Goeze, 1783

Synonym *Diplodoma herminata* (Geoffroy, 1785)

864 [185]. *Luffia ferchaultella* (Stephens, 1850)

877 [186]. *Psyche casta* (Pallas, 1767)

878 [187]. *Psyche crassiorella* Bruand, 1851

926 [189]. *Epichnopterix plumella* ([Denis and Schiffermüller], 1775)

BUCCULATRICIDAE

1052 [271]. *Bucculatrix albedinella* (Zeller, 1839)

1060 [275]. *Bucculatrix bechsteinella* (Bechstein and Scharfenberg, 1805)

1065 [272]. *Bucculatrix cidarella* (Zeller, 1839)

- 1066 [265]. *Bucculatrix cristatella* (Zeller, 1839)
1067 [276]. *Bucculatrix demaryella* (Duponchel, 1840)
1070 [270]. *Bucculatrix frangutella* (Goeze, 1783)
1081 [267]. *Bucculatrix maritima* Stainton, 1851
1083 [266]. *Bucculatrix nigricomella* (Zeller, 1839)
1094 [274]. *Bucculatrix ulmella* Zeller, 1848

GRACILLARIIDAE

- 1110 [286]. *Caloptilia alchimiella* (Scopoli, 1763)
*1111 [285]. *Caloptilia azaleella* (Brants, 1913)

AZALEA LEAF MINER

- 1112 [283]. *Caloptilia betulicola* (M. Hering, 1928)
1115 [280]. *Caloptilia cuculipennella* (Hübner, 1796)
1116 [282]. *Caloptilia elongella* (Linnaeus, 1761)
1117 [289]. *Caloptilia falconipennella* (Hübner, [1813])
1125 [281]. *Caloptilia populetorum* (Zeller, 1839)
1127 [287]. *Caloptilia robustella* Jäckh, 1972
*1129 [284]. *Caloptilia rufipennella* (Hübner, 1796)
1131 [288]. *Caloptilia stigmatella* (Fabricius, 1781)
1135 [293]. *Gracillaria syringella* (Fabricius, 1794)
 Synonym *Caloptilia syringella* (Fabricius, 1794)
1143 [294]. *Aspilapteryx tringipennella* (Zeller, 1839)
1145 [297]. *Euspilapteryx auroguttella* Stephens, 1835
 Synonym *Calybites auroguttella* (Stephens, 1835)
1147 [296]. *Calybites phasianipennella* (Hübner, [1813])
1150 [292]. *Povolnya leucapennella* (Stephens, 1835)
 Synonym *Caloptilia leucapennella* (Stephens, 1835)
1154 [313]. *Acrocercops brongniardella* (Fabricius, 1798)
1172 [310]. *Callisto denticulella* (Thunberg, 1794)

1178 [303]. *Parornix anglicella* (Stainton, 1850)

1181 [301]. *Parornix betulae* (Stainton, 1854)

1184 [304]. *Parornix devoniella* (Stainton, 1850)

1187 [308]. *Parornix finitimella* (Zeller, 1850)

1190 [300]. *Parornix loganella* (Stainton, 1848)

1197 [305]. *Parornix scoticella* (Stainton, 1850)

1200 [309]. *Parornix torquillella* (Zeller, 1850)

Synonym *Deltaornix torquillella* (Zeller, 1850)

1220 [326]. *Phyllonorycter blancardella* (Fabricius, 1781)

1234 [342]. *Phyllonorycter coryli* (Nicelli, 1851)

NUT LEAF BLISTER MOTH

1235 [332]. *Phyllonorycter corylifoliella* (Hübner, 1796)

1242 [354]. *Phyllonorycter emberizaepenella* (Bouché, 1834)

1247 [358]. *Phyllonorycter froelichiella* (Zeller, 1839)

1248 [364]. *Phyllonorycter geniculella* (Ragonot, 1874)

1253 [315]. *Phyllonorycter harrisella* (Linnaeus, 1761)

1254 [317]. *Phyllonorycter heegeriella* (Zeller, 1846)

1257 [337]. *Phyllonorycter hilarella* (Zetterstedt, 1839)

1257a [327]. *Phyllonorycter hostis* Triberti, 2007

Phyllonorycter cydoniella ([Denis and Schiffermüller], 1775) misidentification

1259 [350]. *Phyllonorycter insignitella* (Zeller, 1846)

1265 [360]. *Phyllonorycter klemannella* (Fabricius, 1781)

1268 [351]. *Phyllonorycter lautella* (Zeller, 1846)

1269 [332a]. *Phyllonorycter leucographella* (Zeller, 1850)

FIRETHORN LEAF MINER

1270 [341]. *Phyllonorycter maestingella* (Müller, 1764)

1273 [325]. *Phyllonorycter mespilella* (Hübner, [1805])

1274 [321]. *Phyllonorycter messaniella* (Zeller, 1846)

- 1279 [359]. *Phyllonorycter nicellii* (Stainton, 1851)
1280 [349]. *Phyllonorycter nigrescentella* (Logan, 1851)
1282 [323]. *Phyllonorycter oxyacanthae* (Frey, 1856)
1292 [320]. *Phyllonorycter quercifoliella* (Zeller, 1839)
1293 [348]. *Phyllonorycter quinqueguttella* (Stainton, 1851)
1294 [345]. *Phyllonorycter rajella* (Linnaeus, 1758)
1297 [316]. *Phyllonorycter roboris* (Zeller, 1839)
1300 [335]. *Phyllonorycter salicicolella* (Sircom, 1848)
1301 [333]. *Phyllonorycter salictella* (Zeller, 1846)
 Synonym *Phyllonorycter viminiella* (Sircom, 1848)
1307 [340]. *Phyllonorycter scopariella* (Zeller, 1846)
1308 [324]. *Phyllonorycter sorbi* (Frey, 1855)
1310 [329]. *Phyllonorycter spinicolella* (Zeller, 1846)
1319 [361]. *Phyllonorycter trifasciella* (Haworth, 1828)
[1322 [356]. *Phyllonorycter tristrigella* (Haworth, 1828)]
1326 [353]. *Phyllonorycter ulmifoliella* (Hübner, [1817])
1327 [334]. *Phyllonorycter viminetorum* (Stainton, 1854)
1337 [368]. *Phyllocnistis unipunctella* (Stephens, 1834)

YPONOMEUTIDAE

- 1347 [424]. *Yponomeuta evonymella* (Linnaeus, 1758)
 BIRD-CHERRY ERMINE
1348 [425]. *Yponomeuta padella* (Linnaeus, 1758)
 ORCHARD ERMINE
1349 [426]. *Yponomeuta malinellus* Zeller, 1838
 APPLE ERMINE
1350 [427]. *Yponomeuta cagnagella* (Hübner, [1813])
 SPINDLE ERMINE
1354 [430]. *Yponomeuta plumbella* ([Denis and Schiffermüller], 1775)

- 1359 [435]. *Zelleria hepariella* Stainton, 1849
1391 [434]. *Kessleria saxifragae* (Stainton, 1868)
1398 [436]. *Pseudoswammerdamia combinella* (Hübner, 1786)
1400 [437]. *Swammerdamia caesiella* (Hübner, 1796)
1402 [438]. *Swammerdamia pyrella* (Villers, 1789)
*1403 [439]. *Swammerdamia compunctella* Herrich-Schäffer, 1855
1404 [440]. *Paraswammerdamia albicapitella* (Scharfenberg, 1805)
1408 [441]. *Paraswammerdamia nebulella* (Goeze, 1783)
 Synonym *Paraswammerdamia lutarea* (Haworth, 1828)
1412 [443]. *Cedestis subfasciella* (Stephens, 1834)
1416 [444]. *Ocnerostoma piniariella* Zeller, 1847
1417 [445]. *Ocnerostoma friesei* Svensson, 1966

PRAYDIDAE

- 1424 [449]. *Prays fraxinella* (Bjerkander, 1784)

ASH BUD MOTHS

ARGYRESTHIIDAE

- 1433 [401]. *Argyresthia laevigatella* Herrich-Schäffer, 1855
1441 [405]. *Argyresthia arceuthina* Zeller, 1839
*1442 [409a]. *Argyresthia trifasciata* Staudinger, 1871
*1447a [409b]. *Argyresthia cupressella* Walsingham, 1890
1447 [407]. *Argyresthia dilectella* Zeller, 1847
1453 [410]. *Argyresthia brockeella* (Hübner, [1813])
1454 [411]. *Argyresthia goedartella* (Linnaeus, 1758)
1455 [412]. *Argyresthia pygmaeella* ([Denis and Schiffermüller], 1775)
1456 [413]. *Argyresthia sorbiella* (Treitschke, 1833)
1458 [414]. *Argyresthia curvella* (Linnaeus, 1761)
1459 [415]. *Argyresthia retinella* Zeller, 1839

1461 [416]. *Argyresthia glaucinella* Zeller, 1839

1462 [417]. *Argyresthia spinosella* Stainton, 1849

1463 [418]. *Argyresthia conjugella* Zeller, 1839

APPLE FRUIT MOTH

1465 [419]. *Argyresthia semifusca* (Haworth, 1828)

1466 [420]. *Argyresthia pruniella* (Clerck, 1759)

CHERRY FRUIT MOTH

1467 [421]. *Argyresthia bonnetella* (Linnaeus, 1758)

1468 [422]. *Argyresthia albistria* (Haworth, 1828)

1469 [423]. *Argyresthia semitestacella* (Curtis, 1833)

YPSOLOPHIDAE

1480 [451]. *Ypsolopha mucronella* (Scopoli, 1763)

1481 [452]. *Ypsolopha nemorella* (Linnaeus, 1758)

1482 [453]. *Ypsolopha dentella* (Fabricius, 1775)

HONEYSUCKLE MOTH

1486 [455]. *Ypsolopha scabrella* (Linnaeus, 1761)

1493 [460]. *Ypsolopha parenthesesella* (Linnaeus, 1761)

1494 [461]. *Ypsolopha ustella* (Clerck, 1759)

1496 [463]. *Ypsolopha vittella* (Linnaeus, 1758)

1520 [251]. *Ochsenheimeria taurella* ([Denis and Schiffermüller], 1775)

1521 [252]. *Ochsenheimeria urella* Fischer von Röslerstamm, 1842

PLUTELLIDAE

1525 [464]. *Plutella xylostella* (Linnaeus, 1758)

DIAMOND-BACK MOTH

1528 [465]. *Plutella porrectella* (Linnaeus, 1758)

1533 [466]. *Rhigognostis senilella* (Zetterstedt, 1839)

1535 [467]. *Rhigognostis annulatella* (Curtis, 1832)

1537 [468]. *Rhigognostis incarnatella* (Steudel, 1873)

GLYPHIPTERIGIDAE

1556 [472]. *Digitivalva pulicariae* (Klimesch, 1956)

*1572 [476]. *Acrolepia autumnitella* Curtis, 1838

1576 [470]. *Orthotelia sparganella* (Thunberg, 1788)

1580 [397]. *Glyphipterix thrasonella* (Scopoli, 1763)

1591 [395]. *Glyphipterix haworthana* (Stephens, 1834)

1592 [394]. *Glyphipterix forsterella* (Fabricius, 1781)

1594 [391]. *Glyphipterix simpliciella* (Stephens, 1834)

COCKSFOOT MOTH

1595 [392]. *Glyphipterix schoenicolella* Boyd, 1858

BEDELLIIDAE

1602 [264]. *Bedellia somnulentella* (Zeller, 1847)

LYONETIIDAE

1606 [259]. *Leucoptera lotella* (Stainton, 1859)

1610 [254]. *Leucoptera laburnella* (Stainton, 1851)

LABURNUM LEAF MINER

1611 [256]. *Leucoptera spartifoliella* (Hübner, [1813])

1616 [258]. *Leucoptera lathyrioliella* (Stainton, 1866)

1618 [260]. *Leucoptera malifoliella* (O. Costa, 1836)

PEAR LEAF BLISTER MOTH

1627 [263]. *Lyonetia clerkella* (Linnaeus, 1758)

APPLE LEAF MINER

ELACHISTIDAE

*1668 [666]. *Semioscopis avellanella* (Hübner, 1793)

*1670 [667]. *Semioscopis steinkellneriana* ([Denis and Schiffermüller], 1775)

1678 [687]. *Exaeretia allisella* Stainton, 1849

1691 [701]. *Agonopterix ocellana* (Fabricius, 1775)

1707 [702]. *Agonopterix assimilella* (Treitschke, 1832)

- 1712 [694]. *Agonopterix nanatella* (Stainton, 1849)
1718 [689]. *Agonopterix ciliella* (Stainton, 1849)
1719 [697]. *Agonopterix arenella* ([Denis and Schiffermüller], 1775)
1721 [696]. *Agonopterix propinquella* (Treitschke, 1835)
1722 [692]. *Agonopterix subpropinquella* (Stainton, 1849)
1729 [714]. *Agonopterix yeatiana* (Fabricius, 1781)
1730 [695]. *Agonopterix alstromeriana* (Clerck, 1759)
1732 [691]. *Agonopterix purpurea* (Haworth, 1811)
1735 [710]. *Agonopterix conterminella* (Zeller, 1839)
1736 [688]. *Agonopterix heracliana* (Linnaeus, 1758)
1737 [715]. *Agonopterix capreolella* (Zeller, 1839)
1739 [716]. *Agonopterix rotundella* (Douglas, 1846)
1740 [713]. *Agonopterix angelicella* (Hübner, [1813])
1741 [712]. *Agonopterix astrantiae* (Heinemann, 1870)
1756 [700]. *Agonopterix pallorella* (Zeller, 1839)
1757 [698]. *Agonopterix kaekeritziana* (Linnaeus, 1767)
1758 [709]. *Agonopterix liturosa* (Haworth, 1811)
1763 [706]. *Agonopterix nervosa* (Haworth, 1811)
1764 [705]. *Agonopterix umbellana* (Fabricius, 1794)
1776 [672]. *Depressaria radiella* (Goeze, 1783)
 heraclei Retzius, 1783 misidentification
 Synonym *Depressarisa pastinacella* (Duponchel, 1838)

PARSNIP MOTH

- 1783 [671]. *Depressaria ultimella* Stainton, 1849
1788 [674]. *Depressaria badiella* (Hübner, 1796)
1793 [670]. *Depressaria daucella* ([Denis and Schiffermüller], 1775)
1798 [676]. *Depressaria pulcherrimella* Stainton, 1849
1799 [677]. *Depressaria douglasella* Stainton, 1849

Note: some species in the genus *Elachista* were placed in the genera *Biselachista* or *Cosmiotes* in Bond *et al.* (2006).

- 1828 [632]. *Elachista consortella* Stainton, 1851
1830 [631]. *Elachista freyerella* (Hübner, [1825])
1839 [590]. *Perittia obscurepunctella* (Stainton, 1848)
1852 [622]. *Elachista adscitella* Stainton, 1851
1855 [630]. *Elachista albidella* Nylander, 1848
1856 [601]. *Elachista albifrontella* (Hübner, [1817])
1857 [599]. *Elachista alpinella* Stainton, 1854
1862 [602]. *Elachista apicipunctella* Stainton, 1849
1863 [610]. *Elachista argentella* (Clerck, 1759)
1865 [597]. *Elachista atricomella* Stainton, 1849
*1874 [595]. *Elachista biatomella* (Stainton, 1848)
1877 [623]. *Elachista bisulcella* (Duponchel, 1843)
1882 [615]. *Elachista cahorsensis* Traugott-Olsen, 1992
1883 [607]. *Elachista canapennella* (Hübner, [1813])
1889 [625]. *Elachista cinereopunctella* (Haworth, 1828)
1910 [628]. *Elachista eleochariella* Stainton, 1851
1921 [620]. *Elachista gangabella* Zeller, 1850
1925 [594]. *Elachista gleichenella* (Fabricius, 1781)
1937 [606]. *Elachista humilis* Zeller, 1850
1951 [598]. *Elachista kilmunella* Stainton, 1849
1965 [600]. *Elachista luticomella* Zeller, 1839
1973 [617]. *Elachista obliquella* Stainton, 1854
Elachista megerlella (Hübner, [1810]) misidentification
1974 [609]. *Elachista maculicerusella* (Bruand, 1859)
Synonym *Elachista monosemiella* Rössler, 1881
1995 [596]. *Elachista poae* Stainton, 1855

- 2005 [593]. *Elachista regificella* Sircom, 1849
2009 [608]. *Elachista rufocinerea* (Haworth, 1828)
2011 [627]. *Elachista scirpi* Stainton, 1887
2012 [626]. *Elachista serricornis* Stainton, 1854
2020 [621]. *Elachista subalbidella* Schläger, 1847
2021 [603]. *Elachista subnigrella* Douglas, 1853
2030 [624]. *Elachista trapeziella* Stainton, 1849
2022 [613]. *Elachista subocellea* (Stephens, 1834)
2031 [611]. *Elachista triatomea* (Haworth, 1828)
2035 [629]. *Elachista utonella* Frey, 1856
*2048 [903]. *Chrysoclista linneella* (Clerck, 1759)
*2049 [902]. *Chrysoclista lathamella* T. Fletcher, 1936
2056 [906]. *Blastodacna atra* (Haworth, 1828)

APPLE PITH MOTH

- 2057 [905]. *Blastodacna hellerella* (Duponchel, 1838)
2060 [904]. *Spuleria flavicaput* (Haworth, 1828)
3078 [657]. *Hypercallia citrinalis* (Scopoli, 1763)

SCYTHRIDIDAE

- 2088 [911]. *Scythris grandipennis* (Haworth, 1828)
2105 [915]. *Scythris picaepennis* (Haworth, 1828)

CHIMABACHIDAE

- 2231 [663]. *Diurnea fagella* ([Denis and Schiffermüller], 1775)
2232 [664]. *Diurnea lipsiella* ([Denis and Schiffermüller], 1775)
2234 [665]. *Dasystema salicella* (Hübner, 1796)

OECOPHORIDAE

- 2262 [636]. *Denisia similella* (Hübner, 1796)
2282 [648]. *Endrosis sarcitrella* (Linnaeus, 1758)

WHITE-SHOULDERED HOUSE-MOTH

2284 [647]. *Hofmannophila pseudospretella* (Stainton, 1849)

BROWN HOUSE-MOTH

2287 [644]. *Borkhausenia fuscescens* (Haworth, 1828)

2286 [645]. *Borkhausenia minutella* (Linnaeus, 1758)

2301 [641]. *Batia lambdella* (Donovan, 1793)

2312 [649]. *Esperia sulphurella* (Fabricius, 1775)

2321 [652]. *Alabonia geoffrella* (Linnaeus, 1767)

2348 [654]. *Pleurota bicostella* (Clerck, 1759)

PELEOPODIDAE

2328 [658]. *Carcina quercana* (Fabricius, 1775)

BATRACHEDRIDAE

2428 [878]. *Batrachedra praeangusta* (Haworth, 1828)

COLEOPHORIDAE

2453 [490]. *Coleophora lutipennella* (Zeller, 1838)

2456 [491]. *Coleophora gryhipennella* (Hübner, 1796)

2457 [492]. *Coleophora flavipennella* (Duponchel, 1843)

2460 [496]. *Coleophora milvipennis* Zeller, 1839

2464 [501]. *Coleophora siccifolia* Stainton, 1856

2468 [493]. *Coleophora serratella* (Linnaeus, 1761)

2469 [495]. *Coleophora spinella* (Schrank, 1802)

APPLE AND PLUM CASE-BEARER

2476 [503]. *Coleophora fuscocuprella* Herrich-Schäffer, 1885

2479 [504]. *Coleophora lusciniaepennella* (Treitschke, 1833)

2488 [513]. *Coleophora potentillae* Elisha, 1885

2492 [510]. *Coleophora juncicolella* Stainton, 1851

2493 [511]. *Coleophora orbitella* Zeller, 1849

2494 [512]. *Coleophora binderella* (Kollar, 1832)

2498 [516]. *Coleophora trifolii* (Curtis, 1832)

2499 [517a]. *Coleophora frischella* (Linnaeus, 1758)

CLOVER CASE-BEARER

2546 [524]. *Coleophora lithargyrinella* Zeller, 1849

2572 [547]. *Coleophora discordella* Zeller, 1849

2585 [519]. *Coleophora deauratella* Lienig and Zeller, 1846

2587 [518]. *Coleophora mayrella* (Hübner, [1813])

2592 [533]. *Coleophora anatipenella* (Hübner, 1796)

Synonym *Coleophora bernoulliella* (Goeze, 1783)

PISTOL CASE-BEARER

2593 [532]. *Coleophora albidella* ([Denis and Schiffermüller], 1775)

2595 [535]. *Coleophora ibipennella* Zeller, 1849

2596 [536]. *Coleophora betulella* Heinemann, 1877

2601 [541]. *Coleophora pyrrhulipennella* Zeller, 1839

2654 [530]. *Coleophora lixella* Zeller, 1849

2662 [544]. *Coleophora albicosta* (Haworth, 1828)

2683 [526]. *Coleophora laricella* (Hübner, [1817])

LARCH CASE-BEARER

2686 [586]. *Coleophora adjunctella* Hodgkinson, 1882

2687 [587]. *Coleophora caespititiella* Zeller, 1839

2688 [583]. *Coleophora tamesis* Waters, 1929

2689 [582]. *Coleophora glaucicolella* Wood, 1892

2690 [578]. *Coleophora otidipennella* (Hübner, [1817])

2692 [584]. *Coleophora alticolella* Zeller, 1849

2693 [581]. *Coleophora taeniipennella* Herrich-Schäffer, 1855

2696 [580]. *Coleophora sylvaticella* Wood, 1892

2697 [552]. *Coleophora lassella* Staudinger, 1859

2701 [585]. *Coleophora maritimella* Newman, 1873

2707a [564]. *Coleophora virgaureae* Stainton, 1857

Coleophora obscenella Herrich-Schäffer, 1855 misidentification

- 2712 [561]. *Coleophora therinella* Tengström, 1848
[2716 [562]. *Coleophora asteris* Mühlig, 1864]
2717 [565]. *Coleophora saxicolella* (Duponchel, [1843])
[2721 [566]. *Coleophora sternipennella* (Zetterstedt, 1839)]
2729 [568]. *Coleophora versurella* Zeller, 1849
2737 [573]. *Coleophora atriplicis* Meyrick, [1928]
2738 [570]. *Coleophora pappiferella* Hofmann, 1869
2786 [559]. *Coleophora peribenanderi* Toll, 1943
2792 [558]. *Coleophora ramosella* Zeller, 1849
2793 [556]. *Coleophora trochilella* (Duponchel, [1843])
2809 [553]. *Coleophora striatipennella* Nylander, 1848
2829 [555]. *Coleophora follicularis* (Vallot, 1802)
2837 [567]. *Coleophora adpersella* Benander, 1939
2850 [560]. *Coleophora paripennella* Zeller, 1839
2858 [588]. *Coleophora salicorniae* Heinemann and Wocke, 1876

MOMPHIDAE

- 2876 [880]. *Mompha langiella* (Hübner, 1796)
2878 [881]. *Mompha terminella* (Humphreys and Westwood, 1845)
2879 [882]. *Mompha locupletella* ([Denis and Schiffermüller], 1775)
2880 [883]. *Mompha raschkiella* (Zeller, 1839)
*2883 [885]. *Mompha conturbatella* (Hübner, [1819])
2884 [886]. *Mompha ochraceella* (Curtis, 1839)
*2885 [887]. *Mompha lacteella* (Stephens, 1834)
2886 [888]. *Mompha propinquella* (Stainton, 1851)
2891 [892]. *Mompha subbistrigella* (Haworth, 1828)
2892 [893]. *Mompha epilobiella* ([Denis and Schiffermüller], 1775)

BLASTOBASIDAE

*2904a [874]. *Blastobasis lacticolella* Rebel, 1940

Blastobasis decolorella (Wollaston, 1858) misidentification

2905 [873]. *Blastobasis adustella* Walsingham, 1894

Blastobasis lignea Walsingham, 1894 misidentification

AUTOSTICHIDAE

[2939 [871]. *Oegoconia deauratella* (Herrich-Schäffer, 1854)]

2941 [870]. *Oegoconia quadripuncta* (Haworth, 1828)

LYPUSIDAE

3055 [660]. *Pseudatemelia josephinae* (Toll, 1956)

COSMOPTERIGIDAE

*3095 [908]. *Sorhagenia rhamniella* (Zeller, 1839)

3098 [909]. *Sorhagenia lophyrella* (Douglas, 1846)

3104 [899]. *Pancalia leuwenhoekella* (Linnaeus, 1761)

3105 [900]. *Pancalia schwarzeella* (Fabricius, 1798)

3154 [898]. *Limnaecia phragmitella* Stainton, 1851

3165 [896]. *Cosmopterix orichalcea* Stainton, 1861

3170 [897]. *Cosmopterix lienigiella* Zeller, 1846

GELECHIIDAE

3230 [752]. *Aristotelia ericinella* (Zeller, 1839)

[3231 [751]. *Aristotelia subdecurtella* (Stainton, 1859)]

[3242 [746]. *Chrysoesthia drurella* (Fabricius, 1775)]

3244 [747]. *Chrysoesthia sexguttella* (Thunberg, 1794)

3272 [725]. *Metzneria aestivella* (Zeller, 1839)

3280 [726]. *Metzneria metzneriella* (Stainton, 1851)

3295 [748]. *Ptocheuusa paupella* (Zeller, 1847)

3312 [728]. *Monochroa cytisella* (Curtis, 1837)

3315 [735]. *Monochroa tenebrella* (Hübner, [1817])

- 3323 [742]. *Monochroa lutulentella* (Zeller, 1839)
3324 [736]. *Monochroa lucidella* (Stephens, 1834)
*3327 [737]. *Monochroa palustrellus* (Douglas, 1850)
3331 [741]. *Monochroa suffusella* (Douglas, 1850)
3339 [733]. *Eulamprotes wilkella* (Linnaeus, 1758)
3344 [732]. *Eulamprotes unicolorella* (Duponchel, [1843])
3345 [731]. *Eulamprotes atrella* ([Denis and Schiffermüller], 1775)
3347 [731a]. *Eulamprotes immaculatella* (Douglas, 1850)
3372 [788]. *Bryotropha politella* (Stainton, 1851)
3373 [787]. *Bryotropha terrella* ([Denis and Schiffermüller], 1775)
3374 [786]. *Bryotropha desertella* (Douglas, 1850)
3383 [789]. *Bryotropha domestica* (Haworth, 1828)
3384 [782]. *Bryotropha senectella* (Zeller, 1839)
3386 [780]. *Bryotropha similis* (Stainton, 1854)
3387 [778]. *Bryotropha umbrosella* (Zeller, 1839)
 Synonym *Bryotropha mundella* (Douglas, 1850)
3389 [779]. *Bryotropha affinis* (Haworth, 1828)
*3400 [758]. *Recurvaria leucatella* (Clerck, 1759)
3404 [760]. *Exoteleia dodecella* (Linnaeus, 1758)
3407 [755]. *Stenolechia gemmella* (Linnaeus, 1758)
3415 [765]. *Teleiodes vulgella* ([Denis and Schiffermüller], 1775)
*3419 [774]. *Teleiodes luculella* (Hübner, [1813])
3431 [769]. *Teleiodes wagaе* (Nowicki, 1860)
3424 [767]. *Carpatolechia decorella* (Haworth, 1812)
3427 [772]. *Carpatolechia fugitivella* (Zeller, 1839)
3429 [768]. *Carpatolechia notatella* (Hübner, [1813])
3430 [770]. *Carpatolechia proximella* (Hübner, 1796)
3432 [773]. *Pseudotelphusa paripunctella* (Thunberg, 1794)

- 3448 [776]. *Teleiopsis diffinis* (Haworth, 1828)
3458 [763]. *Xenolechia aethiops* (Humphreys and Westwood, 1845)
3469 [800]. *Gelechia rhombella* ([Denis and Schiffermüller], 1775)
3474 [802a]. *Gelechia sororculella* (Hübner, [1817])
3507 [792]. *Mirificarma mulinella* (Zeller, 1839)
3520 [791]. *Chionodes distinctella* (Zeller, 1839)
3527 [790]. *Chionodes fumatella* (Douglas, 1850)
3549 [794]. *Prolita sexpunctella* (Fabricius, 1794)
3558 [761]. *Athrips tetrapunctella* (Thunberg, 1794)
3559 [762]. *Athrips mouffetella* (Linnaeus, 1758)
3580 [822]. *Scrobipalpa acuminatella* (Sircom, 1850)
3584 [820]. *Scrobipalpa artemisiella* (Treitschke, 1833)

THYME MOTH

- 3585 [818]. *Scrobipalpa atriplicella* (Fischer von Röslerstamm, [1841])
3592 [819]. *Scrobipalpa costella* (Humphreys and Westwood, 1845)
3609 [812]. *Scrobipalpa instabilella* (Douglas, 1846)
3615 [821]. *Scrobipalpa murinella* (Duponchel, [1843])
3616 [815]. *Scrobipalpa nitentella* (Fuchs, 1902)
3618 [816]. *Scrobipalpa obsoletella* (Fischer von Röslerstamm, [1841])
3619 [814]. *Scrobipalpa ocellatella* (Boyd, 1858)

BEET MOTH

- 3629 [811]. *Scrobipalpa samadensis* (Pfaffenzeller, 1870)
*3648 [825]. *Phthorimaea operculella* (Zeller, 1873)

POTATO TUBER MOTH

- 3681 [827]. *Caryocolum alsinella* (Zeller, 1868)
3682 [828]. *Caryocolum viscariella* (Stainton, 1855)
3684 [826]. *Caryocolum vicinella* (Douglas, 1851)
3702 [829]. *Caryocolum marmorea* (Haworth, 1828)

- 3708 [830]. *Caryocolum fraternella* (Douglas, 1851)
3712 [832]. *Caryocolum blandella* (Douglas, 1852)
3718 [834]. *Caryocolum tricolorella* (Haworth, 1812)
3779 [845]. *Syncopacma sangiella* (Stainton, 1863)
3780 [849]. *Syncopacma cinctella* (Clerck, 1759)
3785 [847]. *Syncopacma taeniolella* (Zeller, 1839)
*3795 [850]. *Syncopacma polychromella* (Rebel, 1902)
3798 [843]. *Aproaerema anthyllidella* (Hübner, [1813])
3804 [853]. *Anacamptis populella* (Clerck, 1759)
3808 [852]. *Anacamptis temerella* (Lienig and Zeller, 1846)
3823 [856]. *Anarsia spartiella* (Schrank, 1802)
3827 [858]. *Hypatima rhomboidella* (Linnaeus, 1758)
3833 [797]. *Neofaculta ericetella* (Geyer, [1832])
3849 [862]. *Dichomeris marginella* (Fabricius, 1781)

JUNIPER WEBBER

- 3870 [868]. *Helcystogramma rufescens* (Haworth, 1828)
3874 [855]. *Acompsia cinerella* (Clerck, 1759)

ZYGAENIDAE

- 3956 [163]. *Adscita statices* (Linnaeus, 1758)

FORESTER

- 3974 [172]. *Zygaena purpuralis* (Brünnich, 1763)

TRANSPARENT BURNET

- 3998 [169]. *Zygaena filipendulae* (Linnaeus, 1758)

ssp. *sabulosa* Tremewan, 1960

ssp. *stephensi* Dupont, 1900

SIX-SPOT BURNET

- 3999 [171]. *Zygaena lonicerae* (Scheven, 1777)

ssp. *insularis* Tremewan, 1960

NARROW-BORDERED FIVE-SPOT BURNET

SESIIDAE

4030 [370]. *Sesia apiformis* (Clerck, 1759)

HORNET MOTH

4032 [371]. *Sesia bembeciformis* (Hübner, 1806)

LUNAR HORNET MOTH

4044 [376]. *Synanthedon scoliaeformis* (Borkhausen, 1789)

WELSH CLEARWING

4051 [380]. *Synanthedon formicaeformis* (Esper, 1783)

RED-TIPPED CLEARWING

4064 [373]. *Synanthedon tipuliformis* (Clerck, 1759)

CURRANT CLEARWING

4098 [383]. *Pyropteron muscaeformis* (Esper, 1783)

Synonym *Synansphecica muscaeformis* (Esper, 1783)

THRIFT CLEARWING

COSSIDAE

4151 [162]. *Cossus cossus* (Linnaeus, 1758)

GOAT MOTH

4176 [161]. *Zeuzera pyrina* (Linnaeus, 1761)

LEOPARD MOTH

TORTRICIDAE

4187 [921]. *Phtheochroa inopiana* (Haworth, 1811)

4193 [923]. *Phtheochroa sodaliana* (Haworth, 1811)

4219 [924]. *Hysterophora maculosana* (Haworth, 1811)

4247 [936]. *Cochylimorpha straminea* (Haworth, 1811)

4255 [926]. *Phalonidia manniana* (Fischer von Röslerstamm, 1839)

4256 [932]. *Phalonidia affinitana* (Douglas, 1846)

4263 [929]. *Gynnidomorpha vectisana* (Humphreys and Westwood, 1845)

- 4264 [927]. *Gynnidomorpha minimana* (Caradja, 1916)
4265 [928]. *Gynnidomorpha permixtana* ([Denis and Schiffermüller], 1775)
4266 [930]. *Gynnidomorpha alismana* (Ragonot, 1883)
4268 [937]. *Agapeta hamana* (Linnaeus, 1758)
4271 [938]. *Agapeta zoegana* (Linnaeus, 1767)
4287 [954]. *Eupoecilia angustana* (Hübner, [1799])
4295 [942]. *Aethes piercei* Obraztsov, 1952
4321 [950]. *Aethes francillana* (Fabricius, 1794)
4326 [945]. *Aethes cnicana* (Westwood, 1854)
4327 [946]. *Aethes rubigana* (Treitschke, 1830)
4334 [959]. *Cochylidia rupicola* (Curtis, 1834)
4347 [968]. *Cochylis nana* (Haworth, 1811)
4349 [963]. *Cochylis flaviciliana* (Westwood, 1854)
4353 [964]. *Cochylis dubitana* (Hübner, [1799])
4355 [966]. *Cochylis atricapitana* (Stephens, 1852)
4358 [967]. *Cochylis pallidana* Zeller, 1847
4365 [960]. *Falseuncaria ruficiliana* (Haworth, 1811)
4370 [1033]. *Tortrix viridana* Linnaeus, 1758

GREEN OAK TORTRIX

- 4372 [1032]. *Aleimma loeflingiana* (Linnaeus, 1758)
4374 [1037]. *Acleris holmiana* (Linnaeus, 1758)
4375 [1036]. *Acleris forsskaleana* (Linnaeus, 1758)
4376 [1035]. *Acleris bergmanniana* (Linnaeus, 1758)
4377 [1040]. *Acleris caledoniana* (Stephens, 1852)
4378 [1039]. *Acleris comariana* (Lienig and Zeller, 1846)

STRAWBERRY TORTRIX

- 4379 [1038]. *Acleris laterana* (Fabricius, 1794)
*4380 [1059]. *Acleris abietana* (Hübner, 1822)

4383 [1041]. *Acleris sparsana* ([Denis and Schiffermüller], 1775)

4384 [1042]. *Acleris rhombana* ([Denis and Schiffermüller], 1775)

RHOMBOID TORTRIX

4385 [1062]. *Acleris emargana* (Fabricius, 1775)

*4385a [1062a]. *Acleris effractana* (Hübner, [1799])

4386 [1047]. *Acleris schalleriana* (Linnaeus, 1761)

4389 [1054]. *Acleris cristana* ([Denis and Schiffermüller], 1775)

4390 [1048]. *Acleris variegana* ([Denis and Schiffermüller], 1775)

GARDEN ROSE TORTRIX

4391 [1043]. *Acleris aspersana* (Hübner, [1817])

4394 [1053]. *Acleris hastiana* (Linnaeus, 1758)

4396 [1049]. *Acleris permutana* (Duponchel, 1836)

4397 [1055]. *Acleris hyemana* (Haworth, 1811)

4402 [1044]. *Acleris ferrugana* ([Denis and Schiffermüller], 1775)

4403 [1045]. *Acleris notana* (Donovan, 1806)

4409 [1061]. *Acleris literana* (Linnaeus, 1758)

4412 [1057]. *Acleris rufana* ([Denis and Schiffermüller], 1775)

4439 [1025]. *Tortricodes alternella* ([Denis and Schiffermüller], 1775)

4443 [1029]. *Eana osseana* (Scopoli, 1763)

4462 [1031]. *Eana penziana* (Thunberg, 1791)

ssp. *bellana* (Curtis, 1826)

ssp. *colquhounana* (Barrett, 1884)

4471 [1024]. *Cnephasia incertana* (Treitschke, 1835)

LIGHT GREY TORTRIX

4474 [1020]. *Cnephasia stephensiana* (Doubleday, 1849)

GREY TORTRIX

4477 [1021]. *Cnephasia asseclana* ([Denis and Schiffermüller], 1775)

FLAX TORTRIX

*4482 [1018]. *Cnephasia communana* (Herrich-Schäffer, 1851)

4491 [1019]. *Cnephasia conspersana* Douglas, 1846

[4493 [1016]. *Cnephasia longana* (Haworth, 1811)]

4520 [1015]. *Eulia ministrana* (Linnaeus, 1758)

4522 [1011]. *Pseudargyrotoza conwagana* (Fabricius, 1775)

4525 [1010]. *Ditula angustiorana* (Haworth, 1811)

RED-BARRED TORTRIX

4531 [1006]. *Epagoge grotiana* (Fabricius, 1781)

4541 [1008]. *Philedone gerningana* ([Denis and Schiffermüller], 1775)

4547 [1007]. *Capua vulgana* (Frölich, 1828)

4549 [1009]. *Philedonides lunana* (Thunberg, 1784)

4557 [977]. *Archips podana* (Scopoli, 1763)

LARGE FRUIT-TREE TORTRIX

4558 [979]. *Archips crataegana* (Hübner, [1799])

BROWN OAK TORTRIX

4559 [980]. *Archips xylosteana* (Linnaeus, 1758)

VARIEGATED GOLDEN TORTRIX

4560 [981]. *Archips rosana* (Linnaeus, 1758)

ROSE TORTRIX

4564 [983]. *Choristoneura hebenstreitella* (Müller, 1764)

4568 [974]. *Argyrotaenia ljugiana* (Thunberg, 1797)

4574 [1000]. *Ptycholoma lecheana* (Linnaeus, 1758)

4578 [969]. *Pandemis corylana* (Fabricius, 1794)

CHEQUERED FRUIT-TREE TORTRIX

4579 [970]. *Pandemis cerasana* (Hübner, 1786)

BARRED FRUIT-TREE TORTRIX

4580 [972]. *Pandemis heparana* ([Denis and Schiffermüller], 1775)

DARK FRUIT-TREE TORTRIX

4584 [986]. *Syndemis musculana* (Hübner, [1799])

4590 [1002]. *Lozotaenia forsterana* (Fabricius, 1781)

4592 [985]. *Cacoecimorpha pronubana* (Hübner, [1799])

CARNATION TORTRIX

4596 [989]. *Aphelia paleana* (Hübner, [1793])

TIMOTHY TORTRIX

4597 [990]. *Aphelia unitana* (Hübner, [1799])

4604 [988]. *Aphelia viburniana* ([Denis and Schiffermüller], 1775)

Aphelia viburnana ([Denis and Schiffermüller], 1775) misspelling

BILBERRY TORTRIX

4616 [991]. *Clepsis senecionana* (Hübner, [1819])

4618 [992]. *Clepsis rurinana* (Linnaeus, 1758)

4623 [993]. *Clepsis spectrana* (Treitschke, 1830)

CYCLAMEN TORTRIX

4629 [994]. *Clepsis consimilana* (Hübner, [1817])

4632 [998]. *Epiphyas postvittana* (Walker, 1863)

LIGHT BROWN APPLE MOTH

4642 [1013]. *Olindia schumacherana* (Fabricius, 1787)

4656 [1110]. *Bactra furfurana* (Haworth, 1811)

4655 [1111]. *Bactra lancealana* (Hübner, [1799])

4659 [1112]. *Bactra robustana* (Christoph, 1872)

*4660 [1112a]. *Bactra venosana* (Zeller, 1847)

4667 [1099]. *Endothenia marginana* (Haworth, 1811)

*4669 [1101]. *Endothenia ustulana* (Haworth, 1811)

4672 [1103]. *Endothenia ericetana* (Humphreys and Westwood, 1845)

Synonym *Endothenia trifoliana* (Herrich-Schäffer, 1851)

4673 [1104]. *Endothenia quadrimaculana* (Haworth, 1811)

4680 [1113]. *Eudemis profundana* ([Denis and Schiffermüller], 1775)

- 4692 [1089]. *Apotomis semifasciana* (Haworth, 1811)
4700 [1092]. *Apotomis turbidana* Hübner, [1825]
4701 [1093]. *Apotomis betuletana* (Haworth, 1811)
4703 [1094]. *Apotomis capreana* (Hübner, [1817])
4706 [1095]. *Apotomis sororculana* (Zetterstedt, 1839)
4711 [1087]. *Orthotaenia undulana* ([Denis and Schiffermüller], 1775)
4714 [1083]. *Hedya nubiferana* (Haworth, 1811)

MARbled ORCHARD TORTRIX

- 4715 [1082]. *Hedya pruniana* (Hübner, [1799])

PLUM TORTRIX

- 4717 [1084]. *Hedya ochroleucana* (Frölich, 1828)
4719 [1085]. *Metendothenia atropunctana* (Zetterstedt, 1839)
[4721 [1065]. *Celypha rufana* (Scopoli, 1763)]
4722 [1063]. *Celypha striana* ([Denis and Schiffermüller], 1775)
4723 [1064]. *Celypha rosaceana* Schläger, 1847
4728 [1067]. *Celypha cespitana* (Hübner, [1817])
4731 [1076]. *Celypha lacunana* ([Denis and Schiffermüller], 1775)
4733 [1068]. *Celypha rivulana* (Scopoli, 1763)
4735 [1069]. *Celypha aurofasciana* (Haworth, 1811)
4744 [1073]. *Phiaris schulziana* (Fabricius, 1776)
 Synonym *Olethreutes schulziana* (Fabricius, 1776)
4749 [1075]. *Phiaris micana* ([Denis and Schiffermüller], 1775)
 Synonym *Olethreutes olivana* (Treitschke, 1830)
4750 [1074]. *Phiaris palustrana* (Lienig and Zeller, 1846)
 Synonym *Olethreutes palustrana* (Lienig and Zeller, 1846)
4765 [1071]. *Argyroploce arbutella* (Linnaeus, 1758)
 Synonym *Olethreutes arbutella* (Linnaeus, 1758)
4774 [1070]. *Stictea mygindiana* ([Denis and Schiffermüller], 1775)

Synonym *Olethreutes mygindiana* ([Denis and Schiffermüller], 1775)

- 4776 [1080]. *Olethreutes arcuella* (Clerck, 1759)
4778 [1079]. *Piniphila bifasciana* (Haworth, 1811)
*4793 [1108]. *Lobesia abscisana* (Doubleday, 1849)
4794 [1106]. *Lobesia reliquana* (Hübner, [1825])
4806 [1109]. *Lobesia littoralis* (Humphreys and Westwood, 1845)
4810 [1189]. *Eriopsela quadrana* (Hübner, [1813])
4826 [1162]. *Rhopobota myrtillana* (Humphreys and Westwood, 1845)
4827 [1161]. *Rhopobota stagnana* ([Denis and Schiffermüller], 1775)
4829 [1159]. *Rhopobota naevana* (Hübner, [1817])

HOLLY TORTRIX

- 4831 [1205]. *Spilonota ocellana* ([Denis and Schiffermüller], 1775)

BUD MOTHS

- 4832 [1205a]. *Spilonota laricana* (Heinemann, 1863)
4838 [1153]. *Epinotia sordidana* (Hübner, [1824])
4839 [1154]. *Epinotia caprana* (Fabricius, 1798)
4840 [1151]. *Epinotia trigonella* (Linnaeus, 1758)
4842 [1155]. *Epinotia brunnichana* (Linnaeus, 1767)
4843 [1152]. *Epinotia maculana* (Fabricius, 1775)
4844 [1156]. *Epinotia solandriana* (Linnaeus, 1758)
4845 [1150]. *Epinotia abbreviana* (Fabricius, 1794)
4847 [1141]. *Epinotia nemorivaga* (Tengström, [1848])
4849 [1144]. *Epinotia signatana* (Douglas, 1845)
4850 [1147]. *Epinotia cruciana* (Linnaeus, 1761)

WILLOW TORTRIX

- 4852 [1148]. *Epinotia mercuriana* (Frölich, 1828)
4853 [1136]. *Epinotia immundana* (Fischer von Röslerstamm, 1839)
4857 [1149]. *Epinotia crenana* (Hübner, [1817])

- 4858 [1145]. *Epinotia nanana* (Treitschke, 1835)
4863 [1132]. *Epinotia subocellana* (Donovan, 1806)
4864 [1137]. *Epinotia tetraquetrana* (Haworth, 1811)
*4866 [1130]. *Epinotia pygmaeana* (Hübner, [1799])
4867 [1131]. *Epinotia subsequana* (Haworth, 1811)
4869 [1139]. *Epinotia tenerana* ([Denis and Schiffermüller], 1775)

NUT BUD MOTHS

- 4870 [1134]. *Epinotia ramella* (Linnaeus, 1758)
4872 [1146]. *Epinotia rubiginosana* (Herrich-Schäffer, 1851)
4875 [1142]. *Epinotia tedella* (Clerck, 1759)
4876 [1143]. *Epinotia fraternana* (Haworth, 1811)
4877 [1133]. *Epinotia bilunana* (Haworth, 1811)
4878 [1138]. *Epinotia nisella* (Clerck, 1759)
4882 [1166]. *Zeiraphera griseana* (Hübner, [1799])

LARCH TORTRIX

- 4884 [1163]. *Zeiraphera ratzeburgiana* (Saxesen, 1840)
4885 [1165]. *Zeiraphera isertana* (Fabricius, 1794)
4887 [1157]. *Crociosema plebejana* Zeller, 1847
4926 [1202]. *Eucosma obumbratana* (Lienig and Zeller, 1846)
4932 [1201]. *Eucosma cana* (Haworth, 1811)
4935 [1200]. *Eucosma hohenwartiana* ([Denis and Schiffermüller], 1775)
4943 [1197]. *Eucosma campoliliana* ([Denis and Schiffermüller], 1775)
[4945 [1194]. *Eucosma aemulana* (Schläger, 1849)]
*4948 [1193]. *Eucosma tripoliana* (Barrett, 1880)
4966 [1190]. *Eucosma aspidiscana* (Hübner, [1817])
4985 [1169]. *Gypsonoma dealbana* (Frölich, 1828)
4987 [1168]. *Gypsonoma sociana* (Haworth, 1811)
4989 [1167]. *Gypsonoma aceriana* (Duponchel, [1843])

4993 [1186]. *Epiblema sticticana* (Fabricius, 1794)

4994 [1184]. *Epiblema scutulana* ([Denis and Schiffermüller], 1775)

4995 [1184a]. *Epiblema cirsiiana* (Zeller, 1843)

4999 [1187]. *Epiblema costipunctana* (Haworth, 1811)

5002 [1182]. *Epiblema turbidana* (Treitschke, 1835)

5019 [1174]. *Notocelia cynosbatella* (Linnaeus, 1758)

Synonym *Epiblema cynosbatella* (Linnaeus, 1758)

5020 [1180]. *Notocelia tetragonana* (Stephens, 1834)

Synonym *Epiblema tetragonana* (Stephens, 1834)

5021 [1175]. *Notocelia uddmanniana* (Linnaeus, 1758)

Synonym *Epiblema uddmanniana* (Linnaeus, 1758)

BRAMBLE SHOOT MOTH

5022 [1178]. *Notocelia roborana* ([Denis and Schiffermüller], 1775)

Synonym *Epiblema roborana* ([Denis and Schiffermüller], 1775)

5024 [1179]. *Notocelia incarnatana* (Hübner, [1800])

Synonym *Epiblema incarnatana* (Hübner, [1800])

5025 [1177]. *Notocelia rosaecolana* (Doubleday, 1850)

Synonym *Epiblema rosaecolana* (Doubleday, 1850)

5026 [1176]. *Notocelia trimaculana* (Haworth, 1811)

Synonym *Epiblema trimaculana* (Haworth, 1811)

5028 [1208]. *Pseudococcyx posticana* (Zetterstedt, 1839)

5041 [1206]. *Clavigesta sylvestrana* (Curtis, 1850)

*5042 [1207]. *Clavigesta purdeyi* (Durrant, 1911)

PINE LEAF-MINING MOTH

5044 [1210]. *Rhyacionia buoliana* ([Denis and Schiffermüller], 1775)

PINE SHOOT MOTH

5048 [1212]. *Rhyacionia pinivorana* (Lienig and Zeller, 1846)

SPOTTED SHOOT MOTH

A [not allocated] [1215]. *Thaumatotibia leucotreta* (Meyrick, 1913)

FALSE CODLING MOTH

5055 [1216]. *Enarmonia formosana* (Scopoli, 1763)

CHERRY-BARK MOTH

5057 [1117]. *Ancylis unguicella* (Linnaeus, 1758)

5058 [1118]. *Ancylis uncella* ([Denis and Schiffermüller], 1775)

5061 [1122]. *Ancylis obtusana* (Haworth, 1811)

5062 [1116]. *Ancylis comptana* (Frölich, 1828)

5064 [1119]. *Ancylis geminana* (Donovan, 1806)

5065 [1119b]. *Ancylis subarcuana* (Douglas, 1847)

***5066 [1119a].** *Ancylis diminutana* (Haworth, 1811)

5069 [1128]. *Ancylis myrtillana* (Treitschke, 1830)

5073 [1126]. *Ancylis badiana* ([Denis and Schiffermüller], 1775)

5074 [1115]. *Ancylis achatana* ([Denis and Schiffermüller], 1775)

5076 [1120]. *Ancylis mitterbacheriana* ([Denis and Schiffermüller], 1775)

5084 [1241]. *Grapholita compositella* (Fabricius, 1775)

5091 [1242]. *Grapholita internana* (Guenée, 1845)

5098 [1251]. *Grapholita jungiella* (Clerck, 1759)

5100 [1252]. *Grapholita lunulana* ([Denis and Schiffermüller], 1775)

5102 [1247]. *Grapholita funebrana* Treitschke, 1835

PLUM FRUIT MOTH

5103 [1246]. *Grapholita tenebrosana* (Duponchel, [1843])

5104 [1245]. *Grapholita janthinana* (Duponchel, 1835)

5107 [1248]. *Grapholita molesta* (Busck, 1916)

ORIENTAL FRUIT MOTH

5111 [1257]. *Cydia nigricana* (Fabricius, 1794)

PEA MOTH

5119 [1255]. *Cydia ulicetana* (Haworth, 1811)

Synonym *Cydia succedana* ([Denis and Schiffermüller], 1775)

5128 [1220]. *Cydia microgrammana* (Guenée, 1845)

5136 [1268]. *Cydia coniferana* (Saxesen, 1840)

5144 [1261]. *Cydia pomonella* (Linnaeus, 1758)

CODLING MOTH

5152 [1260]. *Cydia splendana* (Hübner, [1799])

5153 [1259]. *Cydia fagiglandana* (Zeller, 1841)

***5154 [1262].** *Cydia amplana* (Hübner, [1800])

A [not allocated] [1262a]. *Cydia deshaisiana* (Lucas, 1858)

JUMPING BEAN MOTH

5167 [1272]. *Pammene aurana* (Fabricius, 1775)

5168 [1271]. *Pammene gallicana* (Guenée, 1845)

5173 [1236]. *Pammene fasciana* (Linnaeus, 1761)

5175 [1223]. *Pammene splendidulana* (Guenée, 1845)

***5181 [1227].** *Pammene giganteana* (Peyerimhoff, 1863)

Synonym *Pammene inquilana* Fletcher, 1938

5182 [1228]. *Pammene argyrana* (Hübner, [1799])

***5184 [1229].** *Pammene albuginana* (Guenée, 1845)

***5186 [1225].** *Pammene obscurana* (Stephens, 1834)

5190 [1239]. *Pammene rhediella* (Clerck, 1759)

FRUITLET MINING TORTRIX

5192 [1232]. *Pammene populana* (Fabricius, 1787)

5193 [1231]. *Pammene spiniana* (Duponchel, [1843])

5196 [1234]. *Pammene regiana* (Zeller, 1849)

***5200 [1238].** *Pammene ochsenheimeriana* (Lienig and Zeller, 1846)

***5205 [1237].** *Pammene germmana* (Hübner, [1799])

5208 [1222]. *Strophedra nitidana* (Fabricius, 1794)

5214 [1285]. *Dichrorampha plumbana* (Scopoli, 1763)

- 5218 [1287]. *Dichrorampha aeratana* (Pierce and Metcalfe, 1915)
5226 [1280]. *Dichrorampha consortana* Stephens, 1852
5232 [1279]. *Dichrorampha acuminatana* (Lienig and Zeller, 1846)
5239 [1281]. *Dichrorampha simpliciana* (Haworth, 1811)
5246 [1284]. *Dichrorampha vancouverana* McDunnough, 1935
 Synonym *Dichrorampha gueneana* Obraztsov, 1953
5248 [1274]. *Dichrorampha alpinana* (Treitschke, 1830)
5249 [1273]. *Dichrorampha petiverella* (Linnaeus, 1758)
5251 [1276]. *Dichrorampha plumbagana* (Treitschke, 1830)
5255 [1283]. *Dichrorampha montanana* (Duponchel, [1843])

CHOREUTIDAE

- 5269 [385]. *Anthophila fabriciana* (Linnaeus, 1767)
5271 [388]. *Prochoreutis myllerana* (Fabricius, 1794)
5272 [387]. *Prochoreutis sehestediana* (Fabricius, 1776)
5279 [386]. *Tebenna micalis* (Mann, 1857)

SCHRECKENSTEINIIDAE

- 5291 [485]. *Schreckensteinia festaliella* (Hübner, [1819])

EPERMENIIDAE

- 5296 [478]. *Phaulernis fulviguttella* (Zeller, 1839)
*5302 [484]. *Epermenia aequidentellus* (E. Hofmann, 1867)
5303 [483]. *Epermenia chaerophyllella* (Goeze, 1783)
*5305 [481]. *Epermenia falciformis* (Haworth, 1828)

ALUCITIDAE

- 5323 [1288]. *Alucita hexadactyla* Linnaeus, 1758

TWENTY-PLUME MOTH

PTEROPHORIDAE

- 5368 [1501]. *Platyptilia gonodactyla* ([Denis and Schiffermüller], 1775)
5369 [1500]. *Platyptilia calodactyla* ([Denis and Schiffermüller], 1775)

- 5371 [1502]. *Platyptilia isodactylus* (Zeller, 1852)
5374 [1499]. *Platyptilia tesseraedactyla* (Linnaeus, 1761)
5377 [1504]. *Gillmeria pallidactyla* (Haworth, 1811)
 Synonym *Platyptilia pallidactyla* (Haworth, 1811)
5381 [1497]. *Amblyptilia acanthadactyla* (Hübner, [1813])
5382 [1498]. *Amblyptilia punctidactyla* (Haworth, 1811)
5390 [1509]. *Stenoptilia pterodactyla* (Linnaeus, 1761)
5397 [1508]. *Stenoptilia bipunctidactyla* (Scopoli, 1763)
5405 [1506]. *Stenoptilia millieridactyla* (Bruand, 1861)
5426 [1507]. *Stenoptilia zophodactylus* (Duponchel, 1840)
5436 [1495]. *Marasmarcha lunaedactyla* (Haworth, 1811)
5443 [1490]. *Oxyptilus parvidactylus* (Haworth, 1811)
*5454 [1492]. *Crombrugghia laetus* (Zeller, 1847)
*5459 [1494]. *Capperia britannioidactylus* (Gregson, 1867)
5485 [1513]. *Pterophorus pentadactyla* (Linnaeus, 1758)

WHITE PLUME MOTHS

- 5500 [1511]. *Merrifieldia tridactyla* (Linnaeus, 1758)
 Synonym *Pterophorus fuscolimbatus* Duponchel, 1844
 Pterophorus icterodactylus Mann, 1855 misidentification
 Synonym *Alucita phillipsi* Huggins, 1955
5501 [1510]. *Merrifieldia leucodactyla* ([Denis and Schiffermüller], 1775)
5528 [1523]. *Oidaematophorus lithodactyla* (Treitschke, 1833)
5534 [1522]. *Hellinsia tephradactyla* (Hübner, [1813])
 Synonym *Euleioptilus tephradactyla* (Hübner, [1813])
5550 [1517]. *Adaina microdactyla* (Hübner, [1813])
5552 [1524]. *Emmelina monodactyla* (Linnaeus, 1758)

PYRALIDAE

- 5569 [1428]. *Aphomia sociella* (Linnaeus, 1758)

BEE MOTH

5587 [1426]. *Achroia grisella* (Fabricius, 1794)

LESSER WAX MOTH

5589 [1425]. *Galleria mellonella* (Linnaeus, 1758)

WAX MOTH

5627 [1417]. *Pyralis farinalis* (Linnaeus, 1758)

MEAL MOTH

5633 [1421]. *Aglossa pinguinalis* (Linnaeus, 1758)

LARGE TABBY

***5652 [1413].** *Hypsopygia costalis* (Fabricius, 1775)

GOLD TRIANGLE

***5658 [1415].** *Hypsopygia glaucinalis* (Linnaeus, 1758)

Synonym *Orthopygia glaucinalis* (Linnaeus, 1758)

5668 [1433]. *Cryptoblabes bistriga* (Haworth, 1811)

5684 [1451]. *Matilella fusca* (Haworth, 1811)

Synonym *Pyla fusca* (Haworth, 1811)

5686 [1463]. *Pempeliella ornatella* ([Denis and Schiffermüller], 1775)

5690 [1462]. *Delplanqueia dilutella* ([Denis and Schiffermüller], 1775)

Synonym *Pempeliella dilutella* ([Denis and Schiffermüller], 1775)

***5751 [1441].** *Oncocera semirubella* (Scopoli, 1763)

5767 [1442]. *Pempelia palumbella* ([Denis and Schiffermüller], 1775)

5784 [1454]. *Dioryctria abietella* ([Denis and Schiffermüller], 1775)

5796 [1452]. *Phycita roborella* ([Denis and Schiffermüller], 1775)

***5848 [1465].** *Nephoterix angustella* (Hübner, 1796)

5856 [1439]. *Acrobasis advenella* (Zincken, 1818)

Synonym *Trachycera advenella* (Zincken, 1818)

5860 [1440]. *Acrobasis marmorea* (Haworth, 1811)

Synonym *Trachycera marmorea* (Haworth, 1811)

5869 [1437]. *Acrobasis consociella* (Hübner, [1813])

5873 [1486]. *Apomyelois bistratella* (Hulst, 1887)

ssp. *subcognata* (Ragonot, 1887)

5898 [1458]. *Myelois circumvoluta* (Fourcroy, 1785)

THISTLE ERMINE

6057 [1467]. *Ancylosis oblitella* (Zeller, 1848)

6072 [1481]. *Homoeosoma sinuella* (Fabricius, 1794)

6079 [1480]. *Homoeosoma nebulella* ([Denis and Schiffermüller], 1775)

[6082 [1482]. *Homoeosoma nimbella* (Duponchel, 1837)]

6086 [1485]. *Phycitodes maritima* (Tengström, [1848])

6087 [1483]. *Phycitodes binaevella* (Hübner, [1813])

6090 [1484]. *Phycitodes saxicola* (Vaughan, 1870)

6102 [1479]. *Plodia interpunctella* (Hübner, [1813])

INDIAN MEAL MOTH

6105 [1475]. *Ephestia kuehniella* Zeller, 1879

MEDITERRANEAN FLOUR MOTH

6112 [1473]. *Ephestia elutella* (Hübner, 1796)

CACAO MOTH

6118 [1477]. *Cadra figulilella* (Gregson, 1871)

Synonym *Ephestia figulilella* (Gregson, 1871)

6119 [1476]. *Cadra cautella* (Walker, 1863)

Synonym *Ephestia cautella* (Walker, 1863)

DRIED CURRANT MOTH

6120 [1478]. *Cadra calidella* (Guenée, 1845)

Synonym *Ephestia calidella* (Guenée, 1845)

DRIED FRUIT MOTH

6123 [1432]. *Anerastia lotella* (Hübner, [1813])

CRAMBIDAE

- 6165 [1332]. *Scoparia subfusca* Haworth, 1811
- 6166 [1334a]. *Scoparia basistrigalis* Knaggs, 1866
- 6168 [1334]. *Scoparia ambigualis* (Treitschke, 1829)
- 6172 [1333]. *Scoparia pyralella* ([Denis and Schiffermüller], 1775)
- 6180 [1338]. *Eudonia lacustrata* (Panzer, 1804)
 Synonym *Dipleurina lacustrata* (Panzer, 1804)
- 6184 [1342]. *Eudonia angustea* (Curtis, 1827)
- 6187 [1341]. *Eudonia lineola* (Curtis, 1827)
- 6189 [1343]. *Eudonia delunella* (Stainton, 1849)
- 6193 [1340]. *Eudonia truncicolella* (Stainton, 1849)
- 6195 [1344]. *Eudonia mercurella* (Linnaeus, 1758)
- 6199 [1336]. *Eudonia pallida* (Curtis, 1827)
- 6207 [1289]. *Euchromius ocella* (Haworth, 1811)
- 6222 [1290]. *Chilo phragmitella* (Hübner, 1805)
- 6241 [1293]. *Chrysoteuchia culmella* (Linnaeus, 1758)
- 6243 [1294]. *Crambus pascuella* (Linnaeus, 1758)
- 6245 [1297]. *Crambus uliginosellus* Zeller, 1850
- *6246 [1298]. *Crambus ericella* (Hübner, [1813])
- 6251 [1301]. *Crambus lathoniellus* (Zincken, 1817)
- 6253 [1302]. *Crambus perllella* (Scopoli, 1763)
- 6258 [1305]. *Agriphila tristella* ([Denis and Schiffermüller], 1775)
- 6260 [1306]. *Agriphila inquinatella* ([Denis and Schiffermüller], 1775)
- 6264 [1307]. *Agriphila latistria* (Haworth, 1811)
- 6266 [1303]. *Agriphila selasella* (Hübner, [1813])
- 6267 [1304]. *Agriphila straminella* ([Denis and Schiffermüller], 1775)
- 6275 [1309]. *Agriphila geniculea* (Haworth, 1811)
- 6301 [1313]. *Catoptria pinella* (Linnaeus, 1758)

6304 [1314]. *Catoptria margaritella* ([Denis and Schiffermüller], 1775)

*6314 [1316]. *Catoptria falsella* ([Denis and Schiffermüller], 1775)

*6367 [1324]. *Pediasia aridella* (Thunberg, 1788)

6377 [1325]. *Platytes alpinella* (Hübner, [1813])

6393 [1329]. *Donacaula forficella* (Thunberg, 1794)

6394 [1330]. *Donacaula mucronella* ([Denis and Schiffermüller], 1775)

6416 [1345]. *Elophila nymphaeata* (Linnaeus, 1758)

BROWN CHINA-MARK

6421 [1331]. *Acentria ephemerella* ([Denis and Schiffermüller], 1775)

WATER VENEER

6423 [1354]. *Cataclysta lemnata* (Linnaeus, 1758)

SMALL CHINA-MARK

6425 [1348]. *Parapoynx stratiotata* (Linnaeus, 1758)

RINGED CHINA-MARK

6431 [1350]. *Nymphula nitidulata* (Hufnagel, 1767)

Synonym *Nymphula stagnata* (Donovan, 1806)

BEAUTIFUL CHINA-MARK

6497 [1356]. *Evergestis forficalis* (Linnaeus, 1758)

GARDEN PEBBLE

*6499 [1357]. *Evergestis extimalis* (Scopoli, 1763)

6501 [1358]. *Evergestis pallidata* (Hufnagel, 1767)

*6521 [1360]. *Hellula undalis* (Fabricius, 1781)

6531 [1395]. *Udea ferrugalis* (Hübner, 1796)

RUSTY DOT PEARL

6538 [1388]. *Udea lutealis* (Hübner, 1809)

6541 [1390]. *Udea prunalis* ([Denis and Schiffermüller], 1775)

6557 [1392]. *Udea olivalis* ([Denis and Schiffermüller], 1775)

*6550 [1393]. *Udea uliginosalis* (Stephens, 1834)

6563 [1386]. *Anania fuscalis* ([Denis and Schiffermüller], 1775)

Synonym *Opsibotys fuscalis* ([Denis and Schiffermüller], 1775)

6595 [1367]. *Pyrausta cingulata* (Linnaeus, 1758)

6599 [1364]. *Pyrausta sanguinalis* (Linnaeus, 1767)

6601 [1365]. *Pyrausta despicata* (Scopoli, 1763)

6605 [1362]. *Pyrausta purpuralis* (Linnaeus, 1758)

6606 [1363]. *Pyrausta ostrinalis* (Hübner, 1796)

***6619 [1369].** *Uresiphita gilvata* (Fabricius, 1794)

Synonym *Uresiphita polygonalis* (Hübner, 1796)

6629 [1377]. *Anania lancealis* ([Denis and Schiffermüller], 1775)

Synonym *Perinephela lancealis* ([Denis and Schiffermüller], 1775)

6631 [1378]. *Anania coronata* (Hufnagel, 1767)

Synonym *Phlyctaenia coronata* (Hufnagel, 1767)

6649 [1375]. *Ostrinia nubilalis* (Hübner, 1796)

EUROPEAN CORN-BORER

6652 [1385]. *Anania crocealis* (Hübner, 1796)

Synonym *Ebulea crocealis* (Hübner, 1796)

6656 [1381]. *Anania funebris* (Ström, 1768)

6658 [1376]. *Anania hortulata* (Linnaeus, 1758)

Synonym *Eurrhpara hortulata* (Linnaeus, 1758)

SMALL MAGPIE

6660 [1373]. *Paratalanta pandalis* (Hübner, [1825])

BORDERED PEARL

***6686 [1403a].** *Duponchelia fovealis* Zeller, 1847

6667 [1405]. *Pleuroptya ruralis* (Scopoli, 1763)

MOTHER OF PEARL

6677 [1397]. *Mecyna asinalis* (Hübner, [1819])

6690 [1408]. *Palpita vitrealis* (Rossi, 1794)

*6704 [1400]. *Antigastra catalaunalis* (Duponchel, 1833)

6719 [1398]. *Nomophila noctuella* ([Denis and Schiffermüller], 1775)

RUSH VENEER

LASIOCAMPIDAE

6728 [1631]. *Poecilocampa populi* (Linnaeus, 1758)

DECEMBER MOTH

6731 [1632]. *Trichiura crataegi* (Linnaeus, 1758)

PALE EGGAR

6738 [1633]. *Eriogaster lanestris* (Linnaeus, 1758)

SMALL EGGAR

6743 [1634]. *Malacosoma neustria* (Linnaeus, 1758)

LACKEY

6752 [1637]. *Lasiocampa quercus* (Linnaeus, 1758)

OAK EGGAR/NORTHERN EGGAR

6755 [1638]. *Macrothylacia rubi* (Linnaeus, 1758)

FOX MOTH

6767 [1640]. *Euthrix potatoria* (Linnaeus, 1758)

DRINKER

SATURNIIDAE

6794 [1643]. *Saturnia pavonia* (Linnaeus, 1758)

EMPEROR

SPHINGIDAE

A [not allocated] [1971]. *Agrius cingulata* (Fabricius, 1775)

PINK-SPOTTED HAWK-MOTH

*6819 [1979]. *Mimas tiliae* (Linnaeus, 1758)

LIME HAWK-MOTH

6822 [1980]. *Smerinthus ocellata* (Linnaeus, 1758)

EYED HAWK-MOTH

6824 [1981]. *Laothoe populi* (Linnaeus, 1758)

POPLAR HAWK-MOTH

6828 [1972]. *Agrius convolvuli* (Linnaeus, 1758)

CONVOLVULUS HAWK-MOTH

6830 [1973]. *Acherontia atropos* (Linnaeus, 1758)

DEATH'S-HEAD HAWK-MOTH

6839 [1982]. *Hemaris tityus* (Linnaeus, 1758)

NARROW-BORDERED BEE HAWK-MOTH

6843 [1984]. *Macroglossum stellatarum* (Linnaeus, 1758)

HUMMING-BIRD HAWK-MOTH

6845 [1985]. *Daphnis nerii* (Linnaeus, 1758)

OLEANDER HAWK-MOTH

6855 [1987]. *Hyles gallii* (Rottemburg, 1775)

BEDSTRAW HAWK-MOTH

6860 [1990]. *Hyles livornica* (Esper, 1779)

STRIPED HAWK-MOTH

6862 [1991]. *Deilephila elpenor* (Linnaeus, 1758)

ELEPHANT HAWK-MOTH

6863 [1992]. *Deilephila porcellus* (Linnaeus, 1758)

SMALL ELEPHANT HAWK-MOTH

6865 [1993]. *Hippotion celerio* (Linnaeus, 1758)

SILVER-STRIPED HAWK-MOTH

HESPERIIDAE

6879 [1532]. *Erynnis tages* (Linnaeus, 1758)

ssp. *tages* (Linnaeus, 1758)

ssp. *baynesi* Huggins, 1956

DINGY SKIPPER

*6923 [1527]. *Thymelicus lineola* (Ochsenheimer, 1808)

ESSEX SKIPPER

*6924 [1526]. *Thymelicus sylvestris* (Poda, 1761)

SMALL SKIPPER

PAPILIONIDAE

6960 [1539]. *Papilio machaon* Linnaeus, 1758

SWALLOWTAIL

A [not allocated] [1539a]. *Papilio glaucus* Linnaeus, 1758

EASTERN TIGER SWALLOWTAIL

PIERIDAE

6966 [1541]. *Leptidea sinapis* (Linnaeus, 1758)

WOOD WHITE

6967 [...]. *Leptidea juvernica* Williams, 1946

Leptidea reali Reissinger, 1989 misidentification

CRYPTIC WOOD WHITE

6973 [1553]. *Anthocharis cardamines* (Linnaeus, 1758)

ssp. *hibernica* Williams, 1916

ORANGE-TIP

6995 [1549]. *Pieris brassicae* (Linnaeus, 1758)

LARGE WHITE

6998 [1550]. *Pieris rapae* (Linnaeus, 1758)

SMALL WHITE

7000 [1551]. *Pieris napi* (Linnaeus, 1758)

ssp. *britannica* Müller and Kautz, 1939

GREEN-VEINED WHITE

7005 [1552]. *Pontia daplidice* (Linnaeus, 1758)

BATH WHITE

7015 [1545]. *Colias croceus* (Fourcroy, 1785)

CLOUDED YELLOW

[7021 [1543]. *Colias hyale* (Linnaeus, 1758)

PALE CLOUDED YELLOW]

7024 [1546]. *Gonepteryx rhamni* (Linnaeus, 1758)

ssp. *gravesi* Huggins, 1956

BRIMSTONE

LYCAENIDAE

7034 [1561]. *Lycaena phlaeas* (Linnaeus, 1761)

ssp. *hibernica* Goodson, 1948

SMALL COPPER

7036 [1562]. *Lycaena dispar* (Haworth, 1803) extinct

LARGE COPPER

7047 [1556]. *Thecla betulae* (Linnaeus, 1758)

BROWN HAIRSTREAK

7049 [1557]. *Favonius quercus* (Linnaeus, 1758)

synonym *Neozephyrus quercus* (Linnaeus, 1788)

synonym *Quercusia quercus* (Linnaeus, 1788)

PURPLE HAIRSTREAK

7058 [1555]. *Callophrys rubi* (Linnaeus, 1758)

GREEN HAIRSTREAK

7088 [1569]. *Cupido minimus* (Fuessly, 1775)

SMALL BLUE

7097 [1580]. *Celastrina argiolus* (Linnaeus, 1758)

ssp. *britannica* Verity, 1919

HOLLY BLUE

7163 [1574]. *Polyommatus icarus* (Rottemburg, 1775)

ssp. *mariscolore* (Kane, 1893)

COMMON BLUE

NYMPHALIDAE

- 7202 [1608].** *Argynnis paphia* (Linnaeus, 1758)
SILVER-WASHED FRITILLARY
- 7204 [1607].** *Argynnis aglaja* (Linnaeus, 1758)
DARK GREEN FRITILLARY
- 7210 [1603].** *Issoria lathonia* (Linnaeus, 1758)
QUEEN OF SPAIN FRITILLARY
- 7220 [1601].** *Boloria euphrosyne* (Linnaeus, 1758)
PEARL-BORDERED FRITILLARY
- 7243 [1590].** *Vanessa atalanta* (Linnaeus, 1758)
RED ADMIRAL
- 7245 [1591].** *Vanessa cardui* (Linnaeus, 1758)
PAINTED LADY
- 7246 [1592].** *Vanessa virginiensis* (Drury, 1773)
AMERICAN PAINTED LADY
- 7248 [1597].** *Aglais io* (Linnaeus, 1758)
Synonym *Inachis io* (Linnaeus, 1758)
PEACOCK
- 7250 [1593].** *Aglais urticae* (Linnaeus, 1758)
SMALL TORTOISESHELL
- 7252 [1598].** *Polygonia c-album* (Linnaeus, 1758)
COMMA
- 7257 [1596].** *Nymphalis antiopa* (Linnaeus, 1758)
Synonym *Aglais antiopa* (Linnaeus, 1758)
CAMBERWELL BEAUTY
- 7268 [1610].** *Euphydryas aurinia* (Rottemburg, 1775)
MARSH FRITILLARY
- 7307 [1614].** *Pararge aegeria* (Linnaeus, 1758)

ssp. *tircis* (Godart, 1821)

SPECKLED WOOD

7309 [1615]. *Lasiommata megera* (Linnaeus, 1767)

WALL BROWN

7321 [1628]. *Coenonympha tullia* (Müller, 1764)

ssp. *polydama* (Howarth, 1803)

LARGE HEATH

7334 [1627]. *Coenonympha pamphilus* (Linnaeus, 1758)

ssp. *pamphilus* (Linnaeus, 1758)

SMALL HEATH

7340 [1625]. *Pyronia tithonus* (Linnaeus, 1771)

ssp. *britanniae* (Verity, 1915)

GATEKEEPER

7344 [1629]. *Aphantopus hyperantus* (Linnaeus, 1758)

RINGLET

7350 [1626]. *Maniola jurtina* (Linnaeus, 1758)

ssp. *iernes* Graves, 1930

MEADOW BROWN

7366 [1617]. *Erebia epiphron* (Knoch, 1783)

ssp. *mnemon* (Haworth, 1812) extinct?

MOUNTAIN RINGLET

7436 [1621]. *Hipparchia semele* (Linnaeus, 1758)

ssp. *hibernica* Howarth, 1971

ssp. *clarensis* de Lattin, 1952

GRAYLING

7474 [1630]. *Danaus plexippus* (Linnaeus, 1758)

MILKWEED

DREPANIDAE

- 7481 [1652].** *Thyatira batis* (Linnaeus, 1758)
PEACH BLOSSOM
- 7483 [1653].** *Habrosyne pyritoides* (Hufnagel, 1766)
BUFF ARCHES
- 7486 [1655].** *Tethea or* ([Denis and Schiffermüller], 1775)
ssp. *hibernica* (Turner, 1927)
POPLAR LUTESTRING
- 7488 [1656].** *Tetheella fluctuosa* (Hübner, 1803)
SATIN LUTESTRING
- 7490 [1657].** *Ochropacha duplaris* (Linnaeus, 1761)
COMMON LUTESTRING
- 7498 [1659].** *Achlya flavicornis* (Linnaeus, 1758)
ssp. *galbanus* (Tutt, 1891)
YELLOW HORNED
- 7501 [1645].** *Falcaria lacertinaria* (Linnaeus, 1758)
SCALLOPED HOOK-TIP
- *7503 [1646].** *Watsonalla binaria* (Hufnagel, 1767)
OAK HOOK-TIP
- 7505 [1647].** *Watsonalla cultraria* (Fabricius, 1775)
BARRED HOOK-TIP
- 7508 [1648].** *Drepana falcataria* (Linnaeus, 1758)
ssp. *falcataria* (Linnaeus, 1758)
PEBBLE HOOK-TIP
- 7512 [1651].** *Cilix glaucata* (Scopoli, 1763)
CHINESE CHARACTER

GEOMETRIDAE

- 7522 [1884].** *Abraxas grossulariata* (Linnaeus, 1758)

MAGPIE

7524 [1885]. *Abraxas sylvata* (Scopoli, 1763)

CLOUDED MAGPIE

7527 [1887]. *Lomaspilis marginata* (Linnaeus, 1758)

CLOUDED BORDER

7530 [1888]. *Ligdia adustata* ([Denis and Schiffermüller], 1775)

SCORCHED CARPET

7539 [1889]. *Macaria notata* (Linnaeus, 1758)

PEACOCK MOTH

7540 [1890]. *Macaria alternata* ([Denis and Schiffermüller], 1775)

SHARP-ANGLED PEACOCK

7542 [1893]. *Macaria liturata* (Clerck, 1759)

TAWNY-BARRED ANGLE

7543 [1897]. *Macaria wauaria* (Linnaeus, 1758)

V-MOTH

7547 [1894]. *Chiasmia clathrata* (Linnaeus, 1758)

ssp. *hugginsi* (Baynes, 1959)

LATTICED HEATH

7594 [1901]. *Cepphis advenaria* (Hübner, 1790)

LITTLE THORN

7596 [1902]. *Petrophora chlorosata* (Scopoli, 1763)

BROWN SILVER-LINE

7606 [1903]. *Plagodis pulveraria* (Linnaeus, 1758)

BARRED UMBER

7607 [1904]. *Plagodis dolabraria* (Linnaeus, 1767)

SCORCHED WING

7613 [1906]. *Opisthograptis luteolata* (Linnaeus, 1758)

BRIMSTONE MOTH

7615 [1907]. *Epione repandaria* (Hufnagel, 1767)

BORDERED BEAUTY

7620 [1909]. *Pseudopanthera macularia* (Linnaeus, 1758)

SPECKLED YELLOW

7630 [1910]. *Apeira syringaria* (Linnaeus, 1758)

LILAC BEAUTY

7632 [1911]. *Ennomos autumnaria* (Werneburg, 1859)

LARGE THORN

7633 [1912]. *Ennomos quercinaria* (Hufnagel, 1767)

AUGUST THORN

7634 [1913]. *Ennomos alniaria* (Linnaeus, 1758)

CANARY-SHOULDERED THORN

***7635 [1914].** *Ennomos fuscantaria* (Haworth, 1809)

DUSKY THORN

7636 [1915]. *Ennomos erosaria* ([Denis and Schiffermüller], 1775)

SEPTEMBER THORN

7641 [1917]. *Selenia dentaria* (Fabricius, 1775)

EARLY THORN

7642 [1918]. *Selenia lunularia* (Hübner, 1788)

LUNAR THORN

7647 [1920]. *Odontopera bidentata* (Clerck, 1759)

SCALLOPED HAZEL

7654 [1921]. *Crocallis elinguaris* (Linnaeus, 1758)

SCALLOPED OAK

7659 [1922]. *Ourapteryx sambucaria* (Linnaeus, 1758)

SWALLOW-TAILED MOTH

7663 [1923]. *Colotois pennaria* (Linnaeus, 1761)

FEATHERED THORN

7665 [1924]. *Angerona prunaria* (Linnaeus, 1758)

ORANGE MOTH

7672 [1926]. *Phigalia pilosaria* ([Denis and Schiffermüller], 1775)

PALE BRINDLED BEAUTY

7674 [1927]. *Lycia hirtaria* (Clerck, 1759)

BRINDLED BEAUTY

7680 [1928]. *Lycia zonaria* ([Denis and Schiffermüller], 1775)

ssp. *britannica* (Harrison, 1912)

BELTED BEAUTY

7685 [1930]. *Biston strataria* (Hufnagel, 1767)

OAK BEAUTY

7686 [1931]. *Biston betularia* (Linnaeus, 1758)

PEPPERED MOTH

7693 [1932]. *Agriopis leucophaearia* ([Denis and Schiffermüller], 1775)

SPRING USHER

7695 [1933]. *Agriopis aurantiaria* (Hübner, [1799])

SCARCE UMBER

7696 [1934]. *Agriopis marginaria* (Fabricius, 1776)

DOTTED BORDER

7699 [1935]. *Erannis defoliaria* (Clerck, 1759)

MOTTLED UMBER

[7724 [1936]. *Menophra abruptaria* (Thunberg, 1792)

WAVED UMBER]

7754 [1937]. *Peribatodes rhomboidaria* ([Denis and Schiffermüller], 1775)

WILLOW BEAUTY

7767 [1938]. *Selidosema brunnearia* (de Villers, 1789)

ssp. *scandinaviaria* Staudinger, 1901

ssp. *tyronensis* Cockayne, 1948

BORDERED GREY

7773 [1939]. *Cleora cinctaria* ([Denis and Schiffermüller], 1775)

ssp. *cinctaria* ([Denis and Schiffermüller], 1775)

RINGED CARPET

7775 [1940]. *Deileptenia ribeata* (Clerck, 1759)

SATIN BEAUTY

7777 [1941]. *Alcis repandata* (Linnaeus, 1758)

MOTTLED BEAUTY

7779 [1942]. *Alcis jubata* (Thunberg, 1788)

DOTTED CARPET

7784 [1944]. *Hypomecis punctinalis* (Scopoli, 1763)

PALE OAK BEAUTY

7790 [1945]. *Cleorodes lichenaria* (Hufnagel, 1767)

BRUSSELS LACE

7796 [1948]. *Ectropis crepuscularia* ([Denis and Schiffermüller], 1775)

Synonym *Ectropis bistortata* (Goeze, 1871)

ENGRAILED

7798 [1949]. *Paradarisa consonaria* (Hübner, [1799])

SQUARE SPOT

7802 [1951]. *Aethalura punctulata* ([Denis and Schiffermüller], 1775)

GREY BIRCH

7804 [1952]. *Ematurga atomaria* (Linnaeus, 1758)

ssp. *atomaria* (Linnaeus, 1758)

COMMON HEATH

7822 [1954]. *Bupalus piniaria* (Linnaeus, 1758)

BORDERED WHITE

7824 [1955]. *Cabera pusaria* (Linnaeus, 1758)

COMMON WHITE WAVE

7826 [1956]. *Cabera exanthemata* (Scopoli, 1763)

COMMON WAVE

7828 [1957]. *Lomographa bimaculata* (Fabricius, 1775)

WHITE-PINION SPOTTED

7829 [1958]. *Lomographa temerata* ([Denis and Schiffermüller], 1775)

CLOUDED SILVER

7834 [1960]. *Theria primaria* (Haworth, 1809)

EARLY MOTH

7836 [1961]. *Campaea margaritaria* (Linnaeus, 1761)

Synonym *Campaea margaritata* (Linnaeus, 1767)

LIGHT EMERALD

7839 [1962]. *Hylaea fasciaria* (Linnaeus, 1758)

BARRED RED

7848 [1963]. *Gnophos obfuscata* ([Denis and Schiffermüller], 1775)

SCOTTISH ANNULET

7852 [1962a]. *Gnophos dumetata* Treitschke, 1827

Synonym *Odontognophos dumetata* (Treitschke, 1827)

ssp. *hibernica* Forder, 1993

IRISH ANNULET

7857 [1964]. *Charissa obscurata* ([Denis and Schiffermüller], 1775)

ANNULET

7922 [1967]. *Aspitates gilvaria* ([Denis and Schiffermüller], 1775)

ssp. *burrenensis* Cockayne, 1951

STRAW BELLE

7931 [1969]. *Dyscia fagaria* (Thunberg, 1784)

GREY SCALLOPED BAR

7939 [1970]. *Perconia strigillaria* (Hübner, [1787])

GRASS WAVE

7953 [1663]. *Alsophila aescularia* ([Denis and Schiffermüller], 1775)

MARCH MOTH

7965 [1665]. *Pseudoterpna pruinata* (Hufnagel, 1767)

ssp. *atropunctaria* (Walker, 1863)

GRASS EMERALD

7969 [1666]. *Geometra papilionaria* (Linnaeus, 1758)

LARGE EMERALD

7980 [1669]. *Hemithea aestivaria* (Hübner, 1789)

COMMON EMERALD

8000 [1673]. *Hemistola chrysoprasaria* (Esper, 1795)

SMALL EMERALD

8002 [1674]. *Jodis lactearia* (Linnaeus, 1758)

LITTLE EMERALD

8016 [1677]. *Cyclophora albipunctata* (Hufnagel, 1767)

BIRCH MOCHA

8017 [1678]. *Cyclophora puppillaria* (Hübner, [1799])

BLAIR'S MOCHA

8022 [1680]. *Cyclophora punctaria* (Linnaeus, 1758)

MAIDEN'S BLUSH

8024 [1681]. *Cyclophora linearia* (Hübner, [1799])

CLAY TRIPLE-LINES

8028 [1682]. *Timandra comae* Schmidt, 1931

BLOOD-VEIN

8059 [1689]. *Scopula marginepunctata* (Goeze, 1781)

MULLEIN WAVE

8062 [1690]. *Scopula imitaria* (Hübner, [1799])

SMALL BLOOD-VEIN

8064 [1692]. *Scopula immutata* (Linnaeus, 1758)

LESSER CREAM WAVE

8067 [1694]. *Scopula ternata* (Schrank, 1802)

SMOKY WAVE

8069 [1693]. *Scopula floslactata* (Haworth, 1809)

ssp. *floslactata* (Haworth, 1809)

CREAM WAVE

***8072 [1691].** *Scopula emutaria* (Hübner, 1809)

ROSY WAVE

8104 [1698]. *Idaea muricata* (Hufnagel, 1767)

PURPLE-BORDERED GOLD

8132 [1702]. *Idaea biselata* (Hufnagel, 1767)

SMALL FAN-FOOTED WAVE

8161 [1708]. *Idaea dimidiata* (Hufnagel, 1767)

SINGLE-DOTTED WAVE

8167 [1709]. *Idaea subsericeata* (Haworth, 1809)

SATIN WAVE

8184 [1713]. *Idaea aversata* (Linnaeus, 1758)

RIBAND WAVE

8187 [1715]. *Idaea straminata* (Borkhausen, 1794)

PLAIN WAVE

8211 [1716]. *Rhodometra sacraria* (Linnaeus, 1767)

VESTAL

8239 [1732]. *Scotopteryx chenopodiata* (Linnaeus, 1758)

SHADED BROAD-BAR

8240 [1733]. *Scotopteryx mucronata* (Scopoli, 1763)

ssp. *umbrifera* (Heydemann, 1925)

ssp. *scotica* (Cockayne, 1940)

LEAD BELLE

8241 [1734]. *Scotopteryx luridata* (Hufnagel, 1767)

ssp. *plumbaria* (Fabricius, 1775)

JULY BELLE

8245 [1719]. *Orthonama vittata* (Borkhausen, 1794)

OBLIQUE CARPET

8246 [1720]. *Nycterosea obstipata* (Fabricius, 1794)

Synonym *Orthonama obstipata* (Fabricius, 1794)

GEM

8249 [1722]. *Xanthorhoe designata* (Hufnagel, 1767)

FLAME CARPET

8251 [1723]. *Xanthorhoe decoloraria* (Esper, 1806)

ssp. *decoloraria* (Esper, 1805)

RED CARPET

8252 [1724]. *Xanthorhoe spadicearia* ([Denis and Schiffermüller], 1775)

RED TWIN-SPOT CARPET

8253 [1725]. *Xanthorhoe ferrugata* (Clerck, 1759)

DARK-BARRED TWIN-SPOT CARPET

8255 [1727]. *Xanthorhoe montanata* ([Denis and Schiffermüller], 1775)

ssp. *montanata* ([Denis and Schiffermüller], 1775)

SILVER-GROUND CARPET

8256 [1728]. *Xanthorhoe fluctuata* (Linnaeus, 1758)

GARDEN CARPET

8269 [1736]. *Catarhoe cuculata* (Hufnagel, 1767)

ROYAL MANTLE

8274 [1737]. *Epirrhoe tristata* (Linnaeus, 1758)

SMALL ARGENT AND SABLE

8275 [1738]. *Epirrhoe alternata* (Müller, 1764)

ssp. *alternata* (Müller, 1764)

COMMON CARPET

8279 [1740]. *Epirrhoe galiata* ([Denis and Schiffermüller], 1775)

GALIUM CARPET

8289 [1742]. *Camptogramma bilineata* (Linnaeus, 1758)

ssp. *bilineata* (Linnaeus, 1758)

ssp. *hibernica* Tutt, 1902

ssp. *isolata* Kane, 1896

YELLOW SHELL

8299 [1743]. *Entephria flavicinctata* (Hübner, [1813])

ssp. *flavicinctata* (Hübner, [1813])

YELLOW-RINGED CARPET

8302 [1744]. *Entephria caesiata* ([Denis and Schiffermüller], 1775)

GREY MOUNTAIN CARPET

8304 [1745]. *Larentia clavaria* (Haworth, 1809)

MALLOW

8309 [1746]. *Earophila badiata* ([Denis and Schiffermüller], 1775)

Synonym *Anticlea badiata* ([Denis and Schiffermüller], 1775)

SHOULDER STRIPE

8310 [1747]. *Anticlea derivata* ([Denis and Schiffermüller], 1775)

STREAMER

8312 [1748]. *Mesoleuca albicillata* (Linnaeus, 1758)

BEAUTIFUL CARPET

8314 [1749]. *Pelurga comitata* (Linnaeus, 1758)

DARK SPINACH

8316 [1750]. *Lampropteryx suffumata* ([Denis and Schiffermüller], 1775)

WATER CARPET

8319 [1752]. *Cosmorhoe ocellata* (Linnaeus, 1758)

PURPLE BAR

8321 [1753]. *Coenotephria salicata* ([Denis and Schiffermüller], 1775)

Synonym *Nebula salicata* (Hübner, [1799])

ssp. *latentaria* (Curtis, 1830)

STRIPED TWIN-SPOT CARPET

8330 [1754]. *Eulithis prunata* (Linnaeus, 1758)

PHOENIX

8331 [1755]. *Eulithis testata* (Linnaeus, 1761)

CHEVRON

8332 [1756]. *Eulithis populata* (Linnaeus, 1758)

NORTHERN SPINACH

8334 [1757]. *Eulithis mellinata* (Fabricius, 1787)

SPINACH

8335 [1758]. *Gandaritis pyraliata* ([Denis and Schiffermüller], 1775)

Synonym *Eulithis pyraliata* ([Denis and Schiffermüller], 1775)

BARRED STRAW

8338 [1759]. *Ecliptopera silaceata* ([Denis and Schiffermüller], 1775)

SMALL PHOENIX

8341 [1760]. *Chloroclysta siterata* (Hufnagel, 1767)

RED-GREEN CARPET

8342 [1761]. *Chloroclysta miata* (Linnaeus, 1758)

AUTUMN GREEN CARPET

8343 [1762]. *Dysstroma citrata* (Linnaeus, 1761)

Synonym *Chloroclysta citrata* (Linnaeus, 1761)

ssp. *citrata* (Linnaeus, 1761)

DARK MARBLED CARPET

8348 [1764]. *Dysstroma truncata* (Hufnagel, 1767)

Synonym *Chloroclysta truncata* (Hufnagel, 1767)

COMMON MARBLED CARPET

8350 [1765]. *Cidaria fulvata* (Forster, 1771)

BARRED YELLOW

8352 [1766]. *Plemyria rubiginata* ([Denis and Schiffermüller], 1775)

ssp. *rubiginata* ([Denis and Schiffermüller], 1775)

BLUE-BORDERED CARPET

8354 [1767]. *Pennithera firmata* (Hübner, 1822)

Synonym *Thera firmata* (Hübner, 1822)

PINE CARPET

8356 [1768]. *Thera obeliscata* (Hübner, [1787])

GREY PINE CARPET

8358 [1769]. *Thera britannica* (Turner, 1925)

SPRUCE CARPET

8361 [1770]. *Thera cognata* (Thunberg, 1792)

CHESTNUT-COLOURED CARPET

8362 [1771]. *Thera juniperata* (Linnaeus, 1758)

ssp. *scotica* (White, 1871)

ssp. *juniperata* (Linnaeus, 1758)

JUNIPER CARPET

8368 [1773]. *Electrophaes corylata* (Thunberg, 1792)

BROKEN-BARRED CARPET

8371 [1774]. *Colostygia olivata* ([Denis and Schiffermüller], 1775)

BEECH-GREEN CARPET

8376 [1775]. *Colostygia multistrigaria* (Haworth, 1809)

MOTTLED GREY

8385 [1776]. *Colostygia pectinataria* (Knoch, 1781)

GREEN CARPET

8391 [1777]. *Hydriomena furcata* (Thunberg, 1784)

JULY HIGHFLYER

8392 [1778]. *Hydriomena impluviata* ([Denis and Schiffermüller], 1775)

MAY HIGHFLYER

8393 [1779]. *Hydriomena ruberata* (Freyer, 1831)

RUDDY HIGHFLYER

8397 [1780]. *Coenocalpe lapidata* (Hübner, 1809)

SLENDER-STRIPED RUFOUS

8400 [1781]. *Horisme vitalbata* ([Denis and Schiffermüller], 1775)

SMALL WAVED UMBER

8402 [1782]. *Horisme tersata* ([Denis and Schiffermüller], 1775)

FERN

8414 [1785]. *Pareulype berberata* ([Denis and Schiffermüller], 1775)

BARBERRY CARPET

8419 [1787]. *Rheumaptera hastata* (Linnaeus, 1758)

ssp. *hastata* (Linnaeus, 1758)

ARGENT AND SABLE

8423 [1789]. *Hydria undulata* (Linnaeus, 1758)

Synonym *Rheumaptera undulata* (Linnaeus, 1758)

SCALLOP SHELL

8428 [1790]. *Triphosa dubitata* (Linnaeus, 1758)

TISSUE

8432 [1791]. *Philereme vetulata* ([Denis and Schiffermüller], 1775)

BROWN SCALLOP

8433 [1792]. *Philereme transversata* (Hufnagel, 1767)

ssp. *britannica* Lempke, 1968

DARK UMBER

8435 [1793]. *Euphyia biangulata* (Haworth, 1809)

CLOAKED CARPET

8436 [1794]. *Euphyia unangulata* (Haworth, 1809)

SHARP-ANGLED CARPET

8442 [1795]. *Epirrita dilutata* ([Denis and Schiffermüller], 1775)

NOVEMBER MOTH

8443 [1796]. *Epirrita christyi* (Allen, 1906)

PALE NOVEMBER MOTH

8444 [1797]. *Epirrita autumnata* (Borkhausen, 1794)

AUTUMNAL MOTH

8445 [1798]. *Epirrita filigrammaria* (Herrich-Schäffer, 1846)

SMALL AUTUMNAL MOTH

8447 [1799]. *Operophtera brumata* (Linnaeus, 1758)

WINTER MOTH

8448 [1800]. *Operophtera fagata* (Scharfenberg, 1805)

NORTHERN WINTER MOTH

8454 [1801]. *Martania taeniata* (Stephens, 1831)

Synonym *Perizoma taeniata* (Stephens, 1831)

BARRED CARPET

8455 [1802]. *Perizoma affinitata* (Stephens, 1831)

RIVULET

8456 [1803]. *Perizoma alchemillata* (Linnaeus, 1758)

SMALL RIVULET

8459 [1804]. *Perizoma bifaciata* (Haworth, 1809)

BARRED RIVULET

8461 [1805]. *Perizoma minorata* (Treitshke, 1828)

ssp. *ericetata* (Stephens, 1831)

HEATH RIVULET

8462 [1806]. *Perizoma blandiata* ([Denis and Schiffermüller], 1775)

ssp. *blandiata* ([Denis and Schiffermüller], 1775)

PRETTY PINION

8463 [1807]. *Perizoma albulata* ([Denis and Schiffermüller], 1775)

ssp. *albulata* ([Denis and Schiffermüller], 1775)

GRASS RIVULET

8464 [1808]. *Perizoma flavofasciata* (Thunberg, 1792)

SANDY CARPET

8465 [1809]. *Mesotype didymata* (Linnaeus, 1758)

Synonym *Perizoma taeniata* (Linnaeus, 1758)

ssp. *didymata* (Linnaeus, 1758)

TWIN-SPOT CARPET

8475 [1811]. *Eupithecia tenuiata* (Hübner, [1813])

SLENDER PUG

8477 [1813]. *Eupithecia haworthiata* Doubleday, 1856

HAWORTH'S PUG

8479 [1814]. *Eupithecia plumbeolata* (Haworth, 1809)

LEAD-COLOURED PUG

8481 [1815]. *Eupithecia abietaria* (Goeze, 1781)

CLOAKED PUG

8483 [1816]. *Eupithecia linariata* ([Denis and Schiffermüller], 1775)

TOADFLAX PUG

8484 [1817]. *Eupithecia pulchellata* Stephens, 1831

ssp. *pulchellata* Stephens, 1831

ssp. *hebudium* Sheldon, 1899

FOXGLOVE PUG

8491 [1819]. *Eupithecia exiguata* (Hübner, [1813])

ssp. *exiguata* (Hübner, [1813])

MOTTLED PUG

8494 [1821]. *Eupithecia valerianata* (Hübner, [1813])

VALERIAN PUG

8495 [1822]. *Eupithecia pygmaeata* (Hübner, [1799])

MARSH PUG

8502 [1823]. *Eupithecia venosata* (Fabricius, 1787)

ssp. *venosata* (Fabricius, 1787)

ssp. *plumbea* Huggins, 1962

NETTED PUG

8509 [1825]. *Eupithecia centaureata* ([Denis and Schiffermüller], 1775)

LIME-SPECK PUG

8517 [1826]. *Eupithecia trisignaria* Herrich-Schäffer, 1848

TRIPLE-SPOTTED PUG

8519 [1827]. *Eupithecia intricata* (Zetterstedt, 1839)

ssp. *hibernica* Mere, 1964

MERE'S PUG

8526 [1828]. *Eupithecia satyrata* (Hübner, [1813])

ssp. *callunaria* Doubleday, 1850

SATYR PUG

8527 [1830]. *Eupithecia absinthiata* (Clerck, 1759)

Synonym *Eupithecia goosensiata* Mabille, 1869

WORMWOOD PUG

8531 [1832]. *Eupithecia assimilata* Doubleday, 1856

CURRANT PUG

8530 [1833]. *Eupithecia expallidata* Doubleday, 1856

BLEACHED PUG

8534 [1834]. *Eupithecia vulgata* (Haworth, 1809)

ssp. *scotica* Cockayne, 1951

ssp. *clarensis* Huggins, 1962

COMMON PUG

8535 [1835]. *Eupithecia tripunctaria* Herrich-Schäffer, 1852

WHITE-SPOTTED PUG

8536 [1836]. *Eupithecia denotata* (Hübner, [1813])

ssp. *jasioneata* Crewe, 1881

JASIONE PUG

8537 [1837]. *Eupithecia subfuscata* (Haworth, 1809)

GREY PUG

8538 [1838]. *Eupithecia icterata* (de Villers, 1789)

ssp. *subfulvata* (Haworth, 1809)

ssp. *oxydata* Treitschke, 1827

TAWNY SPECKLED PUG

8539 [1839]. *Eupithecia succenturiata* (Linnaeus, 1758)

BORDERED PUG

8546 [1840]. *Eupithecia subumbrata* ([Denis and Schiffermüller], 1775)

SHADED PUG

8553 [1842]. *Eupithecia simpliciata* (Haworth, 1809)

PLAIN PUG

8556 [1843]. *Eupithecia distinctaria* Herrich-Schäffer, 1848

ssp. *constrictata* Guenée, 1857

THYME PUG

8565 [1844]. *Eupithecia indigata* (Hübner, [1813])

OCHREOUS PUG

8567 [1845]. *Eupithecia pimpinellata* (Hübner, [1813])

PIMPINEL PUG

8570 [1846]. *Eupithecia nanata* (Hübner, [1813])

NARROW-WINGED PUG

8573 [1848]. *Eupithecia innotata* (Hufnagel, 1767)

form *fraxinata* Crewe, 1863

ASH PUG

8577 [1851]. *Eupithecia virgaureata* Doubleday, 1861

GOLDEN-ROD PUG

8578 [1852]. *Eupithecia abbreviata* Stephens, 1831

BRINDLED PUG

8579 [1853]. *Eupithecia dodoneata* Guenée, 1858

OAK-TREE PUG

8583 [1854]. *Eupithecia pusillata* ([Denis and Schiffermüller], 1775)

ssp. *pusillata* ([Denis and Schiffermüller], 1775)

JUNIPER PUG

8584 [1855]. *Eupithecia phoeniceata* (Rambur, 1834)

CYPRESS PUG

8595 [1856]. *Eupithecia lariciata* (Freyer, 1841)

LARCH PUG

8596 [1857]. *Eupithecia tantillaria* Boisduval, 1840

DWARF PUG

8599 [1862]. *Gymnoscelis rufifasciata* (Haworth, 1809)

DOUBLE-STRIPED PUG

8601 [1858]. *Chloroclystis v-ata* (Haworth, 1809)

V-PUG

8603 [1860]. *Pasiphila rectangulata* (Linnaeus, 1758)

GREEN PUG

8605 [1861]. *Pasiphila debiliata* (Hübner, [1817])

BILBERRY PUG

8609 [1864]. *Chesias legatella* ([Denis and Schiffermüller], 1775)

STREAK

***8610 [1865].** *Chesias rufata* (Fabricius, 1775)

BROOM-TIP

8617 [1866]. *Carsia sororiata* (Hübner, [1813])

ssp. *anglica* Prout, 1937

MANCHESTER TREBLE-BAR

8620 [1867]. *Aplocera plagiata* (Linnaeus, 1758)

ssp. *plagiata* (Linnaeus, 1758)

TREBLE-BAR

8631 [1870]. *Odezia atrata* (Linnaeus, 1758)

CHIMNEY SWEEPER

8652 [1873]. *Venusia cambrica* Curtis, 1839

WELSH WAVE

***8654 [1874].** *Euchoeca nebulata* (Scopoli, 1763)

DINGY SHELL

8656 [1875]. *Asthena albulata* (Hufnagel, 1767)

SMALL WHITE WAVE

8660 [1876]. *Hydrelia flammeolaria* (Hufnagel, 1767)

SMALL YELLOW WAVE

8661 [1877]. *Hydrelia sylvata* ([Denis and Schiffermüller], 1775)

WAVED CARPET

8665 [1879]. *Lobophora halterata* (Hufnagel, 1767)

SERAPHIM

8668 [1881]. *Trichopteryx carpinata* (Borkhausen, 1794)

EARLY TOOTH-STRIPED

8675 [1882]. *Pterapherapteryx sexalata* (Retzius, 1783)

SMALL SERAPHIM

8681 [1883]. *Acasis viretata* (Hübner, [1799])

YELLOW-BARRED BRINDLE

NOTODONTIDAE

8699 [2017]. *Clostera pigra* (Hufnagel, 1766)

SMALL CHOCOLATE-TIP

[8698 [2019]. *Clostera curtula* (Linnaeus, 1758)

CHOCOLATE-TIP]

8704 [1995]. *Cerura vinula* (Linnaeus, 1758)

PUSS MOTH

8708 [1997]. *Furcula furcula* (Clerck, 1759)

SALLOW KITTEN

8709 [1996]. *Furcula bicuspis* (Borkhausen, 1790)

ALDER KITTEN

8710 [1998]. *Furcula bifida* (Brahm, 1787)

POPLAR KITTEN

8716 [2000]. *Notodonta dromedarius* (Linnaeus, 1767)

IRON PROMINENT

8719 [2003]. *Notodonta ziczac* (Linnaeus, 1758)

PEBBLE PROMINENT

8721 [2014]. *Drymonia dodonaea* ([Denis and Schiffermüller], 1775)

MARBLED BROWN

8722 [2015]. *Drymonia ruficornis* (Hufnagel, 1766)

LUNAR MARBLED BROWN

8727 [2007]. *Pheosia tremula* (Clerck, 1759)

SWALLOW PROMINENT

8728 [2006]. *Pheosia gnoma* (Fabricius, 1776)

LESSER SWALLOW PROMINENT

8732 [2011]. *Pterostoma palpina* (Clerck, 1759)

PALE PROMINENT

8736 [2012]. *Leucodonta bicoloria* ([Denis and Schiffermüller], 1775)

WHITE PROMINENT

8738 [2008]. *Ptilodon capucina* (Linnaeus, 1758)

COXCOMB PROMINENT

8741 [2010]. *Odontosia carmelita* (Esper, 1799)

SCARCE PROMINENT

8750 [1994]. *Phalera bucephala* (Linnaeus, 1758)

BUFF-TIP

8758 [1999]. *Stauropus fagi* (Linnaeus, 1758)

LOBSTER MOTH

NOCTUIDAE

8774 [2281]. *Acronicta alni* (Linnaeus, 1767)

ALDER MOTH

8777 [2284]. *Acronicta psi* (Linnaeus, 1758)

GREY DAGGER

[8778 [2279]. *Acronicta aceris* (Linnaeus, 1758)

SYCAMORE]

8779 [2280]. *Acronicta leporina* (Linnaeus, 1758)

MILLER

8780 [2278]. *Subacronicta megacephala* ([Denis and Schiffermüller], 1775)

Synonym *Acronicta megacephala* ([Denis and Schiffermüller], 1775)

POPLAR GREY

8782 [2286]. *Acronicta menyanthidis* (Esper, 1789)

ssp. *menyanthidis* (Esper, 1789)

LIGHT KNOT GRASS

***8783 [2287].** *Acronicta auricoma* ([Denis and Schiffermüller], 1775)

SCARCE DAGGER

8784 [2288]. *Acronicta euphorbiae* ([Denis and Schiffermüller], 1775)

ssp. *myricae* Guenée, 1852

SWEET GALE MOTH

8787 [2289]. *Acronicta rumicis* (Linnaeus, 1758)

KNOT GRASS

8789 [2291]. *Craniophora ligustri* ([Denis and Schiffermüller], 1775)

CORONET

8816 [2293]. *Bryophila domestica* (Hufnagel, 1766)

Synonym *Cryphia domestica* (Hufnagel, 1766)

MARBLED BEAUTY

8818 [2295]. *Nyctobrya muralis* (Forster, 1771)

Synonym *Cryphia muralis* (Forster, 1771)

ssp. *muralis* (Forster, 1771)

MARBLED GREEN

8846 [2492]. *Herminia grisealis* ([Denis and Schiffermüller], 1775)

SMALL FAN-FOOT

8852 [2488]. *Pechipogo strigilata* (Linnaeus, 1758)

COMMON FAN-FOOT

8858 [2489]. *Herminia tarsipennalis* (Treitschke, 1835)

Synonym *Zanclognatha tarsipennalis* (Treitschke, 1835)

FAN-FOOT

8863 [2485]. *Hypenodes humidalis* Doubleday, 1850

MARSH OBLIQUE-BARRED

8866 [2484]. *Schrankia costaestrigalis* (Stephens, 1834)

PINION-STREAKED SNOUT

8868 [2482]. *Schrankia taenialis* (Hübner, 1809)

WHITE-LINE SNOUT

8873 [2451]. *Catocala fraxini* (Linnaeus, 1758)

CLIFDEN NONPAREIL

8874 [2452]. *Catocala nupta* (Linnaeus, 1767)

RED UNDERWING

8897 [2456]. *Minucia lunaris* ([Denis and Schiffermüller], 1775)

LUNAR DOUBLE-STRIPE

A 8961 [2455b]. *Pandesma robusta* (Walker, 1858)

Synonym *Thria robusta* (Walker, 1858)

8967 [2462]. *Euclidia mi* (Clerck, 1759)

Synonym *Callistege mi* (Clerck, 1759)

MOTHER SHIPTON

8969 [2463]. *Euclidia glyphica* (Linnaeus, 1758)

BURNET COMPANION

8984 [2469]. *Scoliopteryx libatrix* (Linnaeus, 1758)

HERALD

8994 [2477]. *Hypena proboscidalis* (Linnaeus, 1758)

SNOUT

8997 [2478]. *Hypena obsitalis* (Hübner, [1813])

BLOXWORTH SNOUT

9002 [2476]. *Hypena crassalis* (Fabricius, 1787)

BEAUTIFUL SNOUT

9006 [2470]. *Phytometra viridaria* (Clerck, 1759)

SMALL PURPLE-BARRED

9008 [2474]. *Rivula sericealis* (Scopoli, 1763)

STRAW DOT

9027 [2438]. *Euchalcia variabilis* (Piller, 1783)

PURPLE-SHADED GEM

9036 [2437]. *Polychrysia moneta* (Fabricius, 1787)

GOLDEN PLUSIA

9045 [2434]. *Diachrysia chrysitis* (Linnaeus, 1758)

BURNISHED BRASS

9053 [2439]. *Plusia festucae* (Linnaeus, 1758)

GOLD SPOT

9054 [2440]. *Plusia putnami* (Grote, 1873)

ssp. *gracilis* (Lempke, 1966)

LEMPKE'S GOLD SPOT

9056 [2441]. *Autographa gamma* (Linnaeus, 1758)

SILVER Y

9059 [2442]. *Autographa pulchrina* (Haworth, 1809)

BEAUTIFUL GOLDEN Y

9061 [2443]. *Autographa jota* (Linnaeus, 1758)

PLAIN GOLDEN Y

9062 [2444]. *Autographa bractea* ([Denis and Schiffermüller], 1775)

GOLD SPANGLE

9074 [2447]. *Syngrapha interrogationis* (Linnaeus, 1758)

SCARCE SILVER Y

9078 [2433]. *Thysanoplusia orichalcea* (Fabricius, 1775)

SLENDER BURNISHED BRASS

9081 [2432]. *Trichoplusia ni* (Hübner, 1803)

NI MOTH

9089 [2429]. *Chrysodeixis acuta* (Walker, 1858)

TUNBRIDGE WELLS GEM

9091 [2450]. *Abrostola tripartita* (Hufnagel, 1766)

SPECTACLE

9093 [2449]. *Abrostola triplasia* (Linnaeus, 1758)

DARK SPECTACLE

9114 [2410]. *Deltote pygarga* (Hufnagel, 1766)

Synonym *Protodeltote pygarga* (Hufnagel, 1766)

MARbled WHITE SPOT

9117 [2412]. *Deltote uncula* (Clerck, 1759)

SILVER HOOK

9118 [2413]. *Deltote bankiana* (Fabricius, 1775)

SILVER BARRED

9140 [2407]. *Eublemma ostrina* (Hübner, 1808)

PURPLE MARBLED

9142 [2408]. *Eublemma parva* (Hübner, 1808)

SMALL MARBLED

9183 [2211]. *Cucullia absinthii* (Linnaeus, 1761)

WORMWOOD

9199 [2216]. *Cucullia umbratica* (Linnaeus, 1758)

SHARK

9207 [2214]. *Cucullia chamomillae* ([Denis and Schiffermüller], 1775)

CHAMOMILE SHARK

9233 [2221]. *Cucullia verbasci* (Linnaeus, 1758)

MULLEIN

9307 [2297]. *Amphipyra pyramidea* (Linnaeus, 1758)

COPPER UNDERWING

9308 [2298]. *Amphipyra berbera* Rungs, 1949

SVENSSON'S COPPER UNDERWING

9311 [2299]. *Amphipyra tragopoginis* (Clerck, 1759)

MOUSE MOTH

9320 [2227]. *Asteroscopus sphinx* (Hufnagel, 1766)

SPRAWLER

9331 [2020]. *Diloba caeruleocephala* (Linnaeus, 1758)

FIGURE OF EIGHT

9338 [2397]. *Panemeria tenebrata* (Scopoli, 1763)

SMALL YELLOW UNDERWING

9358 [2405]. *Protoschinia scutosa* ([Denis and Schiffermüller], 1775)

Synonym *Schinia scutosa* ([Denis and Schiffermüller], 1775)

SPOTTED CLOVER

9367 [2403]. *Heliothis peltigera* ([Denis and Schiffermüller], 1775)

BORDERED STRAW

***9368 [2404].** *Heliothis nubigera* Herrich-Schäffer, 1851

EASTERN BORDERED STRAW

9370 [2400]. *Helicoverpa armigera* (Hübner, 1808)

SCARCE BORDERED STRAW

9372 [2399]. *Pyrrhia umbra* (Hufnagel, 1766)

BORDERED SALLOW

9407 [2394]. *Stilbia anomala* (Haworth, 1812)

ANOMALOUS

9417 [2387]. *Caradrina morpheus* (Hufnagel, 1766)

MOTTLED RUSTIC

9433 [2389]. *Caradrina clavipalpis* (Scopoli, 1763)

Synonym *Paradrina clavipalpis* (Scopoli, 1763)

PALE MOTTLED WILLOW

9449 [2381]. *Hoplodrina octogenaria* (Goeze, 1781)

Synonym *Hoplodrina alsines* (Brahm, 1791)

UNCERTAIN

9450 [2382]. *Hoplodrina blanda* ([Denis and Schiffermüller], 1775)

RUSTIC

9454 [2384]. *Hoplodrina ambigua* ([Denis and Schiffermüller], 1775)

VINE'S RUSTIC

9456 [2380]. *Charanyca trigrammica* (Hufnagel, 1766)

TREBLE LINES

9460 [2385]. *Spodoptera exigua* (Hübner, 1808)

SMALL MOTTLED WILLOW

***9461 [2386c].** *Spodoptera ciliium* Guenée, 1852

DARK MOTTLED WILLOW

9471 [2391]. *Chilodes maritima* (Tauscher, 1806)

SILKY WAINSCOT

9483 [2302]. *Charanyca ferruginea* (Esper, 1785)

Synonym *Rusina ferruginea* (Esper, 1785)

BROWN RUSTIC

9490 [2300]. *Mormo maura* (Linnaeus, 1758)

OLD LADY

9496 [2303]. *Thalpophila matura* (Hufnagel, 1766)

STRAW UNDERWING

9503 [2305]. *Euplexia lucipara* (Linnaeus, 1758)

SMALL ANGLE SHADES

9505 [2306]. *Phlogophora meticulosa* (Linnaeus, 1758)

ANGLE SHADES

9508 [2320]. *Hyppa rectilinea* (Esper, 1788)

SAXON

9528 [2312]. *Ipimorpha subtusa* ([Denis and Schiffermüller], 1775)

OLIVE

***9531 [2313].** *Enargia paleacea* (Esper, 1788)

ANGLE-STRIPED SALLOW

9536 [2268]. *Parastichtis suspecta* (Hübner, [1817])

SUSPECTED

9537 [2314]. *Apterogenum ypsilon* ([Denis and Schiffermüller], 1775)

Synonym *Parastichtis ypsilon* ([Denis and Schiffermüller], 1775)

DINGY SHEARS

9548 [2316]. *Cosmia affinis* (Linnaeus, 1767)

LESSER-SPOTTED PINION

9550 [2318]. *Cosmia trapezina* (Linnaeus, 1758)

DUN-BAR

9552 [2269]. *Atethmia centrago* (Haworth, 1809)

CENTRE-BARRED SALLOW

9556 [2273]. *Xanthia togata* (Esper, 1788)

PINK-BARRED SALLOW

9559 [2274]. *Xanthia icteritia* (Hufnagel, 1766)

SALLOW

***9562 [2271].** *Tiliacea citrigo* (Linnaeus, 1758)

Synonym *Xanthia citrigo* (Linnaeus, 1758)

ORANGE SALLOW

9565 [2267]. *Agrochola lychnidis* ([Denis and Schiffermüller], 1775)

BEADED CHESTNUT

9566 [2262]. *Agrochola circellaris* (Hufnagel, 1766)

BRICK

9569 [2263]. *Agrochola lota* (Clerck, 1759)

RED-LINE QUAKER

9571 [2264]. *Agrochola macilenta* (Hübner, 1809)

YELLOW-LINE QUAKER

9575 [2265]. *Agrochola helvola* (Linnaeus, 1758)

FLOUNCED CHESTNUT

9586 [2266]. *Agrochola litura* (Linnaeus, 1758)

BROWN-SPOT PINION

9591 [2270]. *Agrochola lunosa* (Haworth, 1809)

Synonym *Omphaloscelis lunosa* (Haworth, 1809)

LUNAR UNDERWING

9596 [2256]. *Eupsilia transversa* (Hufnagel, 1766)

SATELLITE

9600 [2258]. *Conistra vaccinii* (Linnaeus, 1761)

CHESTNUT

9601 [2259]. *Conistra ligula* (Esper, 1791)

DARK CHESTNUT

9638 [2229]. *Dasypolia templi* (Thunberg, 1792)

BRINDLED OCHRE

9642 [2225]. *Brachylomia viminalis* (Fabricius, 1776)

MINOR SHOULDER-KNOT

9647 [2230]. *Aporophyla australis* (Boisduval, 1829)

ssp. *pascuea* (Humphreys and Westwood, 1843)

FEATHERED BRINDLE

9650 [2231a]. *Aporophyla lueneburgensis* (Freyer, 1848)

NORTHERN DEEP-BROWN DART

9651 [2232]. *Aporophyla nigra* (Haworth, 1809)

BLACK RUSTIC

***9657 [2235].** *Lithophane semibrunnea* (Haworth, 1809)

TAWNY PINION

9658 [2236]. *Lithophane socia* (Hufnagel, 1766)

PALE PINION

9660 [2237]. *Lithophane ornitopus* (Hufnagel, 1766)

ssp. *lactipennis* (Dadd, 1911)

GREY SHOULDER-KNOT

***9664 [2240].** *Lithophane leautieri* (Boisduval, 1829)

ssp. *hesperica* Boursin, 1957

BLAIR'S SHOULDER-KNOT

9670 [2241]. *Xylena vetusta* (Hübner, [1813])

RED SWORD-GRASS

9671 [2242]. *Xylena exsoleta* (Linnaeus, 1758)

SWORD-GRASS

9676 [2243]. *Xylocampa areola* (Esper, 1789)

EARLY GREY

9682 [2245]. *Allophyes oxyacanthae* (Linnaeus, 1758)

GREEN-BRINDLED CRESCENT

9694 [2247]. *Gripesia aprilina* (Linnaeus, 1758)

Synonym *Dichonia aprilina* (Linnaeus, 1758)

MERVEILLE DU JOUR

9699 [2248]. *Dryobotodes eremita* (Fabricius, 1775)

BRINDLED GREEN

9706 [2254]. *Antitype chi* (Linnaeus, 1758)

GREY CHI

9721 [2253]. *Polymixis xanthomista* (Hübner, [1819])

ssp. *statices* (Gregson, 1869)

BLACK-BANDED

9724 [2255]. *Polymixis lichenea* (Hübner, [1813])

ssp. *lichenea* (Hübner, [1813])

FEATHERED RANUNCULUS

9741 [2250]. *Mniotype adusta* (Esper, 1790)

DARK BROCADE

9748 [2321]. *Apamea monoglypha* (Hufnagel, 1766)

DARK ARCHES

9752 [2322]. *Apamea lithoxylaea* ([Denis and Schiffermüller], 1775)

LIGHT ARCHES

9753 [2323]. *Apamea sublustris* (Esper, 1788)

REDDISH LIGHT ARCHES

9755 [2326]. *Apamea crenata* (Hufnagel, 1766)

CLOUDED-BORDERED BRINDLE

9756 [2327]. *Apamea epomidion* (Haworth, 1809)

CLOUDED BRINDLE

9759 [2329]. *Apamea furva* ([Denis and Schiffermüller], 1775)

ssp. *britannica* Cockayne, 1950

CONFUSED

9765 [2325]. *Apamea oblonga* (Haworth, 1809)

CRESCENT STRIPED

9766 [2330]. *Apamea remissa* (Hübner, 1809)

DUSKY BROCADE

9767 [2331]. *Apamea unanimitis* (Hübner, [1813])

SMALL CLOUDED BRINDLE

9770 [2333]. *Apamea anceps* ([Denis and Schiffermüller], 1775)

LARGE NUTMEG

9771 [2334]. *Apamea sordens* (Hufnagel, 1766)

RUSTIC SHOULDER-KNOT

9774 [2335]. *Apamea scolopacina* (Esper, 1788)

SLENDER BRINDLE

9775 [2336]. *Laterologia ophiogramma* (Esper, 1794)

Synonym *Apamea ophiogramma* (Esper, 1794)

DOUBLE LOBED

9780 [2337]. *Oligia strigilis* (Linnaeus, 1758)

MARBLED MINOR

9781 [2338]. *Oligia versicolor* (Borkhausen, 1792)

RUFIOUS MINOR

9782 [2339]. *Oligia latruncula* ([Denis and Schiffermüller], 1775)

TAWNY MARBLED MINOR

9784 [2340]. *Oligia fasciuncula* (Haworth, 1809)

MIDDLE-BARRED MINOR

9786 [2341]. *Mesoligia furuncula* ([Denis and Schiffermüller], 1775)

CLOAKED MINOR

9787 [2342]. *Litoligia literosa* (Haworth, 1809)

Synonym *Mesoligia literosa* (Haworth, 1809)

ROSY MINOR

9789 [2343]. *Mesapamea secalis* (Linnaeus, 1758)

Synonym *Mesapamea didyma* (Esper, 1788)

COMMON RUSTIC

9790 [2343a]. *Mesapamea secalella* Remm, 1983

Mesapamea didyma misidentification

LESSER COMMON RUSTIC

9794 [2344]. *Photedes captiuncula* (Treitschke, 1825)

ssp. *tincta* (Kane, 1895)

LEAST MINOR

9795 [2345]. *Photedes minima* (Haworth, 1809)

SMALL DOTTED BUFF

9876 [2350]. *Denticucullus pygmina* (Haworth, 1809)

Synonym *Chortodes pygmina* (Haworth, 1809)

SMALL WAINSCOT

9801 [2353]. *Luperina testacea* ([Denis and Schiffermüller], 1775)

FLOUNCED RUSTIC

9803 [2354]. *Luperina nickerlii* (Freyer, 1845)

ssp. *knilli* Boursin, 1964

SANDHILL RUSTIC

9814 [2375]. *Rhizedra lutosa* (Hübner, 1803)

LARGE WAINSCOT

9828 [2360]. *Amphipoea oculea* (Linnaeus, 1761)

EAR MOTH

9829 [2358]. *Amphipoea fucosa* (Freyer, 1830)

ssp. *paludis* (Tutt, 1888)

SALTERN EAR

9831 [2357]. *Amphipoea lucens* (Freyer, 1845)

LARGE EAR

9832 [2359]. *Amphipoea crinanensis* (Burrows, 1908)

CRINAN EAR

9834 [2361]. *Hydraecia micacea* (Esper, 1789)

ROSY RUSTIC

9841 [2364]. *Gortyna flavago* ([Denis and Schiffermüller], 1775)

FROSTED ORANGE

9848 [2366]. *Calamia tridens* (Hufnagel, 1766)

ssp. *occidentalis* Cockayne, 1954

BURREN GREEN

9856 [2367]. *Celaena haworthii* (Curtis, 1829)

HAWORTH'S MINOR

9857 [2368]. *Helotropha leucostigma* (Hübner, 1808)

Synonym *Celaena leucostigma* (Hübner, 1808)

ssp. *leucostigma* (Hübner, 1808)

CRESCENT

9859 [2369]. *Nonagria typhae* (Thunberg, 1784)

BULRUSH WAINSCOT

9864 [2370]. *Lenisa geminipuncta* (Haworth, 1809)

Synonym *Archanara geminipuncta* (Haworth, 1809)

TWIN-SPOTTED WAINSCOT

***9866 [2371].** *Archanara dissoluta* (Treitschke, 1825)

BROWN-VEINED WAINSCOT

9867 [2373]. *Globia sparganii* (Esper, 1790)

Synonym *Archanara sparganii* (Esper, 1790)

WEBB'S WAINSCOT

9868 [2374]. *Globia algae* (Esper, 1789)

Synonym *Archanara algae* (Esper, 1789)

RUSH WAINSCOT

9890 [2379]. *Coenobia rufa* (Haworth, 1809)

SMALL RUFOUS

9895 [2145]. *Anarta trifolii* (Hufnagel, 1766)

Synonym *Discestra trifolii* (Hufnagel, 1766)

NUTMEG

9907 [2142]. *Anarta myrtilli* (Linnaeus, 1761)

BEAUTIFUL YELLOW UNDERWING

9917 [2160]. *Lacanobia oleracea* (Linnaeus, 1758)

BRIGHT-LINE BROWN-EYE

9918 [2158]. *Lacanobia thalassina* (Hufnagel, 1766)

PALE-SHOULDERED BROCADE

9919 [2156]. *Lacanobia contigua* ([Denis and Schiffermüller], 1775)

BEAUTIFUL BROCADE

9920 [2159]. *Lacanobia suasa* ([Denis and Schiffermüller], 1775)

DOG'S TOOTH

9925 [2147]. *Hada plebeja* (Linnaeus, 1761)

SHEARS

9928 [2164]. *Hecatera bicolorata* (Hufnagel, 1766)

BROAD-BARRED WHITE

9933 [2173]. *Hadena bicruris* (Hufnagel, 1766)

LYCHNIS

9935 [2169]. *Conisania luteago* ([Denis and Schiffermüller], 1775)

Synonym *Hadena luteago* ([Denis and Schiffermüller], 1775)

ssp. *barrettii* (Doubleday, 1864)

BARRETT'S MARBLED CORONET

9940 [2171]. *Hadena confusa* (Hufnagel, 1766)

MARBLED CORONET

9947 [2174]. *Hadena caesia* ([Denis and Schiffermüller], 1775)

ssp. *mananii* (Gregson, 1866)

GREY

9955 [2166]. *Sideridis rivularis* (Fabricius, 1775)

Synonym *Hadena rivularis* (Fabricius, 1775)

CAMPION

9957 [2167]. *Hadena perplexa* ([Denis and Schiffermüller], 1775)

ssp. *capsophila* (Duponchel, 1842)

POD LOVER

9969 [2152]. *Sideridis turbida* (Esper, 1790)

Synonym *Sideridis albicolon* (Hübner, [1813])

WHITE COLON

9972 [2153]. *Sideridis reticulata* (Goeze, 1781)

ssp. *hibernica* Cockayne, 1944

Synonym *Heliophobus reticulata* (Goeze, 1781)

BORDERED GOTHIC

9984 [2155]. *Melanchra persicariae* (Linnaeus, 1761)

DOT MOTH

9985 [2163]. *Ceramica pisi* (Linnaeus, 1758)

Synonym *Melanchra pisi* (Linnaeus, 1758)

BROOM MOTH

9987 [2154]. *Mamestra brassicae* (Linnaeus, 1758)

CABBAGE MOTH

9989 [2162]. *Papestra biren* (Goeze, 1781)

GLAUCOUS SHEARS

9991 [2148]. *Polia bombycina* (Hufnagel, 1766)

PALE SHINING BROWN

9993 [2150]. *Polia nebulosa* (Hufnagel, 1766)

GREY ARCHES

***9999 [2191].** *Mythimna turca* (Linnaeus, 1761)

DOUBLE LINE

10000 [2192]. *Mythimna conigera* ([Denis and Schiffermüller], 1775)

BROWN-LINE BRIGHT-EYE

10001 [2193]. *Mythimna ferrago* (Fabricius, 1787)

CLAY

10002 [2194]. *Mythimna albipuncta* ([Denis and Schiffermüller], 1775)

WHITE-POINT

10003 [2195]. *Mythimna vitellina* (Hübner, 1808)

DELICATE

10004 [2196]. *Mythimna pudorina* ([Denis and Schiffermüller], 1775)

STRIPED WAINSCOT

10005 [2197]. *Mythimna straminea* (Treitschke, 1825)

SOUTHERN WAINSCOT

10006 [2198]. *Mythimna impura* (Hübner, 1808)

SMOKY WAINSCOT

10007 [2199]. *Mythimna pallens* (Linnaeus, 1758)

COMMON WAINSCOT

10011 [2205]. *Leucania comma* (Linnaeus, 1761)

Synonym *Mythimna comma* (Linnaeus, 1761)

SHOULDER-STRIPED WAINSCOT

10021 [2201]. *Mythimna litoralis* (Curtis, 1827)

SHORE WAINSCOT

***10022 [2202].** *Mythimna l-album* (Linnaeus, 1767)

L-ALBUM WAINSCOT

10035 [2203]. *Mythimna unipuncta* (Haworth, 1809)

WHITE-SPECK

10034 [2208]. *Leucania loreyi* (Duponchel, 1827)

Synonym *Mythimna loreyi* (Duponchel, 1827)

COSMOPOLITAN

10037 [2188]. *Orthosia incerta* (Hufnagel, 1766)

CLOUDED DRAB

10038 [2190]. *Orthosia gothica* (Linnaeus, 1758)

HEBREW CHARACTER

10039 [2182]. *Orthosia cruda* ([Denis and Schiffermüller], 1775)

SMALL QUAKER

10041 [2183]. *Orthosia miniosa* ([Denis and Schiffermüller], 1775)

BLOSSOM UNDERWING

10042 [2184]. *Orthosia opima* (Hübner, 1809)

NORTHERN DRAB

10043 [2185]. *Orthosia populeti* (Fabricius, 1781)

LEAD-COLOURED DRAB

10044 [2187]. *Orthosia cerasi* (Fabricius, 1775)

COMMON QUAKER

10048 [2186]. *Orthosia gracilis* ([Denis and Schiffermüller], 1775)

POWDERED QUAKER

10050 [2189]. *Anorthoa munda* ([Denis and Schiffermüller], 1775)

Synonym *Orthosia munda* ([Denis and Schiffermüller], 1775)

TWIN-SPOTTED QUAKER

10052 [2179]. *Panolis flammea* ([Denis and Schiffermüller], 1775)

PINE BEAUTY

10062 [2176]. *Cerapteryx graminis* (Linnaeus, 1758)

ANTLER MOTH

10064 [2177]. *Tholera cespitis* ([Denis and Schiffermüller], 1775)

HEDGE RUSTIC

10065 [2178]. *Tholera decimalis* (Poda, 1761)

FEATHERED GOTHIC

10082 [2098]. *Axylia putris* (Linnaeus, 1761)

FLAME

10086 [2102]. *Ochropleura plecta* (Linnaeus, 1761)

FLAME-SHOULDER

10089 [2120]. *Diarsia mendica* (Fabricius, 1775)

ssp. *mendica* (Fabricius, 1775)

INGRAILED CLAY

10090 [2121]. *Diarsia dahlia* (Hübner, [1813])

BARRED CHESTNUT

10092 [2122]. *Diarsia brunnea* ([Denis and Schiffermüller], 1775)

PURPLE CLAY

10093 [2123]. *Diarsia rubi* (Vieweg, 1790)

SMALL SQUARE-SPOT

10096 [2107]. *Noctua pronuba* (Linnaeus, 1758)

LARGE YELLOW UNDERWING

10099 [2109]. *Noctua comes* (Hübner, [1813])

LESSER YELLOW UNDERWING

10100 [2110]. *Noctua fimbriata* (Schreber, 1759)

BROAD-BORDERED YELLOW UNDERWING

10103 [2111]. *Noctua janthe* (Borkhausen, 1792)

LESSER BROAD-BORDERED YELLOW UNDERWING

10105 [2112]. *Noctua interjecta* Hübner, 1803

ssp. *caliginosa* Schawerda, 1919

LEAST YELLOW UNDERWING

10113 [2118]. *Lycophotia porphyrea* ([Denis and Schiffermüller], 1775)

TRUE-LOVER'S KNOT

10139 [2105]. *Rhyacia simulans* (Hufnagel, 1766)

DOTTED RUSTIC

10153 [2104]. *Standfussiana lucernea* (Linnaeus, 1758)

NORTHERN RUSTIC

10156 [2117]. *Eugnorisma glareosa* (Esper, 1788)

AUTUMNAL RUSTIC

10161 [2137]. *Eurois occulta* (Linnaeus, 1758)

GREAT BROCADE

10171 [2114]. *Graphiphora augur* (Fabricius, 1775)

DOUBLE DART

10194 [2125]. *Xestia alpicola* (Zetterstedt, 1839)

ssp. *alpina* (Humphreys and Westwood, 1843)

NORTHERN DART

10199 [2126]. *Xestia c-nigrum* (Linnaeus, 1758)

SETACEOUS HEBREW CHARACTER

10200 [2127]. *Xestia ditrapezium* ([Denis and Schiffermüller], 1775)

TRIPLE-SPOTTED CLAY

10201 [2128]. *Xestia triangulum* (Hufnagel, 1766)

DOUBLE SQUARE-SPOT

10204 [2130]. *Xestia baja* ([Denis and Schiffermüller], 1775)

DOTTED CLAY

10207 [2132]. *Xestia castanea* (Esper, 1798)

NEGLECTED RUSTIC

10211 [2133]. *Xestia sexstrigata* (Haworth, 1809)

SIX-STRIPED RUSTIC

10212 [2134]. *Xestia xanthographa* ([Denis and Schiffermüller], 1775)

SQUARE-SPOT RUSTIC

10216 [2135]. *Xestia agathina* (Duponchel, 1827)

ssp. *agathina* (Duponchel, 1827)

HEATH RUSTIC

10224 [2139]. *Cerastis rubricosa* ([Denis and Schiffermüller], 1775)

RED CHESTNUT

10228 [2136]. *Naenia typica* (Linnaeus, 1758)

GOTHIC

10232 [2138]. *Anaplectoides prasina* ([Denis and Schiffermüller], 1775)

GREEN ARCHES

10238 [2119]. *Peridroma saucia* (Hübner, 1808)

PEARLY UNDERWING

10244 [2099]. *Actebia praecox* (Linnaeus, 1758)

PORTLAND MOTH

10275 [2082]. *Euxoa nigricans* (Linnaeus, 1761)

GARDEN DART

10280 [2081]. *Euxoa tritici* (Linnaeus, 1761)

?Synonym *Euxoa nigrofusca* (Esper, 1788)

WHITE-LINE DART

10282 [2080]. *Euxoa obelisca* ([Denis and Schiffermüller], 1775)

ssp. *grisea* (Tutt, 1902)

SQUARE-SPOT DART

10284 [2083]. *Euxoa cursoria* (Hufnagel, 1766)

COAST DART

10336 [2094]. *Agrotis bigramma* (Esper, 1790)

Synonym *Agrotis crassa* (Hübner, 1803)

GREAT DART

10338 [2093]. *Agrotis ripae* Hübner, 1823

SAND DART

10343 [2092]. *Agrotis puta* (Hübner, 1803)

ssp. *puta* (Hübner, 1803)

SHUTTLE-SHAPED DART

10346 [2091]. *Agrotis ipsilon* (Hufnagel, 1766)

DARK SWORD-GRASS

10347 [2090]. *Agrotis trux* (Hübner, 1824)

CRESCENT DART

10348 [2089]. *Agrotis exclamatoris* (Linnaeus, 1758)

HEART AND DART

10350 [2088]. *Agrotis clavis* (Hufnagel, 1766)

HEART AND CLUB

10351 [2087]. *Agrotis segetum* (Denis and Schiffermüller, 1775)

TURNIP MOTH

10356 [2085]. *Agrotis vestigialis* (Hufnagel, 1766)

ARCHER'S DART

10360 [2084]. *Agrotis cinerea* ([Denis and Schiffermüller], 1775)

ssp. *lunigera* Stephens, 1829

LIGHT FEATHERED RUSTIC

10372 [2425]. *Colocasia coryli* (Linnaeus, 1758)

NUT-TREE TUSSOCK

NOLIDAE

10429 [2078]. *Nola confusalis* (Herrich-Schäffer, 1847)

LEAST BLACK ARCHES

10441 [2423]. *Nycteola revayana* (Scopoli, 1772)

OAK NYCTEOLINE

10451 [2422]. *Pseudoips prasinana* (Linnaeus, 1758)

ssp. *britannica* Warren, 1913

GREEN SILVER-LINES

10456 [2418]. *Earias clorana* (Linnaeus, 1761)

CREAM-BORDERED GREEN PEA

CTENUCHIDAE

A [not allocated] [.....]. *Antichloris steinbachi* Rothschild, 1909 (Importation)

A [not allocated] [2074a]. *Antichloris eriphia* (Fabricius, 1777) (Importation)

EREBIDAE

[including former ARCTIIDAE and LYMANTRIIDAE]

10375 [2033]. *Lymantria monacha* (Linnaeus, 1758)

BLACK ARCHES

***10376 [2034].** *Lymantria dispar* (Linnaeus, 1758)

GYPSY MOTH

10387 [2028]. *Calliteara pudibunda* (Linnaeus, 1758)

PALE TUSSOCK

10392 [2027]. *Dicallomera fascelina* (Linnaeus, 1758)

DARK TUSSOCK

10397 [2026]. *Orgyia antiqua* (Linnaeus, 1758)

VAPOURER

10406 [2030]. *Euproctis similis* (Fuessly, 1775)

YELLOW-TAIL

10414 [2031]. *Leucoma salicis* (Linnaeus, 1758)

WHITE SATIN MOTH

10464 [2038]. *Nudaria mundana* (Linnaeus, 1761)

MUSLIN FOOTMAN

10466 [2035]. *Thumatha senex* (Hübner, 1808)

ROUND-WINGED MUSLIN

10475 [2037]. *Miltochrista miniata* (Forster, 1771)

ROSY FOOTMAN

10477 [2040]. *Cybosia mesomella* (Linnaeus, 1758)

FOUR-DOTTED FOOTMAN

10483 [2039]. *Atolmis rubricollis* (Linnaeus, 1758)

RED-NECKED FOOTMAN

10485 [2051]. *Lithosia quadra* (Linnaeus, 1758)

FOUR-SPOTTED FOOTMAN

10487 [2049]. *Eilema depressa* (Esper, 1787)

BUFF FOOTMAN

10488 [2044]. *Eilema griseola* (Hübner, 1803)

DINGY FOOTMEN

10489 [2050]. *Eilema lurideola* (Zincken, 1817)

COMMON FOOTMAN

10490 [2047]. *Eilema complana* (Linnaeus, 1758)

SCARCE FOOTMAN

10493 [2045]. *Eilema caniola* (Hübner, 1808)

HOARY FOOTMAN

***10499 [2043].** *Eilema sororcula* (Hufnagel, 1766)

ORANGE FOOTMAN

10509 [2036]. *Setina irrorella* (Linnaeus, 1758)

DEW MOTH

10535 [2054]. *Utetheisa pulchella* (Linnaeus, 1758)

CRIMSON SPECKLED

10550 [2064]. *Phragmatobia fuliginosa* (Linnaeus, 1758)

ssp. fuliginosa (Linnaeus, 1758)

RUBY TIGER

10557 [2056]. *Parasemia plantaginis* (Linnaeus, 1758)

ssp. plantaginis (Linnaeus, 1758)

WOOD TIGER

10566 [2061]. *Spilosoma lutea* (Hufnagel, 1766)

BUFF ERMINE

10567 [2060]. *Spilosoma lubricipeda* (Linnaeus, 1758)

WHITE ERMINE

10572 [2063]. *Diaphora mendica* (Clerck, 1759)

MUSLIN MOTH

10583 [2059]. *Diacrisia sannio* (Linnaeus, 1758)

CLOUDED BUFF

10598 [2057]. *Arctia caja* (Linnaeus, 1758)

GARDEN TIGER

10607 [2069]. *Tyria jacobaeae* (Linnaeus, 1758)

CINNABAR